


ATTACH LEGEND ON ALL DIGITAL MECHANICALS

MODIFIED FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to **45** characters per inch
Headings - 7 pt Helvetica Cnd. Bold Italic
Sub Heads - 6 pt Helvetica Cnd. Bold
 Text - 6 pt Helvetica Cnd, minimum leading 6
 Square Bullets - 3 pt Zapf Dingbats no compression


(b) (4)



ATTACH LEGEND ON ALL DIGITAL MECHANICALS

MODIFIED FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to **45** characters per inch
Headings - 7 pt Helvetica Cnd. Bold Italic
Sub Heads - 6 pt Helvetica Cnd. Bold
 Text - 6 pt Helvetica Cnd, minimum leading 6
 Square Bullets - 3 Zapf Dingbats no compression

(b) (4)



ATTACH LEGEND ON ALL DIGITAL MECHANICALS

STANDARD FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to 39 characters per inch
Headings - 7 pt Helvetica Cnd. Bold Italic
Sub Heads - 6 pt Helvetica Cnd. Bold
 Text - 6 pt Helvetica Cnd, minimum leading 6,25
 Square Bullets - 3,5 pt Zaph Dingbats no compression
 Border - 1 pt rule, 3/64" gap all around

(b) (4)



STANDARD FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to 39 characters per inch
Drug Facts - 10.5 pt Helvetica Bold Condensed Oblique
Headings - 9.3 pt Helvetica Bold Condensed Oblique
Sub Heads - 7 pt Helvetica Bold Condensed
 Text - 7 pt Helvetica Condensed, minimum leading 7.5
 Square Bullets - 4 pt Zapf Dingbats no compression
 Border - 1 pt rule, 3/64" gap all around
 Barline - 1 pt rule
 Hairline - .5 pt rule
 MM= or 8 pts

(b) (4)



STANDARD FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to 39 characters per inch
Drug Facts - 10.5 pt Helvetica Bold Condensed Oblique
Headings - 9.3 pt Helvetica Bold Condensed Oblique
Sub Heads - 7 pt Helvetica Bold Condensed
 Text - 7 pt Helvetica Condensed, minimum leading 7.5
 Square Bullets - 4 pt Zapf Dingbats no compression
 Border - 1 pt rule, 3/64" gap all around
 Barline - 1 pt rule
 Hairline - .5 pt rule
 MM= or 8 pts

(b) (4)



6.22
[158]

ATTACH LEGEND ON ALL DIGITAL MECHANICALS

STANDARD FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to 39 characters per inch
Headings - 9.3 pt Helvetica Cnd, Bold Italic
Sub Heads - 7 pt Helvetica Cnd, Bold
 Text - 7 pt Helvetica Cnd, minimum leading 7.5
 Square Bullets - 4 pt Zaph Dingbats no compression
 Border - 1 pt rule, 3/64" gap all around
 (b) (4)





APO #: 2015-1162
06.16.15 - ju

STANDARD FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to 39 characters per inch
Drug Facts - 15.75 pt Helvetica Bold Condensed Oblique
 (continued)
Drug Facts - 15.75 pt Helvetica Bold Cond. Oblique
 (continued) - 15.75 pt Helvetica Condensed
Headings - 14 pt Helvetica Bold Condensed Oblique
Sub Heads - 10.5 pt Helvetica Bold Condensed
 Text - 10.5 pt Helvetica Condensed, minimum leading 6.5
 Square Bullets - 6.13 pt Zapf Dingbats no compression
 Border - 1.5 pt rule, 7/16" gap all around
 Barline - 1.5 pt rule
 Hairline - .75 pt rule

Dye-Free

ages **2 years** and older

Children's Claritin

Allergy

loratadine oral solution
5 mg/5 mL-antihistamine

Indoor & Outdoor Allergies

TWO 6 FL. OZ. BOTTLES

TWO 6 FL OZ (180 ml) BOTTLES
TOTAL 12 FL OZ (360 ml)

Bayer

18¹⁵/₁₆



ITM# XXXXXX

Bayer
 Children's Claritin & Balloon Design
 and the Claritin Vial are registered
 trademarks of Bayer.
 © 2013 Bayer HealthCare LLC
 Whippany, NJ 07981
 Product of Ireland.
 Bayer
 XXXXXXXXX

Drug Facts	Drug Facts (continued)
Active ingredient (in each 5 mL teaspoonful) Loratadine 5 mg Antihistamine	Directions use only with enclosed dosing cup adults and children take more than 2 teaspoonfuls 6 years and over (tsp) in 24 hours children 2 to under 6 years of age take more than 1 teaspoonful (tsp) in 24 hours children under 2 years of age ask a doctor consumers with liver or kidney disease ask a doctor
Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. When using this product do not take more than directed. Taking more than directed may cause drowsiness. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	Other information each teaspoonful contains: sodium 6 mg do not use if tape imprinted with "SEALED FOR YOUR PROTECTION" on top and bottom flaps of carton is not intact store between 20° to 25° C (68° to 77° F)
Purpose	Questions or comments? 1-800-CLARITIN (1-800-252-7484) or www.claritin.com
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose itchy, watery eyes sneezing itching of the nose or throat	Inactive ingredients sodium phosphate, phosphoric acid, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, edetate disodium, flavor, glycerin, methyl, monobasic

Dye-Free

ages **2 years** and older

Children's Claritin

Allergy

TWO 6 FL. OZ. BOTTLES

180

XX-XXXXXX

000

000

000

238

MANUFACTURER'S COUPON EXPIRES X/XX/XX

Save \$2

on any Non-Drowsy*
Children's Claritin®
(8 oz Syrup or Chewables 20ct or larger)

**ages
2 years
and older**





© 2015 Bayer
CONSUMER: LIMIT ONE COUPON PER PURCHASE on specified product(s), size(s) and quantity stated. **LIMIT OF 4 EXACT SAME COUPONS PER HOUSEHOLD PER DAY.** You pay any sales tax. Void if copied, sold, transferred, altered, or auctioned. Coupon is not valid for purchases reimbursed by Medicaid, Medicare, similar federal or state programs, or health insurer. **RETAILER:** You are authorized to act as our agent and redeem this coupon at face value on the specified product(s). We will reimburse you for the face value of this coupon plus 8¢ if submitted in compliance with the Bayer HealthCare LLC Coupon Redemption Policy, incorporated herein by reference. **USE NOT CONSISTENT WITH THESE TERMS MAY CONSTITUTE FRAUD AND MAY VOID ALL COUPONS SUBMITTED.** Send coupons to: Bayer HealthCare LLC, P.O. Box 880319, El Paso, TX 88588-0319. Cash Value, 1/20th of 1¢. Good only in the U.S.A. XXXXX

0000000-000000



Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design, and the Claritin Vista are registered trademarks of Bayer.
 © 2015 Bayer. Dist by: Bayer HealthCare LLC, Whippany, NJ 07981 XXXXX-XX

Thank You for Using Children's Claritin®

SAVE on Non-Drowsy* Children's Claritin®
for Indoor & Outdoor Allergy Relief




FOR MORE INFORMATION, VISIT Claritin.com.

*When taken as directed. See Drug Facts Panel.

Use as directed.
© 2015 Bayer.

BAYER

MANUFACTURER'S COUPON EXPIRES 00/00/00

Save \$2
only on Non-Drowsy*
Children's Claritin® Syrup 8oz.

© 2015 Bayer.

CONSUMER: LIMIT ONE COUPON PER PURCHASE on specified product(s), size(s) and quantity stated. **LIMIT OF 4 EXACT SAME COUPONS PER HOUSEHOLD PER DAY.** You pay any sales tax. Void if copied, sold, transferred, altered, or auctioned. Coupon is not valid for purchases reimbursed by Medicaid, Medicare, similar federal or state programs, or health insurer.

RETAILER: You are authorized to act as our agent and redeem this coupon at face value on the specified product(s). We will reimburse you for the face value of this coupon plus 8¢ if submitted in compliance with the Bayer HealthCare LLC Coupon Redemption Policy, incorporated herein by reference. **USE NOT CONSISTENT WITH THESE TERMS MAY CONSTITUTE FRAUD AND MAY VOID ALL COUPONS SUBMITTED.** Send coupons to: Bayer HealthCare LLC, P.O. Box 880319, El Paso, TX 88588-0319, Cash Value, 1/20th of 1¢, Good only in the U.S.A.

000000

00000-00

0000000-000000



PEEL HERE

SAVE \$2 NOW

Dye-Free

ages 2 years and older

Children's Claritin

Allergy

loratadine oral solution
5 mg/5 mL-antihistamine

Non-Drowsy*
24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Indoor & Outdoor Allergies

DYE-FREE

BAYER

8 FL OZ (240 ml)

Grape Taste

*When taken as directed. See Drug Facts Panel.

ATTACH LEGEND ON ALL DIGITAL MECHANICALS

STANDARD FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to 39 characters per inch
Headings - 9 pt Helvetica Cnd, Bold Italic
Sub Heads -6.5 pt Helvetica Cnd, Bold
 Text - 6.5 pt Helvetica Cnd, minimum leading 7
 Square Bullets - 3.5 pt Zaph Dingbats no compression
 Border - 1 pt rule, 3/64" gap all around

(b) (4)

183.00 +/-0.50
[7.204 +/- 0.019]

16.00
Minimum

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- use only with enclosed dosing cup
- adults and children 6 years and over: 2 teaspoonfuls (tsp) daily
- children 2 to under 6 years of age: 1 teaspoonful (tsp) daily
- children under 2 years of age: ask a doctor
- do not take more than 1 dose in any 24-hour period

Other information

- each teaspoonful contains: sodium 6 mg
- store between 20° to 25°C (68° to 77°F)

Questions or comments?
1-800-CLARITIN (1-800-252-7484) or www.claritin.com

Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vista are registered trademarks of Bayer.
 © 2015 Bayer. Dist by: Bayer HealthCare LLC
 Whippany, NJ 07981 Product of Ireland.

Bayer

Do not use if tape imprinted with "SEALED FOR YOUR PROTECTION" on top and bottom flaps of carton is not intact.

2 years and older

Children's Claritin

Allergy

loratadine oral solution
5 mg/5 mL-antihistamine

Indoor & Outdoor Allergies

24 Hour

BAYER

6 FL OZ (180 mL)

Grape Taste

<p>Active ingredient (in each 5 mL teaspoonful) Loratadine 5 mg.....</p> <p>Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:</p> <ul style="list-style-type: none"> ■ runny nose ■ sneezing <p>Warnings</p> <p>Do not use if you have ever had an allergic reaction to this product or any of its ingredients.</p> <p>Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.</p> <p>When using this product do not take more than directed. Taking more than directed may cause drowsiness.</p> <p>Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p>	<p>Purpose Antihistamine</p> <p>■ itchy, watery eyes</p> <p>■ itching of the nose or throat</p>
---	---

XX-XXXXXX

STANDARD FORMAT	
Helvetica Condensed	
Variable horizontal scale adheres to 39 characters per inch	
Drug Facts - 9 pt Helvetica Cnd. Bold Italic	
Headings - 8 pt Helvetica Cnd. Bold Italic	
Sub Heads - 6 pt Helvetica Cnd. Bold	
Text - 6 pt Helvetica Cnd, minimum leading 6.5	
Square Bullets - 3.5 pt Zaph Dingbats no compression	
Border - 1 pt rule, 3/64" gap all around	
Barline - 1 pt rule _____	
Hairline - .5 pt rule _____	

(b) (4)



ATTACH LEGEND ON ALL DIGITAL MECHANICALS

STANDARD FORMAT
 Helvetica Condensed
 Variable horizontal scale adheres to 39 characters per inch
Headings - 7 pt Helvetica Cnd, Bold Italic
Sub Heads - 6 pt Helvetica Cnd, Bold
 Text - 6 pt Helvetica Cnd, minimum leading 6,25
 Square Bullets - 3,5 pt Zaph Dingbats no compression
 Border - 1 pt rule, 3/64" gap all around

(b) (4)



This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.

/s/

VALERIE S PRATT
12/30/2015