


Front Cover Layer



Base Label Layer

2pt Stroke

.5pt Stroke

5pt A — All Bullets •

A - Helvetica Neue LT W1G 57 Condensed

B - Helvetica Neue LT W1G 77 Bold Condensed

C - Helvetica Neue LT W1G 77 Bold Condensed Oblique

NDC 17518-051-04

# 3M Avagard™

(Chlorhexidine Gluconate  
1% Solution and Ethyl  
Alcohol 61% w/w)

Surgical and Healthcare  
Personnel Hand Antiseptic  
with Moisturizers

[ EXP ]

Flammable, keep away from fire or flame,  
heat, sparks and sources of static discharge.

40.6 fl oz • 1200 mL

REF 9216

10pt, C	<b>Drug Facts</b>	<b>Drug Facts (continued)</b>	9pt, C
8pt, C	<b>Active ingredients</b>	<b>Purpose</b>	9pt, A
6pt, A	Chlorhexidine gluconate 1% w/w	Antiseptic	8pt, C
8pt, C	Ethyl alcohol 61% w/w	Antiseptic	
6pt, B	<b>Uses</b>	<b>Directions</b>	
6pt, A	• surgical hand antiseptic; significantly reduces the number of micro-organisms on the hands and forearms prior to surgery or patient care	• use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.	
8pt, C	• healthcare personnel hand antiseptic; handwash to help reduce bacteria that potentially can cause disease	<b>Surgical hand antiseptic</b>	
6pt, A	• recommended for repeated use	• apply to clean, dry hands and nails. For the first use of each day, clean under nails with a nail stick.	
8pt, C	<b>Warnings</b>	• dispense one pump (2 mL) into the palm of one hand	
6pt, B	For external use only.	• dip the fingertips of the opposite hand into the lotion and work it under the nails	
6pt, B	Flammable, keep away from fire or flames.	• spread the remaining lotion over the hand and up to just above the elbow	
6pt, B	Do not use if you are allergic to chlorhexidine gluconate or any other ingredients in this preparation	• using another 2 mL of lotion, repeat with the other hand	
6pt, A	<b>When using this product</b>	• dispense another 2 mL of lotion into either hand; reapply to all aspects of both hands up to the wrists	
6pt, B	• do not touch the eye with hands that have been treated with this preparation	• allow to dry before donning gloves	
6pt, B	• keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye.	<b>Healthcare personnel hand antiseptic</b>	
6pt, A	• if contact occurs, rinse with cold water right away	• apply to clean, dry hands and nails	6pt, B
6pt, B	• do not use routinely if you have wounds which involve more than the superficial layers of the skin	• dispense one pump (2 mL) into the palm of one hand	
6pt, B	<b>Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs. These may be signs of a serious condition</b>	• paying particular attention to the spaces between the fingers and under fingernails, apply the lotion evenly to cover both hands up to the wrists	
6pt, B	<b>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</b>	• allow to dry without wiping	8pt, C
		<b>Other information</b> store at 20-25°C (68-77°F)	8pt, C
		<b>Inactive ingredients</b> beheneth 10, behenyl alcohol, C20-40 pareth-24, cetyl palmitate, diisopropyl dimer dilinoleate, dimethicone, glycerin, polyethylene glycol, squalane, water	8pt, C
		<b>Questions?</b> call 1-800-228-3957	

2pt Stroke \_\_\_\_\_

.5pt Stroke \_\_\_\_\_

5pt A — All Bullets •

A - Helvetica Neue LT W1G 57 Condensed

B - Helvetica Neue LT W1G 77 Bold Condensed

C - Helvetica Neue LT W1G 77 Bold Condensed Oblique

