


# Children's Allegra Allergy 12 Hour Orally Disintegrating Tablet Carton

05.02.16

ALG Kids\_12hr\_12ct\_ODT CTN\_2015\_30pct



Children's Allegra<sup>®</sup> ALLERGY 12 HR  
NON-DROWSY 12 Orally Disintegrating TABLETS

NDC XXXXX-XXXX-X  
NON-DROWSY 6 Years & Older

Children's Allegra<sup>®</sup> ALLERGY

12 HR

Ages 6 Years & Older

Children's Allegra<sup>®</sup> ALLERGY 12 HR

Children's Allegra<sup>®</sup> ALLERGY

12 HR

Ages 6 Years & Older

The makers of Allegra<sup>®</sup> do not make store brand products. The trade dress of this Allegra<sup>®</sup> package is subject to trademark protection.

Dist. By: Chatter, Inc., a Sanofi Company, Chattanooga, TN 37409-0219 ©2015 Origin Germany

UPC FPO

INDOOR / OUTDOOR ALLERGY RELIEF



orange cream FLAVOR

12 Orally Disintegrating TABLETS

XXXXXX-XX



orange cream

12 Orally Disintegrating TABLETS

LOT:

EXP:

Children's Allegra<sup>®</sup> ALLERGY 12 HR

### Drug Facts

**Active Ingredient (in each tablet)** Fexofenadine HCl 30 mg. **Purpose** Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.  
Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

**When using this product**  
■ do not take more than directed  
■ do not take at the same time as aluminum or magnesium antacids  
■ do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
■ place 1 tablet on tongue; tablet disintegrates, with or without water

adults and children 12 years of age and over	take 2 tablets every 12 hours on an empty stomach; do not take more than 4 tablets in 24 hours
children 6 to under 12 years of age	take 1 tablet every 12 hours on an empty stomach; do not take more than 2 tablets in 24 hours
children under 6 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

**Other information**  
■ phenylketonurics: contains phenylalanine 3.8 mg per tablet  
■ safety sealed: do not use if carton is opened or if individual blister units are torn or opened  
■ store between 20° and 25°C (68° and 77°F)  
■ use tablet immediately after opening individual blister  
■ contains lactose

**Inactive ingredients**  
aspartame, crospovidone, flavors, lactose monohydrate, magnesium stearate, methacrylic acid copolymer, microcrystalline cellulose, povidone, silicon dioxide

**Questions or comments?**  
call toll-free 1-800-633-1610 or www.allegra.com

# Children's Allegra Allergy 12 Hour Orally Disintegrating Tablet Carton

06.07.16

ALG Kids\_12hr\_24ct\_ODT CTN\_2015\_30pct



Children's Allegra ALLERGY 12 HR NON-DROWSY 24 Orally Disintegrating TABLETS

VALUE SIZE! Compare to 12 count NON-DROWSY 6 Years & Older

NDC XXXXX-XXXX-X

Children's Allegra ALLERGY

fexofenadine HCl orally disintegrating tablet 30 mg / antihistamine 12 HR

INDOOR / OUTDOOR ALLERGY RELIEF

- ✓ Sneezing
- ✓ Runny Nose
- ✓ Itchy, Watery Eyes
- ✓ Itchy Nose or Throat



24 Orally Disintegrating TABLETS

XXXXXX-XX

24 Orally Disintegrating TABLETS

dissolves without water



Children's Allegra ALLERGY 12 HR

Ages 6 Years & Older

The makers of Allegra® do not make store brand products. The trade dress of this Allegra® package is subject to trademark protection.

Dist. By: Chatterm, Inc., a Sanofi Company, Chattanooga, TN 37409-0219 ©2015 Origin Germany

UPC FPO

LOT:

EXP:

Children's Allegra ALLERGY 12 HR

## Drug Facts

Active Ingredient (in each tablet) Purpose  
Fexofenadine HCl 30 mg ..... Antihistamine

### Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

### Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.  
 Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

### When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

■ place 1 tablet on tongue; tablet disintegrates, with or without water

adults and children 12 years of age and over	take 2 tablets every 12 hours on an empty stomach; do not take more than 4 tablets in 24 hours
children 6 to under 12 years of age	take 1 tablet every 12 hours on an empty stomach; do not take more than 2 tablets in 24 hours
children under 6 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

### Other information

- phenylethanolamine: contains phenylethanolamine 3.8 mg per tablet
- safety sealed: do not use if carton is opened or if individual blister units are torn or opened
- store between 20° and 25°C (68° and 77°F)
- use tablet immediately after opening individual blister
- contains lactose

### Inactive ingredients

aspartame, croscopovidone, flavors, lactose monohydrate, magnesium stearate, methacrylic acid copolymer, microcrystalline cellulose, povidone, silicon dioxide

### Questions or comments?

call toll-free 1-800-633-1610 or www.allegra.com


# Children's Allegra Orally Disintegrating Tablets

## 05.03.16

ALG\_Kids 12hr ODT Blister\_2015\_r1



<b>BTI</b> COMPIÈGNE	Version N° <b>1</b>	Type Article	<b>Aluminium</b>	N° Version Logo/Name	NA	<b>SANOFI</b>			
créé le par modifié le par	22/01/2013 E Wasczczyk	Nom du Produit Référence article dosage quantité	<b>Allegra W275510 30 mg cps</b>	N° Version Country Ex.	NA				
Laboratoires Pays	<b>Sanofi US</b>	Couleur Nbre/Réf.:	<b>1 Red 032 C</b>	N° plan positionnement	<b>606818-2a</b>	Laize en mm Format blister	<b>280 mm 124 x 52 mm</b>	Valeur pas nominal Valeur duplication Long. dévelop. Angle du pavé Taille caractères	<b>126 125,84 377,52 45° 9 pts</b>



CHATEM, INC., QUALITY ASSURANCE  
*Cathy Soufer* DATE: 9/6/13  
**APPROVED LABELING**  
 All Signatures on File  
 QA: CT 9/4/13  
 Legal: TW 9/3/13  
 Reg: DS 9/13/13  
 MKT: KF 9/4/13  
 ChaHen  
 SA Reg: ND 9/5/13  
 SA QA: TP 9/4/13

-----  
**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**  
-----

/s/  
-----

THERESA M MICHELE  
06/10/2016