

X = 4.97 Y = 7.10
 WGN10231D2
 01/14/2014
 PRINTED SIDE RT MTL FOLDING



Drug Facts

Active ingredient Purpose
 Adapalene 0.1% (retinoid)*.....Acne treatment
 *read consumer information leaflet

Use
 ■ For the treatment of acne

Warnings

- For external use only**
- Do not use**
- on damaged skin (cuts, abrasions, eczema, sunburn)
 - if you are allergic to adapalene or any of the ingredients in this product.
- If pregnant or breast-feeding, ask a doctor before use.**
- When using this product**
- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors
 - do not wax to remove hair in areas where the product has been applied
 - during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe
 - irritation (redness, itching, dryness, burning) is more likely to occur:
 - in the first few weeks of use
 - if using more than one topical acne medication at a time
 - but irritation usually lessens with continued use of this product
 - it may take up to 3 months of once daily use to see results
 - avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
 - wash hands after use
- Stop use and ask a doctor if**
- you become pregnant, or are planning to become pregnant, while using the product
 - you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
 - irritation becomes severe

Drug Facts (continued)

■ you see no improvement after 3 months of once daily use

Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older:**
- use once daily
 - clean the skin gently and pat dry before applying the product
 - cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
 - do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.
- Children under 12 years of age:**
 ask a doctor

Other information

- store at room temperature 68°-77°F
- protect from freezing

Inactive ingredients

carbomer 940, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water and sodium hydroxide.
 May contain hydrochloric acid to adjust pH.

Questions?
 1-866-735-4137

Distributed by:
 Galderma Laboratories, L.P.
 Fort Worth, TX 76177 USA
 Made in Canada
 All trademarks are the property of their respective owners

**DIFFERIN®
 GEL**

ADAPALENE GEL 0.1%
 ACNE TREATMENT

**DIFFERIN®
 GEL**

ADAPALENE GEL 0.1%
 ACNE TREATMENT

- FIRST FDA-APPROVED OVER-THE-COUNTER TOPICAL RETINOID* FOR ACNE TREATMENT
- PREVIOUSLY AVAILABLE ONLY BY PRESCRIPTION
- DERMATOLOGIST DEVELOPED AND TESTED


*Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.

Once Daily
 Topical retinoid*

*Read consumer information leaflet before use.

Oil Free
 Fragrance Free
 FDA Approved

000000-0



ACTUAL SIZE

GALDERMA

NET WT 0.5 OZ (15 g)

WGN10231D2

(b) (4)

X = 10.69 Y = 10.53
WGN10288D12
05/07/2014
PRINTED SIDE RT MTL FOLDING



Galderma Laboratories, L.P.
Differin (adapalene) Gel 0.1% - NDA 020380 Seq 0041
Draft Labeling

Drug Facts

Active ingredient	Purpose
Adapalene 0.1% (retinoid)*	Acne treatment

Use
For the treatment of acne

Warnings
For external use only

Do not use

- on damaged skin (cuts, abrasions, eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product.

If pregnant or breast-feeding, ask a doctor before use.

When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
 - in the first few weeks of use
 - if using more than one topical acne medication at a time
 - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see results
- avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
- wash hands after use

Stop use and ask a doctor if

- you become pregnant, or are planning to become pregnant, while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once daily use

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Adults and children 12 years of age and older:

- use once daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

Children under 12 years of age: ask a doctor

Other information

- store at room temperature 68°-77°F
- protect from freezing

Inactive ingredients
carbomer 940, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water and sodium hydroxide.
May contain hydrochloric acid to adjust pH.

Questions? 1-866-735-4137

Distributed by:
Galderma Laboratories, L.P.
Fort Worth, TX 76177 USA

Made in Canada
All trademarks are the
property of their respective
owners
00000-0

(b) (4)