

16<sup>33</sup>/<sub>64</sub>

2

5<sup>1</sup>/<sub>16</sub>

2<sup>23</sup>/<sub>64</sub>

29  
32

ARTWORK NO. 6-824449 / REF 260449  
**CHLORAPREP SEPP CLEAR CARTON - US**


DATE	REV	DCN	PAGE	VERSION	COLOR SWATCHES
XX/XX	V	IP80123	1 of 2	Draft 1	(0) (4)

Box for Lot # and Exp. Date is for reference only

Barcode Placeholder is for reference only

All Dimensions shown in inches

FINAL RELEASE APPROVAL



**BD ChloraPrep™ SEPP™ Clear**

Not made with natural rubber latex | Do not reuse | STERILE SOLUTION | External Use Only | Professional Use Only

**Drug Facts**

**Active Ingredients:** Chlorhexidine gluconate 2% w/v, Antiseptic; Isopropyl alcohol 70% v/v, Antiseptic

**Purposes:** Antiseptic

**Use:** For the preparation of the patient's skin prior to surgery or injection. Helps to reduce bacteria that potentially can cause skin infection.

**Warnings:** For external use only. Flammable, keep away from fire or flame. Do not use with electrocautery procedures.

**Other information:** Store between 15-30 °C (59-86 °F). Avoid freezing and excessive heat above 40 °C (104 °F).

**Inactive ingredient:** USP purified water

**Questions?** • www.chloraprep.com • call 1-800-523-9592 (M-F 8 a.m.-5 p.m. CST)

Becton, Dickinson and Company, El Paso, TX 79912 • www.bd.com • Made in the USA of US and imported parts ©2017 BD, the BD Logo and all other trademarks are property of Becton, Dickinson and Company.

**BD ChloraPrep™ SEPP™ Clear**

0.67 mL Applicators  
 2% w/v chlorhexidine gluconate (CHG) and 70% v/v isopropyl alcohol (IPA)  
 Patient Preoperative Skin Preparation

**Sterile Solution**  
 Applicator is sterile if package is intact

NDC 054365-400-03

REF 260449

Store between 15-30 °C (59-86 °F)  
 Avoid freezing and excessive heat above 40 °C (104 °F)

0.02 fl. oz. (0.67 mL) each

**200 Applicators**

**BD ChloraPrep™ SEPP™ Clear**  
 0.67 mL Applicators

2% w/v chlorhexidine gluconate (CHG) and 70% v/v isopropyl alcohol (IPA)  
 Patient Preoperative Skin Preparation

**Sterile Solution**  
 Applicator is sterile if package is intact

**200 Applicators**

NON-VARNISH AREA  
 LOT & EXP PRINTED IN LINE  
 DOES NOT PRINT

BARCODE PLACEHOLDER

8<sup>3</sup>/<sub>16</sub>

3<sup>1</sup>/<sub>4</sub>

8<sup>7</sup>/<sub>32</sub>

3<sup>1</sup>/<sub>4</sub>

1<sup>11</sup>/<sub>16</sub>

23<sup>19</sup>/<sub>32</sub>

**Front Panel**

Artwork # & Revision  
 9pt FS Albert Pro Regular

REF & NDC  
 18pt FS Albert Pro Regular  
 10pt FS Albert Pro Regular

Wordmark  
 33pt FS Albert Pro Regular

Descriptors  
 25/17/10pt FS Albert Pro Bold  
 25/17/10pt FS Albert Pro Regular

Quantity  
 25pt FS Albert Pro Regular

**Back Panel**

Wordmark  
 33pt FS Albert Pro Regular

Address / Trademark  
 7/6pt FS Albert Pro Bold  
 7/6pt FS Albert Pro Regular

Drug Facts Box  
 Drug Facts  
 14pt FS Albert Pro Bold Italic

Section Headers  
 8pt FS Albert Pro Bold Italic

Body Copy  
 6pt FS Albert Pro Bold  
 6pt FS Albert Pro Regular

Bullets  
 5pt FS Albert Pro Regular

Barlines / Hairlines  
 2.5pt / 0.5pt

Side Panel

Wordmark  
 20pt FS Albert Pro Regular

Descriptors  
 15/10pt FS Albert Pro Bold  
 15/10pt FS Albert Pro Regular


Quantity  
 10pt FS Albert Pro Regular



ARTWORK NO. 6-000449 / REF 260449

**CHLORAPREP 0.67ML SEPP CLEAR** (b) (4) - US

DATE	REV	DCN	PAGE	VERSION	COLOR SWATCHES
XX/XX	S	TBD	1 of 2	Draft 3	(b) (4)

**Font List****REF / NDC No.**

6pt FS Albert Pro Narrow Regular

**Wordmark**

7.5pt FS Albert Pro Narrow Regular

**Descriptors**

6pt FS Albert Pro Narrow Bold

**Body copy**

6pt FS Albert Pro Narrow Bold

6pt FS Albert Pro Regular

All Dimensions  
shown in mmExp. Date & Lot No. indicators  
are for reference only**FINAL RELEASE APPROVAL**

ARTWORK NO. 6-775449F / REF 260441NSB/260449NSB  
**CHLORAPREP SEPP CLEAR INSERT - US**

DATE	REV	DCN	PAGE	VERSION	COLOR SWATCHES
XX/XX	S	IP80123	1 of 2	Draft 1	(b) (4)

2.5

7.5

**BD ChloraPrep™ SEPP™ Clear**  
 0.67 mL Applicator  
 2% w/v chlorhexidine gluconate (CHG) and 70% v/v isopropyl alcohol (IPA)  
 Patient Preoperative Skin Preparation  
 Sterile Solution  
 Applicator is sterile if package is intact

---

**Drug Facts**

Active ingredients	Purposes
Chlorhexidine gluconate 2% w/v	Antiseptic
Isopropyl alcohol 70% v/v	Antiseptic

**Use** For the preparation of the patient's skin prior to surgery or injection. Helps to reduce bacteria that potentially can cause skin infection.

**Warnings**  
 For external use only.  
 Flammable, keep away from fire or flame.  
 • do not use with electrocautery procedures

**Allergy alert:**  
 This product may cause a severe allergic reaction. Symptoms may include:  
 • wheezing/difficulty breathing • shock • facial swelling  
 • hives • rash  
 If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**  
 • on patients allergic to chlorhexidine gluconate or any other ingredient in this product  
 • for lumbar puncture or in contact with the meninges  
 • on open skin wounds or as a general skin cleanser

**When using this product** keep out of eyes, ears, and mouth. May cause serious or permanent injury if permitted to enter and remain. If contact occurs, rinse with cold water right away and contact a doctor.

**Stop use and ask a doctor if** irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 • use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.  
 • maximal treatment area for one applicator is approximately 2.5 in. x 2.5 in. (42 cm²)  
 • remove applicator from package; do not touch applicator tip  
 • hold the sponge tip down and pinch the barrel of the applicator only once to activate the ampule and release the antiseptic  
 • wet the sponge tip by pressing and releasing the sponge against the treatment area until liquid is visible on the skin  
 • completely wet the treatment area with antiseptic  
 • dry surgical sites (e.g., abdomen or arm): use gentle repeated back-and-forth strokes for approximately 30 seconds. Allow the area to air dry for approximately 30 seconds.  
 • moist surgical sites (e.g., inguinal fold): use gentle repeated back-and-forth strokes for approximately 2 minutes. Allow the area to air dry for approximately 1 minute.  
 • do not blot or wipe away  
 • discard the applicator after a single use along with any portion of the solution not required to cover the prep area. It is not necessary to use the entire amount available.

**Other information**  
 • store between 15-30 °C (59-86 °F)  
 • avoid freezing and excessive heat above 40 °C (104 °F)

**Inactive ingredient** USP purified water

**Questions?** • www.chloraprep.com  
 • call 1-800-523-0502 (M-F 8 a.m.–5 p.m. CST)


See other side for additional information


FRONT


REF 260441NSB / 260449NSB  
 NDC 054365-400-03


**BD ChloraPrep™ SEPP™ Clear**  
 0.67 mL Applicator  
 2% w/v chlorhexidine gluconate (CHG) and 70% v/v isopropyl alcohol (IPA)  
 Patient Preoperative Skin Preparation  
 Sterile Solution  
 Applicator is sterile if package is intact

See Drug Facts for Full Labeling Information

  
Not made with natural rubber latex

  
Do not reuse

  
STERILE EO

  
STERILE SOLUTION

External Use Only  
Professional Use Only

Becton, Dickinson and Company,  
 El Paso, TX 79912  
 Artwork No. 6-775449F  
 SXXXXXX  
 Made in the USA of US and imported parts  
 www.bd.com  
 © 2017 BD, BD, the BD Logo and all other trademarks are property of Becton, Dickinson and Company.

REAR

**Font List**

**Front**

**Wordmark**

- 12pt FS Albert Pro Regular
- Descriptors**
- 8/6pt FS Albert Pro Regular
- 8/6pt FS Albert Pro Bold

**Drug Facts Box**

**Drug Facts**

- 12pt FS Albert Pro Bold Italic

**Section Headers**

- 8pt FS Albert Pro Bold Italic

**Body Copy**

- 6pt FS Albert Pro Narrow Regular
- 6pt FS Albert Pro Narrow Bold

**Bullets**

- 5pt FS Albert Pro Narrow Regular

**Barlines / Hairlines**

- 2.5pt / 0.5pt

**Back**

**Wordmark**


- 14pt FS Albert Pro Regular
- Descriptors**
- 10/7pt FS Albert Pro Regular
- 10/7pt FS Albert Pro Bold

**REF & NDC**

- 7pt FS Albert Pro Regular

- Address / Artwork No. / Revision / COO / Website**
- 6pt FS Albert Pro Regular
- 6pt FS Albert Pro Bold

1mm for Color Registration tolerance

Box for Lot # and Exp. Date is for reference only 

All Dimensions shown in inches 

**FINAL RELEASE APPROVAL**

