



FRONT

128 CODE = 080440

# PRODUCTION

(NOT COLOR ACCURATE)

Job Information	Color Legend
<p>Date 27-SEP-2016 PASS # 1                      Component # PAA080440.FDA01                      Drawing # (b) (4)-50014435v01</p>	(b) (4)
Identification	
<b>Printer &amp; User Notes</b> PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	4.5 pt
• SUBHEADINGS/BODY TEXT	4.5 pt
• LEADING	4.5 pt
• BULLETS	3.5 pt
• SPACE BEFORE BULLET	2 ems
• WARNING BOX LINE, HAIRLINES	N/A

BACK




SEAL AREA FOR LOT & EXP  
25 mm x 4.5 mm

← 25 mm →

AREA FOR LOT AND EXP  
TO BE PRINTED IN DARK COLOR  
26 mm x 5.5 mm

128 CODE = 080441

FOR BACK ONLY



AREA FOR LOT AND EXP  
TO BE PRINTED IN DARK COLOR  
26 mm x 5.5 mm  
(OUTER OVAL)

SEAL AREA FOR LOT & EXP  
25 mm x 4.5 mm  
(INNER OVAL)

PRODUCTION


(NOT COLOR ACCURATE)

Job Information	Color Legend
Date 27-SEP-2016 PASS # 1 Component # PAA080441.FDA01 Drawing # (b) (4) -50014436v01	(b) (4)
Identification	
(b) (4)	Printer & User Notes
	PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.

DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	4.5 pt
• SUBHEADINGS/BODY TEXT	4.5 pt
• LEADING	4.5 pt
• BULLETS	3.5 pt
• SPACE BEFORE BULLET	2 ems
• WARNING BOX LINE, HAIRLINES	N/A

HIGH DENSITY CODE 128 LOCATION.  
SUBSET C, 10 MIL DENSITY,  
MUST SCAN AT GRADE A OR B  
ACCORDING TO ANSI STANDARDS.

HIGH DENSITY CODE 128 LOCATION.  
SUBSET C, 10 MIL DENSITY,  
MUST SCAN AT GRADE A OR B  
ACCORDING TO ANSI STANDARDS.




**PRODUCTION**

(NOT COLOR ACCURATE)

Job Information	Color Legend
<p>Date 30-SEP-2016 PASS # 2 Component # PAA080930.FDA01 Drawing # (b) (4)-50038548v01</p>	(b) (4)
Identification	
	(b) (4)
Printer & User Notes	
<p>PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.</p>	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	6 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• WARNING BOX LINES	.5 pt



3/16" X 3/16" DATA MATRIX CODE (ECC200), PRINTED IN BLACK OR DARK BLUE ON UNPRINTED WHITE BACKGROUND. DATA MATRIX CODE = 080249

UNVARNISHED AND PRINTED IN BLACK OR DARK BLUE. FOR LOT & EXPIRATION AREA.

## PRODUCTION

(NOT COLOR ACCURATE)

Job Information	Color Legend
<b>Date</b> 16-SEP-2016 PASS # 1 <b>Component #</b> PAA080249 <b>Drawing #</b> (b) (4) -00000433 v01	(b) (4)
Identification	
	<b>Printer &amp; User Notes</b> PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.

DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	5 pt
• SUBHEADINGS/BODY TEXT	5 pt
• LEADING	5.5 pt
• BULLETS	4 pt
• SPACE BEFORE BULLET	2 ems
• WARNING BOX LINES	.5 pt, .8 pt



# PRODUCTION

(NOT COLOR ACCURATE)


Job Information	Color Legend
<p>Date 16-SEP-2016 PASS # 1                      Component # PAA080248                      Drawing # (b) (4)-00000432 v04</p>	<p>(b) (4)</p>
<p><b>Identification</b></p> <p> (b) (4)</p>	
<p><b>Printer &amp; User Notes</b></p> <p>PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART.</p> <p>PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION.</p> <p>PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.</p>	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces

(b) (4) Full size file (b) (4)

(b) (4) Full size file (b) (4)

(b) (4) Full size file (b) (4)



128 CODE = 080248

128 CODE AREA - SUBSET C 10 MIL DENSITY WITH 4 OR 6 DIGITS (CODE TO EXTEND TO EDGE OF FLAP - UNVARNISHED) PRINTED SIDE OF CARTON

UNPRINTED AREA FOR DATE & LOT (UNVARNISHED)





PRINTED AREA FOR DATE & LOT LASER CODING (VARNISHED)

UNVARNISHED AREAS

### Specific Rule Legend

Cut \_\_\_\_\_  
 Crease \_\_\_\_\_







**PRODUCTION**


(NOT COLOR ACCURATE)

Job Information	Color Legend
Date 19-DEC-2016 PASS # 1 Component # PAA083050 Drawing # (b) (4)-00000785 v02	<b>See Art For Colors.</b>
<b>Identification</b> 	
<b>Printer &amp; User Notes</b> PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	6 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.25 pt
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• WARNING BOX LINE, HAIRLINES	.5 pt

090177e18b0bf82\Final\Final On: 14-Jan-2017 06:10





3/16" X 3/16" DATA MATRIX CODE (ECC 200), PRINTED IN BLACK OR DARK BLUE ON UNPRINTED WHITE BACKGROUND. DATA MATRIX CODE = 083967


UNVARNISHED AND PRINTED IN BLACK OR DARK BLUE FOR LOT & EXPIRATION AREA.


# PRODUCTION

(NOT COLOR ACCURATE)

Job Information	Color Legend
<p><b>Date</b> 04-JAN-2017 PASS # 1</p> <p><b>Component #</b> PAA083967</p> <p><b>Drawing #</b> (b) (4) -00000433v02</p>	(b) (4)
Identification	
	(b) (4)
Printer & User Notes	
<p>PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART.</p> <p>PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION.</p> <p>PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.</p>	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	5 pt
• SUBHEADINGS/BODY TEXT	5 pt
• LEADING	5.5 pt
• BULLETS	4 pt
• SPACE BEFORE BULLET	2 ems
• WARNING BOX LINES	.5 pt, .8 pt





3/16" X 3/16" DATA MATRIX CODE (ECC200),  
 PRINTED IN BLACK OR DARK BLUE ON  
 UNPRINTED WHITE BACKGROUND.  
**DATA MATRIX CODE = 083969**


UNVARNISHED AND PRINTED  
 IN BLACK OR DARK BLUE FOR  
 LOT & EXPIRATION AREA.


**PRODUCTION**

(NOT COLOR ACCURATE)

Job Information	Color Legend
Date 05-JAN-2017 PASS # 1 Component # PAA083969 Drawing # (b) (4)-00000507 v02	(b) (4)
Identification	
	(b) (4)
Printer & User Notes	
PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	5.5 pt
• SUBHEADINGS/BODY TEXT	5.5 pt
• LEADING	6 pt
• BULLETS	4.5 pt
• SPACE BEFORE BULLET	2 ems
• WARNING BOX LINES	.5 pt





**PRODUCTION**

(NOT COLOR ACCURATE)




Job Information	Color Legend
Date 05-JAN-2017 PASS # 1 Component # PAA083968 Drawing # (b) (4) -00000500 v02	(b) (4)
Identification	
	(b) (4)
Printer & User Notes	
PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.75 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	N/A
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces

(b) (4)  
Full size file (b) (4)

(b) (4)  
Full size file (b) (4)

(b) (4)  
Full size file (b) (4)



# Pfizer Consumer Healthcare

## Advil 20ct Film-Coated Save \$1.00 IRC D000056543


090177e18b0bf81\Final\Final On: 14-Jan-2017 06:10




# Pfizer Consumer Healthcare

## Advil Film Coated Tablets 40ct Save \$1.00 IRC D000056545

090177e18b0c1976\Final\Final On: 14-Jan-2017 06:10





Encode: 8110003057302887831001103113171231

**PRODUCTION**

(NOT COLOR ACCURATE)

Job Information	Color Legend
Date 10-FEB-2015 PASS # 1 Component # D000050399 Drawing # Vendor (b) (4)	(b) (4)
<b>Identification</b> 	(b) (4)
<b>Printer &amp; User Notes</b> PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, VARNISH AND BLEEDS. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.	

**NOTE: ART CONTAINS A *LIVE* DIGICODE. PRINTER RESPONSIBLE FOR ACCURATE REPRODUCTION.**

# Pfizer Consumer Healthcare


Advil Film-Coated 20ct or larger

Save \$1.00 Shelf Talker IRC

Item # D000052980

09017e18b0e6d11\Final\Final On: 17-Jan-2017 06:22

Reference ID: 4108419





Encode: 8110003057303212732001103113201231

# PRODUCTION

(NOT COLOR ACCURATE)

Job Information	Color Legend
Date 13-JAN-2017 PASS # 1 Component # D000056707 Drawing # Vendor (b) (4)	(b) (4)
<b>Identification</b> (b) (4)	
<b>Printer &amp; User Notes</b> PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.	

**NOTE: ART CONTAINS A LIVE DIGICODE. PRINTER RESPONSIBLE FOR ACCURATE REPRODUCTION.**



Encode: 8110003057303212732001103113201231

**PRODUCTION** (NOT COLOR ACCURATE)

Job Information	Color Legend
Date 18-JAN-2017 PASS # 1 Component # D000056708 Drawing # Vendor (b) (4)	(b) (4)
Identification	
	(b) (4)
Printer & User Notes	
PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.	

**NOTE: ART CONTAINS A LIVE DIGICODE. PRINTER RESPONSIBLE FOR ACCURATE REPRODUCTION.**

128 CODE AREA SUBSET C 10 MIL DENSITY  
WITH 4, 6 OR 8 DIGITS  
(UNVARNISHED)  
128 CODE = 080941

ADVIL® SAFETY SEALED ADVIL® SAFETY SEALED ADVIL® SAFETY SEALED  
TEAR HERE TO OPEN

128 CODE FPO

**Drug Facts (continued)**

- you have symptoms of heart problems or stroke:
  - chest pain
  - trouble breathing
  - weakness in one part or side of body
  - slurred speech
  - leg swelling
  - pain gets worse or lasts more than 10 days
  - fever gets worse or lasts more than 3 days
  - redness or swelling is present in the painful area
  - any new symptoms appear

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use ibuprofen during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not take more than directed
- the smallest effective dose should be used
- adults and children 12 years and over: take 1 tablet every 4 to 6 hours while symptoms persist
- if pain or fever does not respond to 1 tablet, 2 tablets may be used
- do not exceed 6 tablets in 24 hours, unless directed by a doctor
- children under 12 years: ask a doctor

**Other information**

- each tablet contains: sodium 22 mg
- read all warnings and directions before use
- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

**Inactive ingredients:** acetic acid, potassium, caramel color, carnauba wax, colloidal silicon dioxide, copovidone, ferric oxide, hypromellose, mannitol, medium-chain triglycerides, microcrystalline cellulose, natural and artificial flavor, pharmaceutical ink, polyethylene glycol, propylene glycol, sodium lauryl sulfate, sucralose, titanium dioxide

**Questions or comments?** Call weekdays 9 AM to 5 PM EST at 1-800-88-ADVIL

For most recent product information, visit [www.Advil.com](http://www.Advil.com)  
Pfizer, Madison, NJ 07940 USA  
© 2017 Pfizer Inc.  
U.S. Patent Pending  
PAA080941.FDA02

81% FPO  
3 0573 0133 08 1

DO NOT USE IF SEAL AROUND CAP IS BROKEN OR MISSING. ADVIL SAFETY SEALED.

**Advil** FILM-COATED IBUPROFEN SODIUM  
Ibuprofen Tablets 200 mg (Provided as Ibuprofen Sodium 256 mg) Pain Reliever / Fever Reducer (NSAID) 8 Tablets

**Drug Facts**  
**Active ingredient (in each tablet) Purpose**  
Ibuprofen 200 mg (provided as ibuprofen sodium 256 mg) (NSAID)\* Pain reliever/  
\*nonsteroidal anti-inflammatory drug Fever reducer

LIFT HERE for More Drug Facts

FEED DIRECTION

UNVARNISHED AREA FOR LOT & EXP. DATE

**Drug Facts (continued)**

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - backache
  - the common cold
  - minor pain of arthritis
  - temporarily reduces fever
  - toothache
  - menstrual cramps
  - muscular aches

**Warnings**

**Allergy alert:** Ibuprofen may cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may include:

- hives
- facial swelling
- skin redness
- shock
- asthma (wheezing)
- rash
- blisters

If an allergic reaction occurs, stop use and seek medical help right away.

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding.

The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product

take more or for a longer time than directed

**Heart attack and stroke warning:** NSAIDs, except aspirin, increase the risk of heart attack, heart failure, and stroke. These can be fatal. The risk is higher if you use more than directed or for longer than directed.

**Do not use**

- if you have ever had an allergic reaction to any other pain reliever/fever reducer
- right before or after heart surgery

**Ask a doctor before use if**

- stomach bleeding warning applies to you
- you have problems or serious side effects from taking pain relievers or fever reducers
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, kidney disease, asthma, or had a stroke
- you are taking a diuretic

**Ask a doctor or pharmacist before use if you are**

- under a doctor's care for any serious condition
- taking aspirin for heart attack or stroke, because ibuprofen may decrease this benefit of aspirin
- taking any other drug

**When using this product**

- take with food or milk if stomach upset occurs

**Stop use and ask a doctor if**


- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better

**PRODUCTION**

(NOT COLOR ACCURATE)

Job Information	Color Legend
Date 02-MAY-2017 PASS # 1 Component # PAA080941.FDA02 Drawing # (b) (4)-50031051v02	(b) (4)
Identification	
Printer & User Notes	
PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces




Do not use if blister is open or the words "ADVIL SAFETY SEALED" under blister are missing or torn.

0.375" DIA. HOLE (STRIP OUT)

1/8" CLEAR AREA AROUND DATA MATRIX - UNPRINTED

0.187" DATA MATRIX CODE (ECC 200), PRINTED IN BLACK OR BLUE ON UNPRINTED WHITE BACKGROUND  
DATA MATRIX CODE = 080942







0.187" DATA MATRIX CODE (ECC 200), PRINTED IN BLACK OR BLUE ON UNPRINTED WHITE BACKGROUND  
DATA MATRIX CODE = 080942

## PRODUCTION

(NOT COLOR ACCURATE)

Job Information	Color Legend
Date 03-MAY-2017 PASS # 1 Component # PAA080942.FDA02 Drawing # (b) (4) -50036033v01	(b) (4)
Identification	
	<b>Printer &amp; User Notes</b> PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.

DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces



For most other (1) the most detailed (2) read (3) (4) (5) (6) (7) (8) (9) (10) (11) (12) (13) (14) (15) (16) (17) (18) (19) (20) (21) (22) (23) (24) (25) (26) (27) (28) (29) (30) (31) (32) (33) (34) (35) (36) (37) (38) (39) (40) (41) (42) (43) (44) (45) (46) (47) (48) (49) (50) (51) (52) (53) (54) (55) (56) (57) (58) (59) (60) (61) (62) (63) (64) (65) (66) (67) (68) (69) (70) (71) (72) (73) (74) (75) (76) (77) (78) (79) (80) (81) (82) (83) (84) (85) (86) (87) (88) (89) (90) (91) (92) (93) (94) (95) (96) (97) (98) (99) (100) (101) (102) (103) (104) (105) (106) (107) (108) (109) (110) (111) (112) (113) (114) (115) (116) (117) (118) (119) (120) (121) (122) (123) (124) (125) (126) (127) (128) (129) (130) (131) (132) (133) (134) (135) (136) (137) (138) (139) (140) (141) (142) (143) (144) (145) (146) (147) (148) (149) (150) (151) (152) (153) (154) (155) (156) (157) (158) (159) (160) (161) (162) (163) (164) (165) (166) (167) (168) (169) (170) (171) (172) (173) (174) (175) (176) (177) (178) (179) (180) (181) (182) (183) (184) (185) (186) (187) (188) (189) (190) (191) (192) (193) (194) (195) (196) (197) (198) (199) (200) (201) (202) (203) (204) (205) (206) (207) (208) (209) (210) (211) (212) (213) (214) (215) (216) (217) (218) (219) (220) (221) (222) (223) (224) (225) (226) (227) (228) (229) (230) (231) (232) (233) (234) (235) (236) (237) (238) (239) (240) (241) (242) (243) (244) (245) (246) (247) (248) (249) (250) (251) (252) (253) (254) (255) (256) (257) (258) (259) (260) (261) (262) (263) (264) (265) (266) (267) (268) (269) (270) (271) (272) (273) (274) (275) (276) (277) (278) (279) (280) (281) (282) (283) (284) (285) (286) (287) (288) (289) (290) (291) (292) (293) (294) (295) (296) (297) (298) (299) (300) (301) (302) (303) (304) (305) (306) (307) (308) (309) (310) (311) (312) (313) (314) (315) (316) (317) (318) (319) (320) (321) (322) (323) (324) (325) (326) (327) (328) (329) (330) (331) (332) (333) (334) (335) (336) (337) (338) (339) (340) (341) (342) (343) (344) (345) (346) (347) (348) (349) (350) (351) (352) (353) (354) (355) (356) (357) (358) (359) (360) (361) (362) (363) (364) (365) (366) (367) (368) (369) (370) (371) (372) (373) (374) (375) (376) (377) (378) (379) (380) (381) (382) (383) (384) (385) (386) (387) (388) (389) (390) (391) (392) (393) (394) (395) (396) (397) (398) (399) (400) (401) (402) (403) (404) (405) (406) (407) (408) (409) (410) (411) (412) (413) (414) (415) (416) (417) (418) (419) (420) (421) (422) (423) (424) (425) (426) (427) (428) (429) (430) (431) (432) (433) (434) (435) (436) (437) (438) (439) (440) (441) (442) (443) (444) (445) (446) (447) (448) (449) (450) (451) (452) (453) (454) (455) (456) (457) (458) (459) (460) (461) (462) (463) (464) (465) (466) (467) (468) (469) (470) (471) (472) (473) (474) (475) (476) (477) (478) (479) (480) (481) (482) (483) (484) (485) (486) (487) (488) (489) (490) (491) (492) (493) (494) (495) (496) (497) (498) (499) (500) (501) (502) (503) (504) (505) (506) (507) (508) (509) (510) (511) (512) (513) (514) (515) (516) (517) (518) (519) (520) (521) (522) (523) (524) (525) (526) (527) (528) (529) (530) (531) (532) (533) (534) (535) (536) (537) (538) (539) (540) (541) (542) (543) (544) (545) (546) (547) (548) (549) (550) (551) (552) (553) (554) (555) (556) (557) (558) (559) (560) (561) (562) (563) (564) (565) (566) (567) (568) (569) (570) (571) (572) (573) (574) (575) (576) (577) (578) (579) (580) (581) (582) (583) (584) (585) (586) (587) (588) (589) (590) (591) (592) (593) (594) (595) (596) (597) (598) (599) (600) (601) (602) (603) (604) (605) (606) (607) (608) (609) (610) (611) (612) (613) (614) (615) (616) (617) (618) (619) (620) (621) (622) (623) (624) (625) (626) (627) (628) (629) (630) (631) (632) (633) (634) (635) (636) (637) (638) (639) (640) (641) (642) (643) (644) (645) (646) (647) (648) (649) (650) (651) (652) (653) (654) (655) (656) (657) (658) (659) (660) (661) (662) (663) (664) (665) (666) (667) (668) (669) (670) (671) (672) (673) (674) (675) (676) (677) (678) (679) (680) (681) (682) (683) (684) (685) (686) (687) (688) (689) (690) (691) (692) (693) (694) (695) (696) (697) (698) (699) (700) (701) (702) (703) (704) (705) (706) (707) (708) (709) (710) (711) (712) (713) (714) (715) (716) (717) (718) (719) (720) (721) (722) (723) (724) (725) (726) (727) (728) (729) (730) (731) (732) (733) (734) (735) (736) (737) (738) (739) (740) (741) (742) (743) (744) (745) (746) (747) (748) (749) (750) (751) (752) (753) (754) (755) (756) (757) (758) (759) (760) (761) (762) (763) (764) (765) (766) (767) (768) (769) (770) (771) (772) (773) (774) (775) (776) (777) (778) (779) (780) (781) (782) (783) (784) (785) (786) (787) (788) (789) (790) (791) (792) (793) (794) (795) (796) (797) (798) (799) (800) (801) (802) (803) (804) (805) (806) (807) (808) (809) (810) (811) (812) (813) (814) (815) (816) (817) (818) (819) (820) (821) (822) (823) (824) (825) (826) (827) (828) (829) (830) (831) (832) (833) (834) (835) (836) (837) (838) (839) (840) (841) (842) (843) (844) (845) (846) (847) (848) (849) (850) (851) (852) (853) (854) (855) (856) (857) (858) (859) (860) (861) (862) (863) (864) (865) (866) (867) (868) (869) (870) (871) (872) (873) (874) (875) (876) (877) (878) (879) (880) (881) (882) (883) (884) (885) (886) (887) (888) (889) (890) (891) (892) (893) (894) (895) (896) (897) (898) (899) (900) (901) (902) (903) (904) (905) (906) (907) (908) (909) (910) (911) (912) (913) (914) (915) (916) (917) (918) (919) (920) (921) (922) (923) (924) (925) (926) (927) (928) (929) (930) (931) (932) (933) (934) (935) (936) (937) (938) (939) (940) (941) (942) (943) (944) (945) (946) (947) (948) (949) (950) (951) (952) (953) (954) (955) (956) (957) (958) (959) (960) (961) (962) (963) (964) (965) (966) (967) (968) (969) (970) (971) (972) (973) (974) (975) (976) (977) (978) (979) (980) (981) (982) (983) (984) (985) (986) (987) (988) (989) (990) (991) (992) (993) (994) (995) (996) (997) (998) (999) (1000)

128 CODE AREA - SUBSET C 10 MIL  
DENSITY WITH 4 OR 6 DIGITS  
(UNVARNISHED)  
128 CODE = 080439

LASER ETCHING AREA FOR LOT & EXP.  
PRINT A SOLID DARK COLOR.

**PRODUCTION** (NOT COLOR ACCURATE)

Job Information	Color Legend
Date 09-MAY-2017 PASS # 2 Component # PAA080439.FDA02 Drawing # (b) (4) -50006267v04	(b) (4)
<b>Identification</b>	
Pfizer Consumer Healthcare	
<b>Printer &amp; User Notes</b>	
PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	7 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces

128 CODE = 089349

128 CODE = 089349

PAA089349



**READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION**

**Drug Facts**  
**Active ingredient (in each tablet)** Purpose  
 Ibuprofen 200 mg (provided as Pain reliever/  
 ibuprofen sodium 256 mg) (NSAID)\* .....Fever reducer  
 \*nonsteroidal anti-inflammatory drug

**Uses**  
 ■ temporarily relieves minor aches and pains due to:  
 ■ headache ■ toothache  
 ■ backache ■ menstrual cramps  
 ■ the common cold ■ muscular aches  
 ■ minor pain of arthritis  
 ■ temporarily reduces fever

**Warnings**  
**Allergy alert:** Ibuprofen may cause a severe allergic reaction, especially in people allergic to aspirin.  
 Symptoms may include:  
 ■ hives ■ facial swelling ■ asthma (wheezing)  
 ■ shock ■ skin reddening ■ rash  
 ■ blisters  
 If an allergic reaction occurs, stop use and seek medical help right away.  
**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:  
 ■ are age 60 or older  
 ■ have had stomach ulcers or bleeding problems  
 ■ take a blood thinning (anticoagulant) or steroid drug  
 ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)  
 ■ have 3 or more alcoholic drinks every day while using this product  
 ■ take more or for a longer time than directed

**Drug Facts (continued)**  
**Heart attack and stroke warning:** NSAIDs, except aspirin, increase the risk of heart attack, heart failure, and stroke. These can be fatal. The risk is higher if you use more than directed or for longer than directed.

**Do not use**  
 ■ if you have ever had an allergic reaction to any other pain reliever/fever reducer  
 ■ right before or after heart surgery

**Ask a doctor before use if**  
 ■ stomach bleeding warning applies to you  
 ■ you have problems or serious side effects from taking pain relievers or fever reducers  
 ■ you have a history of stomach problems, such as heartburn  
 ■ you have high blood pressure, heart disease, liver cirrhosis, kidney disease, asthma, or had a stroke  
 ■ you are taking a diuretic

**Ask a doctor or pharmacist before use if you are**  
 ■ under a doctor's care for any serious condition  
 ■ taking aspirin for heart attack or stroke, because ibuprofen may decrease this benefit of aspirin  
 ■ taking any other drug

**When using this product**  
 ■ take with food or milk if stomach upset occurs

**Stop use and ask a doctor if**  
 ■ you experience any of the following signs of stomach bleeding:  
 ■ feel faint ■ vomit blood  
 ■ have bloody or black stools  
 ■ have stomach pain that does not get better  
 ■ you have symptoms of heart problems or stroke:  
 ■ chest pain ■ trouble breathing  
 ■ weakness in one part or side of body  
 ■ slurred speech ■ leg swelling  
 ■ pain gets worse or lasts more than 10 days  
 ■ fever gets worse or lasts more than 3 days  
 ■ redness or swelling is present in the painful area  
 ■ any new symptoms appear

**Drug Facts (continued)**  
 If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use ibuprofen during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ do not take more than directed  
 ■ the smallest effective dose should be used  
 ■ adults and children 12 years and over: take 1 tablet every 4 to 6 hours while symptoms persist  
 ■ if pain or fever does not respond to 1 tablet, 2 tablets may be used  
 ■ do not exceed 6 tablets in 24 hours, unless directed by a doctor  
 ■ children under 12 years: ask a doctor

**Other information**  
 ■ each tablet contains: sodium 22 mg  
 ■ read all warnings and directions before use. Keep carton.  
 ■ store at 20-25°C (68-77°F)  
 ■ avoid excessive heat above 40°C (104°F)

**Inactive ingredients**  
 aceulfame potassium, caramel color, carnauba wax, colloidal silicon dioxide, copovidone, ferric oxide, hypromellose, mannitol, medium-chain triglycerides, microcrystalline cellulose, natural and artificial flavor, pharmaceutical ink, polyethylene glycol, propylene glycol, sodium lauryl sulfate, sucralose, titanium dioxide

**Questions or comments?**  
 Call weekdays 9 AM to 5 PM EST at 1-800-88-ADVIL

For most recent product information, visit [www.Advil.com](http://www.Advil.com)  
 Pfizer, Madison, NJ 07940 USA  
 © 2017 Pfizer Inc. U.S. Patent Pending

128 CODE = 089349

128 CODE = 089349



PRINTED AREA FOR DATE & LOT LASER CODING (VARNISHED)

128 CODE AREA - SUBSET C 10 MIL DENSITY WITH 4 OR 6 DIGITS (CODE TO EXTEND TO EDGE OF FLAP - UNVARNISHED) PRINTED SIDE OF CARTON

UNPRINTED AREA FOR DATE & LOT (UNVARNISHED)

Specific Rule Legend

Cut \_\_\_\_\_  
Crease - - - - -

UNVARNISHED AREAS



PRODUCTION

(NOT COLOR ACCURATE)




Job Information	Color Legend
Date 08-MAY-2017 PASS # 2 Component # PAA089349 Drawing # (b) (4) -00000432v04	(b) (4)
Identification	
Consumer Healthcare (b) (4)	
Printer & User Notes	
PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.	


DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt
• DRUG FACTS CONTINUED	8 pt
• HEADINGS	8 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.5 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces

Full size file (b) (4)


Full size file (b) (4)

Full size file (b) (4)






(b) (4)  
Full size file (b) (4)



(b) (4)  
Full size file (b) (4)



GLUE A  
(INSIDE)

**PRODUCTION** (NOT COLOR ACCURATE)

<b>Job Information</b>	<b>Color Legend</b>
Date 11-MAY-2017 PASS # 2 Component # D000058721 Drawing # 130186AP01	(b) (4)
<b>Identification</b>	
Pfizer Consumer Healthcare	<b>Printer &amp; User Notes</b>
(b) (4)	PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.

DRUG FACTS TEXT DEFINED	TYPE SIZE	DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	9 pt	• # OF CHARACTERS PER INCH	<39
• DRUG FACTS CONTINUED	8 pt	• BULLETS	5 pt
• HEADINGS	8 pt	• SPACE BEFORE BULLET	2 ems
• SUBHEADINGS/BODY TEXT	6 pt	• BARLINES, HAIRLINES	1.5 pt, .5 pt
• LEADING	6.5 pt	• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces

**Drug Facts (continued)**

**Directions**

- do not take more than directed
- the smallest effective dose should be used
- adults and children 12 years and over: take 1 tablet every 4 to 6 hours while symptoms persist
- if pain or fever does not respond to 1 tablet, 2 tablets may be used
- do not exceed 6 tablets in 24 hours, unless directed by a doctor
- children under 12 years: ask a doctor

**Other information**

- each tablet contains: sodium 22 mg
- read all warnings and directions before use. Keep carton.
- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

**Inactive ingredients**

acacia, croscarmellose sodium, caramel color, carnauba wax, colloidal silicon dioxide, copovidone, ferric oxide, hypromellose, mannitol, medium-chain triglycerides, microcrystalline cellulose, natural and artificial flavor, pharmaceutical ink, polyethylene glycol, propylene glycol, sodium lauryl sulfate, sucralose, titanium dioxide

**Questions or comments?**  
Call weekdays 9 AM to 5 PM EST at 1-800-88-ADVIL

Do Not Use if seal under bottle cap imprinted with "SEALED for YOUR PROTECTION" is broken or missing.

For most recent product information, visit [www.Advil.com](http://www.Advil.com)  
Pfizer, Madison, NJ 07940 USA  
© 2017 Pfizer Inc. U.S. Patent Pending

D000058721



WHITE AREA HOLD OUT FOR  
LOT CODE & EXPIRATION DATE  
(NO VARNISH)

PRINT VIEW

INSIDE GLUE FLAP  
(NO VARNISH)


**READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION**

<b>Drug Facts</b>	<b>Drug Facts (continued)</b>
<b>Active ingredient (in each tablet)</b> Ibuprofen 200 mg (provided as Ibuprofen sodium 256 mg) (NSAID)*	<b>Purpose</b> Pain reliever/ Fever reducer
<b>Uses</b> temporarily relieves minor aches and pains due to: headache, backache, the common cold, minor pain of arthritis, temporarily reduces fever	<b>Ask a doctor before use if</b> stomach bleeding warning applies to you you have problems or serious side effects from taking pain relievers or fever reducers you have a history of stomach problems, such as heartburn you have high blood pressure, heart disease, liver cirrhosis, kidney disease, asthma, or had a stroke you are taking a diuretic
<b>Warnings</b> <b>Allergy alert:</b> Ibuprofen may cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may include: hives, asthma (wheezing), skin redness, rash, facial swelling, shock, blisters If an allergic reaction occurs, stop use and seek medical help right away. <b>Stomach bleeding warning:</b> This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you: are age 60 or older have had stomach ulcers or bleeding problems take a blood thinning (anticoagulant) or steroid drug take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) have 3 or more alcoholic drinks every day while using this product take more or for a longer time than directed <b>Heart attack and stroke warning:</b> NSAIDs, except aspirin, increase the risk of heart attack, heart failure, and stroke. These can be fatal. The risk is higher if you use more than directed or for longer than directed.	<b>When using this product</b> take with food or milk if stomach upset occurs <b>Stop use and ask a doctor if</b> you experience any of the following signs of stomach bleeding: less faint vomit blood have bloody or black stools have stomach pain that does not get better you have symptoms of heart problems or stroke: chest pain trouble breathing weakness in one part or side of body slurred speech leg swelling pain gets worse or lasts more than 10 days fever gets worse or lasts more than 3 days redness or swelling is present in the painful area any new symptoms appear <b>If pregnant or breast-feeding,</b> ask a health professional before use. It is especially important not to use ibuprofen during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.
<b>Do not use</b> if you have ever had an allergic reaction to any other pain reliever/fever reducer right before or after heart surgery	

INSIDE GLUE FLAP  
(NO VARNISH)

<<GRAIN>>

GLUE A (PRINT SIDE - NO VARNISH)



3/16" X 3/16" DATA MATRIX CODE (ECC 200),  
 PRINTED IN BLACK OR DARK BLUE  
 ON UNPRINTED WHITE BACKGROUND.  
**DATA MATRIX CODE = 080438**


UNVARNISHED AND PRINTED  
 IN BLACK OR DARK BLUE.  
 FOR LOT & EXPIRATION AREA

# PRODUCTION




(NOT COLOR ACCURATE)

Job Information	Color Legend
<b>Date</b> 19-SEP-2016 PASS # 1 <b>Component #</b> PAA080438.FDA01 <b>Drawing #</b> (b) (4)-00000433	(b) (4)
Identification	
	<b>Printer &amp; User Notes</b> PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.
(b) (4)	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	5.5 pt
• SUBHEADINGS/BODY TEXT	5.5 pt
• LEADING	6 pt
• BULLETS	4.5 pt
• SPACE BEFORE BULLET	2 ems
• WARNING BOX LINES	.5 pt







**PRODUCTION** (NOT COLOR ACCURATE)

Job Information	Color Legend
Date 10-JAN-2017 PASS # 1 Component # PAA084386.FDA01 Drawing # (b) (4)-00000785v02	See Art For Colors
<b>Identification</b> 	
	<b>Printer &amp; User Notes</b> PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.


DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	6 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.25 pt
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• WARNING BOX LINE, HAIRLINES	.5 pt

090177e18b0bfb7fFinal On: 14-Jan-2017 06:06

(b) (4)

Full size file (b) (4)








**PRODUCTION**

(NOT COLOR ACCURATE)

Job Information	Color Legend
<p>Date 13-JAN-2017 PASS # 2                      Component # PAA084385.FDA01                      Drawing # (b) (4)-00001042 v04</p>	<p>(b) (4)</p>
<p><b>Identification</b></p> <p><b>Pfizer Consumer Healthcare</b></p> <p>(b) (4)</p>	
<p><b>Printer &amp; User Notes</b></p> <p>PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART.</p> <p>PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION.</p> <p>PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.</p>	


DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	8 pt
• DRUG FACTS CONTINUED	7 pt
• HEADINGS	7 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.25 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces





UNVARNISHED AND PRINTED IN BLACK OR DARK BLUE FOR LOT & EXPIRATION AREA.

3/16" X 3/16" DATA MATRIX CODE (ECC 200), PRINTED IN BLACK OR DARK BLUE ON UNPRINTED WHITE BACKGROUND. DATA MATRIX CODE = 084388



# PRODUCTION

(NOT COLOR ACCURATE)

Job Information	Color Legend
<p>Date 11-JAN-2017 PASS # 1                      Component # PAA084388.FDA01                      Drawing # (b) (4) -00000435v02</p>	(b) (4)
Identification	
	(b) (4)
Printer & User Notes	
<p>PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART.                      PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION.                      PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.</p>	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	4.5 pt
• SUBHEADINGS/BODY TEXT	4.5 pt
• LEADING	4.5 pt
• BULLETS	3.5 pt
• SPACE BEFORE BULLET	2 ems
• WARNING BOX LINES	.5 pt






Encode: 8110003057302887831001103113171231

**PRODUCTION**

(NOT COLOR ACCURATE)


Job Information	Color Legend
Date 10-FEB-2015 PASS # 1 Component # D000050400 Drawing # Vendor (b) (4)	(b) (4)
Identification	
	Printer & User Notes
	PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, VARNISH AND BLEEDS. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.

**NOTE: ART CONTAINS A *LIVE* DIGICODE. PRINTER RESPONSIBLE FOR ACCURATE REPRODUCTION.**



← UNVARNISHED AND PRINTED IN BLACK OR DARK BLUE FOR LOT & EXPIRATION AREA.

← 3/16" X 3/16" DATA MATRIX CODE (ECC 200), PRINTED IN BLACK OR DARK BLUE ON UNPRINTED WHITE BACKGROUND.  
**DATA MATRIX CODE = 080270**




# PRODUCTION


(NOT COLOR ACCURATE)

Job Information	Color Legend
Date 22-SEP-2016 PASS # 1 Component # PAA080270 Drawing # (b) (4)-00000435v2	(b) (4)
Identification	
	
	Printer & User Notes
	PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.


DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	4.5 pt
• SUBHEADINGS/BODY TEXT	4.5 pt
• LEADING	4.5 pt
• BULLETS	3.5 pt
• SPACE BEFORE BULLET	2 ems
• WARNING BOX LINE, HAIRLINES	.5 pt




(b) (4)  
Full size file (b) (4)



(b) (4)  
Full size file (b) (4)



(b) (4)  
Full size file (b) (4)




# PRODUCTION

(NOT COLOR ACCURATE)

Job Information	Color Legend
Date 22-SEP-2016 PASS # 1 Component # PAA080269 Drawing # (b) (4)-00001119 v04	(b) (4)
Identification	
(b) (4)	Printer & User Notes
	PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.

DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	8 pt
• DRUG FACTS CONTINUED	7 pt
• HEADINGS	7 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.3 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces




TOP  
PANEL 1

3/16" X 3/16" DATA MATRIX CODE  
(ECC 200), PRINTED IN BLACK OR  
DARK BLUE ON UNPRINTED  
WHITE BACKGROUND.  
DATA MATRIX CODE = 081953



BASE  
PANEL 3



RELEASED BACK  
PANEL 2







# PRODUCTION

(NOT COLOR ACCURATE)

Job Information	Color Legend
Date 15-NOV-2016 PASS # 1 Component # PAA081953 Drawing # (b) (4) -00000785v02	(b) (4)
Identification	
Printer & User Notes	
PRINTER TO REPLACE ALL FPO CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• HEADINGS	6 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.25 pt
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• WARNING BOX LINE, HAIRLINES	.5 pt



**PRODUCTION**

(NOT COLOR ACCURATE)

Job Information	Color Legend
Date 17-NOV-2016 PASS # 1 Component # PAA081952 Drawing # (b) (4)-00001042v04	(b) (4)
Identification	
Printer & User Notes	
PRINTER TO REPLACE ALL FP0 CODES WITH SCANNABLE ART. PRINTER RESPONSIBLE FOR ALL TRAPPING, BLEEDS, COATINGS AND RESOLUTION. PRINTER AND USERS RESPONSIBLE FOR PROPER LICENSING OF ALL FONTS USED IN THIS ARTWORK.	

DRUG FACTS TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	8 pt
• DRUG FACTS CONTINUED	7 pt
• HEADINGS	7 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.25 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces

-----  
**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**  
-----

/s/  
-----

KAREN M MAHONEY  
06/12/2017