

Xyzal Allergy 24 Hour Tablet Blister Carton

01.06.17

Xyzal_Allergy 10ct_CTN_2016_r5_CLEAN

Drug Facts	
Active ingredient (in each tablet)	Purpose
Levocetirizine dihydrochloride 5 mg....Antihistamine	
Uses	
temporarily relieves these symptoms due to hay fever or other respiratory allergies:	
<ul style="list-style-type: none"> ■ runny nose ■ sneezing 	<ul style="list-style-type: none"> ■ itchy, watery eyes ■ itching of the nose or throat
Warnings	
Do not use	
<ul style="list-style-type: none"> ■ if you have kidney disease ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine 	
Ask a doctor before use if you have	
<ul style="list-style-type: none"> ■ ever had trouble urinating or emptying your bladder 	
When using this product	
<ul style="list-style-type: none"> ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery 	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> ■ you have trouble urinating or emptying your bladder ■ an allergic reaction to this product occurs. Seek medical help right away. 	
If pregnant or breast-feeding:	
<ul style="list-style-type: none"> ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use 	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).	

Read directions and warnings before use. Keep this carton. It has important information.

Drug Facts (continued)	
Directions	
adults 65 years of age and older	<ul style="list-style-type: none"> ■ ask a doctor
adults and children 12-64 years of age	<ul style="list-style-type: none"> ■ take 1 tablet (5 mg) once daily in the evening ■ do not take more than 1 tablet (5 mg) in 24 hours ■ ½ tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms
children 6-11 years of age	<ul style="list-style-type: none"> ■ take ½ tablet (2.5 mg) once daily in the evening ■ do not take more than ½ tablet (2.5 mg) in 24 hours
children under 6 years of age	<ul style="list-style-type: none"> ■ do not use
consumers with kidney disease	<ul style="list-style-type: none"> ■ do not use
Other information	
<ul style="list-style-type: none"> ■ store between 20° and 25°C (68° and 77°F) ■ safety sealed: do not use if carton was opened or if individual blister unit is open or torn 	
Inactive ingredients	
colloidal anhydrous silica, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol 400, titanium dioxide	
Questions or comments?	
call 1-800-630-1610	

NDC 41167-3510-0

CLINICALLY PROVEN RELIEF IN 60 MINUTES

ORIGINAL PRESCRIPTION STRENGTH

XYZAL®

ALLERGY 24HR

levocetirizine dihydrochloride tablet
5 mg / antihistamine

INDOOR AND OUTDOOR ALLERGIES

10

CLINICALLY PROVEN RELIEF FOR 24 HOURS

24 HOUR RELIEF OF

- SNEEZING
- RUNNY NOSE
- ITCHY NOSE OR THROAT
- ITCHY, WATERY EYES

UPC FPO

LOT:

EXP:

The trade dress of this Xyzal® package is subject to trademark protection.

Dist. By: Chattem, Inc., a Sanofi Company, Chattanooga, TN 37409-0219 ©2017

Origin: Switzerland

50122365

Xyzal Allergy 24 Hour Tablet Blister

1.03.17

Xyzal_Allergy 10Oct_PeelPush Blister_2016_r1_CLEAN



Xyzal Allergy 24 Hour Tablet Bottle Carton

01.06.17


Xyzal_Allergy_35ct_CTN_2016_r3_CLEAN



Xyzal Allergy 24 Hour Tablet Bottle Bonus Carton

01.06.17

Xyzal_Allergy_45ct_Bonus_CTN_2016_r4_CLEAN



CLINICALLY PROVEN RELIEF
IN 60 MINUTES

CLINICALLY PROVEN RELIEF
FOR 24 HOURS

Drug Facts

Active ingredient (in each tablet)
Levocetirizine dihydrochloride 5 mg.....Antihistamine

Purpose
temporarily relieves these symptoms due to hay fever or other respiratory allergies:
 ■ runny nose ■ itchy, watery eyes
 ■ sneezing ■ itching of the nose or throat

Uses
temporarily relieves these symptoms due to hay fever or other respiratory allergies:
 ■ runny nose ■ itchy, watery eyes
 ■ sneezing ■ itching of the nose or throat

Warnings
Do not use
 ■ if you have kidney disease
 ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine

Ask a doctor before use if you have
 ■ ever had trouble urinating or emptying your bladder

When using this product
 ■ drowsiness may occur
 ■ avoid alcoholic drinks
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness
 ■ be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if
 ■ you have trouble urinating or emptying your bladder
 ■ an allergic reaction to this product occurs. Seek medical help right away.

Drug Facts (continued)
If pregnant or breast-feeding:
 ■ if breast-feeding: not recommended
 ■ if pregnant: ask a health professional before use

Keep out of reach of children.
 In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults 65 years of age and older	■ ask a doctor
adults and children 12-64 years of age	■ take 1 tablet (5 mg) once daily in the evening ■ do not take more than 1 tablet (5 mg) in 24 hours ■ ½ tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms
children 6-11 years of age	■ take ½ tablet (2.5 mg) once daily in the evening ■ do not take more than ½ tablet (2.5 mg) in 24 hours
children under 6 years of age	■ do not use
consumers with kidney disease	■ do not use

Drug Facts (continued)

Other information
 ■ store between 20° and 25°C (68° and 77°F)
 ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing

Inactive ingredients
 colloidal anhydrous silica, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol 400, titanium dioxide

Questions or comments?
 call 1-800-633-1610

Read directions and warnings before use. Keep this carton. It has important information.

The trade dress of this Xyzal® package is subject to trademark protection.
 Dist. By: Chatterm, Inc., a Sanofi Company, Chattanooga, TN 37409-0219
 ©2017 Origin: Switzerland
 XXXXXX-XX

BONUS! 10 TABLETS FREE

NDC 41167-3510-5

ORIGINAL PRESCRIPTION STRENGTH

XYZAL®
ALLERGY 24HR
 levocetirizine dihydrochloride tablet
 5 mg / antihistamine

24 HOUR RELIEF OF

- SNEEZING
- RUNNY NOSE
- ITCHY NOSE OR THROAT
- ITCHY, WATERY EYES

45 TABLETS

ORIGINAL PRESCRIPTION STRENGTH

XYZAL®
ALLERGY 24HR

Clinically Proven 24 Hour Relief of
 Indoor and Outdoor Allergies



UPC
FPO

LOT:
EXP:

Xyzal Allergy 24 Hour Tablet Bottle Label

01.06.17

Xyzal_Allergy_45ct_Label_2016_r4_CLEAN



Xyzal Allergy 24 Hour Tablet Bottle Carton

01.06.17

Xyzal_Allergy_55ct_CTN_2016_r3_CLEAN



Xyzal Allergy 24 Hour Tablet Bottle Carton

01.06.17


Xyzal_Allergy_80ct_CTN_2016_r3_CLEAN



Xyzal Allergy 24 Hour Tablet Bottle Label

01.06.17

Xyzal_Allergy_80ct_Label_2016_r4_CLEAN



Xyzal Allergy 24 Hour Club Card

01.06.17

Xyzal_Allergy_11Oct_ClubCard_2016_r3_CLEAN

NDC 41167-3510-4

ORIGINAL
PRESCRIPTION STRENGTH

XYZAL[®]

ALLERGY 24HR

levocetirizine dihydrochloride tablet
5 mg / antihistamine

24 HOUR RELIEF OF

- SNEEZING
- RUNNY NOSE
- ITCHY NOSE OR THROAT
- ITCHY, WATERY EYES

110 TABLETS

0051550-01

LOT
EXP

XYZAL[®]

ALLERGY 24HR

CLINICALLY PROVEN RELIEF IN 60 MINUTES

CLINICALLY PROVEN RELIEF FOR 24 HOURS

Drug Facts		Drug Facts (continued)	
Active ingredient (in each tablet) Levocetirizine dihydrochloride 5 mg..... Antihistamine		Directions adults 65 years of age and older	
Uses temporarily relieves these symptoms due to hay fever or other respiratory allergies: ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose or throat		■ ask a doctor ■ take 1 tablet (5 mg) once daily in the evening ■ do not take more than 1 tablet (5 mg) in 24 hours ■ ½ tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms	
Warnings Do not use ■ if you have kidney disease ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine		adults and children 12-64 years of age children 6-11 years of age children under 6 years of age consumers with kidney disease	
Ask a doctor before use if you have ■ ever had trouble urinating or emptying your bladder		■ take ½ tablet (2.5 mg) once daily in the evening ■ do not take more than ½ tablet (2.5 mg) in 24 hours ■ do not use ■ do not use	
When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery		Other information ■ store between 20° and 25°C (68° and 77°F) ■ safety sealed: do not use if sealed package was torn or opened, or if printed foil inner seal on bottle is torn or missing	
Stop use and ask a doctor if ■ you have trouble urinating or emptying your bladder ■ an allergic reaction to this product occurs. Seek medical help right away.		Inactive ingredients colloidal anhydrous silica, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol 400, titanium dioxide	
If pregnant or breast-feeding: ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use		Questions or comments? call 1-800-633-1610	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).		Read directions and warnings before use. Keep this carton. It has important information.	

The trade dress of this Xyzal[®] package is subject to trademark protection.
 Dist. By: Chatterm, Inc., a Sanofi Company, Chattanooga, TN 37409-0219
 ©2017 Origin: Switzerland

0051552-01

DATA MATRIX FPO

UPC FPO

Xyzal Allergy 24 Hour Tablet Bottle Induction Seal

1.22.16

Xyzal_Allergy Tablet_Bottle Safety Seal_2016

SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION --- 5 point Helvetica
SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION Neue Bold Cond Italic
SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION
SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION
SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION
SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION
SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION

Children's Xyzal Allergy 24 Hour Oral Solution Carton

1.04.17

Xyzal_Childrens_Allergy 5oz_CANADA_CTN_2016_r3_CLEAN

Drug Facts (continued)

Directions
 ■ use only with enclosed dosing cup

adults 65 years of age and older	■ ask a doctor
adults and children 12-64 years of age	■ take 5 mL or 10 mL once daily in the evening depending upon severity of symptoms ■ do not take more than 10 mL in 24 hours
children 6-11 years of age	■ take 5 mL once daily in the evening ■ do not take more than 5 mL in 24 hours
children 2-5 years of age	■ take 2.5 mL once daily in the evening ■ do not take more than 2.5 mL in 24 hours
children under 2 years of age	■ do not use
consumers with kidney disease	■ do not use

Note: mL=milliliters

Other information

- each 5 mL contains: sodium 3 mg
- store between 20° and 25°C (68° and 77°F)
- safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing

Inactive ingredients
 flavor, glacial acetic acid, glycerin, maltitol solution, methylparaben, propylparaben, purified water, saccharin sodium, sodium acetate trihydrate

Questions or comments?
 call 1-800-633-1610

The trade dress of this Xyzal® package is subject to trademark protection.
 Dist. By: Chatterm, Inc., a Sanofi Company, Chattanooga, TN 37409-0219
 ©2017 Origin: Canada

NDC 41167-3530-1

Ages 2 Years & Older **2+**

CLINICALLY PROVEN RELIEF FOR 24 HOURS

CLINICALLY PROVEN RELIEF FROM INDOOR AND OUTDOOR ALLERGIES




levocetirizine dihydrochloride oral solution
2.5 mg/5mL antihistamine

Dye Free - Alcohol Free



Use Only With Enclosed Dosing Cup
Wash and let air dry after each use

24 HOUR RELIEF OF

- SNEEZING
- RUNNY NOSE
- ITCHY NOSE OR THROAT
- ITCHY, WATERY EYES



5 fl. oz. (148 mL)
Tutti Frutti Flavor

Drug Facts

Active ingredient (in each 5 mL)	Purpose
Levocetirizine dihydrochloride 2.5 mg....	Antihistamine

Uses
 temporarily relieves these symptoms due to hay fever or other respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

- if you have kidney disease
- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine

Ask a doctor before use if you have

- ever had trouble urinating or emptying your bladder

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- you have trouble urinating or emptying your bladder
- an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

Keep out of reach of children.
 In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Read directions and warnings before use. Keep this carton. It has important information.

0100070-01 

UPC FPO

Area for LOT & EXP

Children's Xyzal Allergy 24 Hour Oral Solution Label

1.04.17

Xyzal_Childrens_Allergy_5oz_CANADA_Label_2016_r3_CLEAN

NDC 41167-3530-1

Children's
XYZAL
ALLERGY 24HR
levocetirizine dihydrochloride oral solution
2.5 mg / 5mL antihistamine

Ages
2 Years &
Older

24 HOUR RELIEF OF
○ SNEEZING
○ RUNNY NOSE
○ ITCHY NOSE OR THROAT
○ ITCHY, WATERY EYES

Tutti Frutti Flavor 5 fl. oz. (148 mL)

Active ingredient (in each 5 mL)
Levocetirizine dihydrochloride 2.5 mg.....Antihistamine
Uses temporarily relieves these symptoms due to hay fever or other respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat **Warnings Do not use** ■ if you have kidney disease ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine **Ask a doctor before use if you have** ■ ever had trouble urinating or emptying your bladder **When using this product** ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery **Stop use and ask a doctor if** ■ you have trouble urinating or emptying your bladder ■ an allergic reaction to this product occurs. Seek medical help right away. **If pregnant or breast-feeding:** ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Purpose
Levocetirizine dihydrochloride 2.5 mg.....Antihistamine

Directions ■ use only with enclosed dosing cup **adults 65 years of age and older** ■ ask a doctor **adults and children 12-64 years of age** ■ take 5 mL or 10 mL once daily in the evening depending upon severity of symptoms ■ do not take more than 10 mL in 24 hours **children 6-11 years of age** ■ take 5 mL once daily in the evening ■ do not take more than 5 mL in 24 hours **children 2-5 years of age** ■ take 2.5 mL once daily in the evening ■ do not take more than 2.5 mL in 24 hours **children under 2 years of age** ■ do not use **consumers with kidney disease** ■ do not use Note: mL = milliliters **Other information** ■ each 5 mL contains: sodium 3 mg ■ store between 20° and 25°C (68° and 77°F) ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing **Inactive ingredients** flavor, glacial acetic acid, glycerin, maltitol solution, methylparaben, propylparaben, purified water, saccharin sodium, sodium acetate trihydrate

Questions or comments?
call 1-800-633-1610

The trade dress of this Xyzal® package is subject to trademark protection.
Dist. By: Chatterm, Inc., a Sanofi Company, Chattanooga, TN 37409-0219 ©2017
Origin: Canada 0100144-01


DATA MATRIX FPO

Lot:
Exp.:

Xyzal Allergy 24 Hour Oral Solution Dosing Cup

1.03.17

Xyzal_Allergy_Dosing Cup_2016_r2_CLEAN



Detailed rendering of dosing cup on next page

Xyzal Allergy 24 Hour Oral Solution Dosing Cup
Digital Rendering
1.03.17



Xyzal Allergy 24 Hour Oral Solution Induction Seal

1.22.16

Xyzal_Allergy Liquid_Bottle Safety Seal_2016

SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION ----- 5 point Helvetica
SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION Neue Bold Cond Italic
SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION
SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION
SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION
SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION
SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION
SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION SEALD for YOUR PROTECTION