

**TWO BOTTLES**  
**45 ct. + 60 ct.**


**105 TABLETS**

**Non-Drowsy\***  
**Claritin®**  
loratadine tablets 10 mg/antihistamine

**24 Hour**

**Relief of:**

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose



**Indoor & Outdoor Allergies**

**105 TABLETS**

**BAYER**

*\*When taken as directed. See Drug Facts Panel.*

XXXXX

**Non-Drowsy\***  
**Claritin®**  
loratadine tablets 10 mg/antihistamine

**24 Hour**

**Relief of:**

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

<b>Drug Facts</b>		<b>Drug Facts (continued)</b>	
<b>Active ingredient (in each tablet)</b>	<b>Purpose</b>	<b>Directions</b>	
Loratadine 10 mg	Antihistamine	adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
<b>Uses</b>	temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:	children under 6 years of age	ask a doctor
■ runny nose	■ itchy, watery eyes	consumers with liver or kidney disease	ask a doctor
■ sneezing	■ itching of the nose or throat	<b>Other information</b>	
<b>Warnings</b>	<b>Do not use</b> if you have ever had an allergic reaction to this product or any of its ingredients.	■ Tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken	
<b>Ask a doctor before use</b> if you have liver or kidney disease. Your doctor should determine if you need a different dose.	<b>When using this product</b> do not take more than directed. Taking more than directed may cause drowsiness.	■ store between 20° to 25° C (68° to 77° F)	
<b>Stop use and ask a doctor</b> if an allergic reaction to this product occurs. Seek medical help right away.	<b>If pregnant or breast-feeding</b> , ask a health professional before use.	<b>Inactive ingredients</b>	
<b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.		corn starch, lactose monohydrate, magnesium stearate	
		<b>Questions or comments?</b>	
		1-800-CLARITIN (1-800-252-7484) or www.claritin.com	

**\*When taken as directed. See Drug Facts Panel.**

**RECYCLABLE PACKAGING**

NO FRONT COATING  
DATE STAMP  
KNOCK OUT AREA

Bayer, the Bayer Cross, Claritin and the Claritin Vista are registered trademarks of Bayer.  
© 2018 Bayer.  
Dist by: Bayer HealthCare LLC  
Whippany, NJ 07981  
Product of Ireland.  
XXXXXXXX

**Bayer**



**Actual Size 100%**

CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>8 pt **	12.72pt
Drug Facts Continued	8 pt	11.3pt
Headings†	8 pt-bold italic†	11.3pt
Subheadings	≥6 pt	8.48pt
Body Text	≥6 pt	8.48pt
Bullets	5 pt	5pt
Leading	≥0.5 pt	0.7pt
Headlines	0.5 pt rule	0.7pt
Box and Barlines†	>0.5 pt rule	1.4pt
Characters Per Inch:	No more than 39	No more than 39

† Headings are to be at least 2pts larger than Body Text.  
\*\* Drug Facts Title to be larger than all other type size used in DFP  
† FDA Recommends 2.5pt rule

**TWO BOTTLES**  
**70 ct. + 45 ct.**


**115 TABLETS**

**Non-Drowsy\***  
**Claritin®**  
loratadine tablets 10 mg/antihistamine

**24 Hour**

**Relief of:**

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose



**Indoor & Outdoor Allergies**

**115 TABLETS**

**BAYER**

*\*When taken as directed. See Drug Facts Panel.*

**Non-Drowsy\***  
**Claritin®**  
loratadine tablets 10 mg/antihistamine

**24 Hour**

**Relief of:**

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

<b>Drug Facts</b>		<b>Drug Facts (continued)</b>	
<b>Active ingredient (in each tablet)</b>	<b>Purpose</b>	<b>Directions</b>	
Loratadine 10 mg	Antihistamine	adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
<b>Uses</b> temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:		children under 6 years of age	ask a doctor
▪ runny nose	▪ itchy, watery eyes	consumers with liver or kidney disease	ask a doctor
▪ sneezing	▪ itching of the nose or throat	<b>Other information</b>	
<b>Warnings</b>		▪ Tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken	
<b>Do not use</b> if you have ever had an allergic reaction to this product or any of its ingredients.		▪ store between 20° to 25° C (68° to 77° F)	
<b>Ask a doctor before use</b> if you have liver or kidney disease. Your doctor should determine if you need a different dose.		<b>Inactive ingredients</b>	
<b>When using this product</b> do not take more than directed. Taking more than directed may cause drowsiness.		corn starch, lactose monohydrate, magnesium stearate	
<b>Stop use and ask a doctor</b> if an allergic reaction to this product occurs. Seek medical help right away.		<b>Questions or comments?</b>	
<b>If pregnant or breast-feeding</b> , ask a health professional before use.		1-800-CLARITIN (1-800-252-7484) or www.claritin.com	
<b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.		<b>*When taken as directed. See Drug Facts Panel.</b>	

**RECYCLABLE PACKAGING**

**NO FRONT COATING**

**DATE STAMP**

**KNOCK OUT AREA**

Bayer, the Bayer Cross, Claritin and the Claritin Vista are registered trademarks of Bayer.  
© 2018 Bayer.  
Dist by: Bayer HealthCare LLC  
Whippany, NJ 07981  
Product of Ireland.  
XXXXXXX



Bayer

**Actual Size 100%**

DRUG FACTS INFO		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>8 pt **	12.72pt
Drug Facts Continued	8 pt	11.3pt
Headings*	8 pt-bold italic*	11.3pt
Subheadings	≥6 pt	8.48pt
Body Text	≥6 pt	8.48pt
Bullets	5 pt	5pt
Leading	≥0.5 pt	0.7pt
Headlines	0.5 pt rule	0.7pt
Box and Barlines†	>0.5 pt rule	1.4pt
Characters Per Inch:	No more than 39	No more than 39

\* Headings are to be at least 2pts larger than Body Text.  
\*\* Drug Facts Title to be larger than all other type size used in DFP  
† FDA Recommends 2.5pt rule

**TWO BOTTLES**  
**60 ct. + 60 ct.**


**120 TABLETS**

**Non-Drowsy\***  
**Claritin®**  
loratadine tablets 10 mg/antihistamine

**24 Hour**

**Relief of:**

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose



**Indoor & Outdoor Allergies**

**120 TABLETS**

**BAYER**

*\*When taken as directed. See Drug Facts Panel.*

**Non-Drowsy\***  
**Claritin®**  
loratadine tablets 10 mg/antihistamine

**24 Hour**

**Relief of:**

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

<b>Drug Facts</b>		<b>Drug Facts (continued)</b>	
<b>Active ingredient (in each tablet)</b>	<b>Purpose</b>	<b>Directions</b>	
Loratadine 10 mg	Antihistamine	adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
<b>Uses</b>	temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:	children under 6 years of age	ask a doctor
<ul style="list-style-type: none"> <li>▪ runny nose</li> <li>▪ sneezing</li> </ul>	<ul style="list-style-type: none"> <li>▪ itchy, watery eyes</li> <li>▪ itching of the nose or throat</li> </ul>	consumers with liver or kidney disease	ask a doctor
<b>Warnings</b>		<b>Other information</b>	
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.		<ul style="list-style-type: none"> <li>▪ Tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken</li> <li>▪ store between 20° to 25° C (68° to 77° F)</li> </ul>	
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.		<b>Inactive ingredients</b>	
When using this product do not take more than directed. Taking more than directed may cause drowsiness.		corn starch, lactose monohydrate, magnesium stearate	
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.		<b>Questions or comments?</b>	
If pregnant or breast-feeding, ask a health professional before use.		1-800-CLARITIN (1-800-252-7484) or www.claritin.com	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.		<b>*When taken as directed. See Drug Facts Panel.</b>	

**RECYCLABLE PACKAGING**

NO FRONT COATING  
DATE STAMP  
KNOCK OUT AREA

Bayer, the Bayer Cross, Claritin and the Claritin Vista are registered trademarks of Bayer.  
© 2018 Bayer.  
Dist by: Bayer HealthCare LLC  
Whippany, NJ 07981  
Product of Ireland.  
XXXXXXXX

**Bayer**



**Actual Size 100%**

DRUG FACTS INFO		
CATEGORY	REQUIRED	ACTUAL IN FILE
Drug Facts Title	>8 pt **	12.72pt
Drug Facts Continued	8 pt	11.3pt
Headings*	8 pt-bold italic*	11.3pt
Subheadings	≥6 pt	8.48pt
Body Text	≥6 pt	8.48pt
Bullets	5 pt	5pt
Leading	≥0.5 pt	0.7pt
Headlines	0.5 pt rule	0.7pt
Box and Barlines†	>0.5 pt rule	1.4pt
Characters Per Inch:	No more than 39	No more than 39

\* Headings are to be at least 20% larger than Body Text.  
\*\* Drug Facts Title to be larger than all other type size used in DFP  
† FDA Recommends 2.5pt rule

-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

THERESA M MICHELE  
10/03/2018