

NDC 22884-8103-1



Reorder No: 8103-08

### Chlorhexidine Gluconate 4% Solution Surgical Hand Scrub

Single Use Brush-Sponge and Nail Cleaner

#### Drug Facts

<b>Active ingredient</b>	<b>Purpose</b>
Chlorhexidine gluconate 4% solution.....	Antiseptic

**Use**

- surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care

**Warnings**  
For external use only

**Allergy alert:**  
This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you are allergic to chlorhexidine gluconate or any other ingredient in this product

**When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter or allowed to remain.
- if contact occurs, rinse with cold water right away
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

**Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs.**  
These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- open package
- wet hands and forearms to the elbows with warm water
- clean under nails with nail pick provided. Nails should be maintained with a 1 millimeter free edge.
- wet sponge and squeeze to work up a lather
- scrub thoroughly for 3 minutes. Paying particular attention to the nails, cuticles and interdigital spaces. Use the brush side to clean the nails, cuticles and interdigital spaces between the fingers and the sponge side to scrub the hands and forearms.
- rinse thoroughly with warm water
- scrub for an additional 3 minutes using the sponge side
- discard brush-sponge
- rinse hands and forearms thoroughly and dry with a sterile towel

**Other information**

- store between 20-25°C (68-77°F)
- avoid freezing and excessive heat above 40°C (104°F)

**Inactive ingredients** cocamide DEA, fragrance POFL 147, glucono-delta-lactone, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, USP, tridecyl alcohol




**Questions?** 800-424-5556 (Monday to Friday 8 AM - 5 PM)

**1 Ea. Brush-Sponge, 1 Ea. Nail Cleaner, 1 Ea. Chlorhexidine gluconate 4% solution (Approximate volume 0.8 fl oz (25 mL))**  
**Quantity: 1 Bx., 30 Ea./Bx.**

#### INSTRUCTIONS

To open package, peel lid back at either corner from the end labeled "peel to open". The Lot number on each package is located under peel to open label (Illustration A).  
Scrub per Directions above (Illustration B).

Dispenser can be mounted by hanging from hook or Stainless Steel bracket sold separately (Illustration C).



Proudly packaged & Distributed in the U.S.A by:  
Biomed Packaging Systems  
100 Pearl St., Norwalk, CT 06850

8103-5 (2016) Ph: 1(800) 424-5556



Remove to check level of contents

To dispense, remove this panel.

# PRE - SCRUB

**Chlorhexidine Gluconate 4% Solution**  
**Surgical Hand Scrub**  
Single Use Brush-Sponge and Nail Cleaner

NDC 22884-8103-1  
Item No. 8103-08

## Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate 4% solution	Antiseptic

**Use** ■ **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care

## Warnings

For external use only

### Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- hives
- shock
- rash
- facial swelling

If an allergic reaction occurs, stop use and seek medical help right away.

### Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredient in this product

### When using this product

- Keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter or allowed to remain.
- If contact occurs, rinse with cold water right away
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs.

These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- open package
- wet hands and forearms to the elbows with warm water
- clean under nails with nail pick provided. Nails should be maintained with a 1 millimeter free edge.
- wet sponge and squeeze to work up a lather
- scrub thoroughly for 3 minutes. Paying particular attention to the nails, cuticles and interdigital spaces. Use the brush side to clean the nails, cuticles and interdigital spaces between the fingers and the sponge side to scrub the hands and forearms.
- rinse thoroughly with warm water
- scrub for an additional 3 minutes using the sponge side
- discard brush-sponge
- rinse hands and forearms thoroughly and dry with a sterile towel

## Other information

- store between 20-25°C (68-77°F)
- avoid freezing and excessive heat above 40°C (104°F)

**Inactive ingredients** cocamide DEA, fragrance POFL 147, glucono-delta-lactone, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, USP, tridecyl alcohol

**Questions?** 800-424-5556 (Monday to Friday 8 AM - 5PM)

1 Ea. Brush-Sponge, 1 Ea. Nail Cleaner, 1 Ea. Chlorhexidine gluconate 4% solution (Approximate volume 0.8 fl oz (25 mL))

Made in the U.S.A. by BioMed Systems, Inc. Norwalk, CT 06850 | Order Direct: (800) 424-5556

Lot No. & Expiration  
Date embossed on  
lower peel flap



PEEL TO OPEN

-----  
**This is a representation of an electronic record that was signed electronically and this page is the manifestation of the electronic signature.**  
-----

/s/  
-----

THERESA M MICHELE  
05/11/2018