

Net Content Statement		NET CONTENT	AREA OF PDP
PDP Area: (width x length)	6.41 in <sup>2</sup>	1/16 IN.	5 SQ. IN. OR LESS
Net Content Size:	.125"	1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
		3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
		1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
		1/2 IN.	OVER 400 SQ. IN.



<b>Active ingredient</b>	<b>Purpose</b>
Ketoconazole 1%.....	Anti-dandruff shampoo
<b>Uses</b> controls flaking, scaling and itching associated with dandruff	
<b>Warnings For external use only</b>	
Do not use ■ on scalp that is broken or inflamed ■ if you are allergic to ingredients in this product	
When using this product ■ avoid contact with eyes ■ if product gets into eyes, rinse thoroughly with water	
Stop use and ask a doctor if ■ rash appears ■ condition worsens or does not improve in 2-4 weeks	
If pregnant or breast-feeding, ask a doctor before use. Keep out of the reach of children, if swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■ Adults and Children 12 years and over: wet hair thoroughly, apply shampoo, generously lather, rinse thoroughly. Repeat. Use every 3-4 days for up to 8 weeks or as directed by a doctor. Then use only as needed to control dandruff. ■ Children under 12 years: ask a doctor	
<b>Other information</b> ■ store at 20°C to 25°C (68°F-77°F)	
<b>Inactive ingredients</b> Benzyl Alcohol, BHT, Blue 1, Citric Acid, Cocamide MEA, Fragrance, Glycol Distearate, Hydrochloric Acid, Hydroxypropyl Methylcellulose, Polyquaternium-7, Sodium Chloride, Sodium Cocoyl Sarcosinate, Sodium Hydroxide, Sodium Laureth Sulfate, Tetrasodium EDTA, Water	
<b>Ques? 800-962-5357; or collect 215-273-8755</b>	

LOT

EXP



Distributed by:  
**JOHNSON & JOHNSON**  
**CONSUMER INC.**  
 Skillman, NJ 08558



© J&JCI 2018  
 Made in Belgium  
 000000



Net Content Statement		NET CONTENT	AREA OF PDP
<b>PDP Area: (width x length)</b>	<b>14.70 in<sup>2</sup></b>	1/16 IN.	5 SQ. IN. OR LESS
<b>Net Content Size:</b>	<b>.125"</b>	1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
		3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
		1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
		1/2 IN.	OVER 400 SQ. IN.



2dxg

107



NEW LOOK

NDC 50580-895-04

**Nizoral<sup>®</sup>**  
**KETOCONAZOLE ANTI-DANDRUFF**  
**SHAMPOO 1%**  
 NON-PRESCRIPTION STRENGTH

**Nizoral<sup>®</sup>**  
**KETOCONAZOLE ANTI-DANDRUFF**  
**SHAMPOO 1%**

**Nizoral<sup>®</sup>**  
**KETOCONAZOLE ANTI-DANDRUFF**  
**SHAMPOO 1%**

**Nizoral<sup>®</sup>**  
**KETOCONAZOLE ANTI-DANDRUFF**  
**SHAMPOO 1%**

**Drug Facts**

**Active ingredient** *Purpose*  
 Ketoconazole 1%.....Anti-dandruff shampoo

**Uses** controls flaking, scaling and itching associated with dandruff

**Warnings**

For external use only

**Do not use**

- on scalp that is broken or inflamed
- if you are allergic to ingredients in this product

**When using this product**

- avoid contact with eyes
- if product gets into eyes, rinse thoroughly with water

**Stop use and ask a doctor if**

- rash appears
- condition worsens or does not improve in 2-4 weeks

If pregnant or breast-feeding, ask a doctor before use. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- |                                       |   |
|---------------------------------------|---|
| adults and children 12 years and over | <ul style="list-style-type: none"> <li>wet hair thoroughly</li> <li>apply shampoo, generously lather, rinse thoroughly. Repeat</li> <li>use every 3-4 days for up to 8 weeks or as directed by a doctor. Then use only as needed to control dandruff</li> </ul> |
| children under 12 years               | <ul style="list-style-type: none"> <li>ask a doctor</li> </ul>  |

**Other information**

- store at 20°C to 25°C (68°F-77°F)
- see top panel for lot number and expiration date

**Inactive ingredients**

Benzyl Alcohol, BHT, Blue 1, Citric Acid, Cocamide MEA, Fragrance, Glycol Distearate, Hydrochloric Acid, Hydroxypropyl Methylcellulose, Polyquaternium-7, Sodium Chloride, Sodium Cocoyl Sarcosinate, Sodium Hydroxide, Sodium Laureth Sulfate, Tetrasodium EDTA, Water

**Questions?** call toll-free 800-962-5357 or 215-273-8755 (collect).



Anti-Dandruff SHAMPOO



Anti-Dandruff SHAMPOO



Anti-Dandruff SHAMPOO

Before use read all label information. If you have a drug reaction, contact a doctor and report it by calling or writing:

JOHNSON & JOHNSON  
 CONSUMER INC.  
 Skillman, NJ 08558

Questions  
 800-962-5357  
 Outside the US dial collect  
 215-273-8755

www.nizoral.com

**CONTROLS**

FLAKING  
 SCALING  
 ITCHING

4 FL OZ (125 mL)




Distributed by:  
 JOHNSON & JOHNSON  
 CONSUMER INC.  
 Skillman, NJ 08558  
 Made in Belgium  
 © J&J 2018

**Nizoral<sup>®</sup>**  
**KETOCONAZOLE ANTI-DANDRUFF**  
**SHAMPOO 1%**

Country  
 PCC  
 876



Net Content Statement		NET CONTENT	AREA OF PDP
PDP Area: (width x length)	8.29 in <sup>2</sup>	1/16 IN.	5 SQ. IN. OR LESS
Net Content Size:	.125"	1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
		3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
		1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
		1/2 IN.	OVER 400 SQ. IN.



<b>Active ingredient</b>	<b>Purpose</b>
Ketoconazole 1%.....	Anti-dandruff shampoo
<b>Uses</b> controls flaking, scaling and itching associated with dandruff	
<b>Warnings</b>	
For external use only	
Do not use ■ on scalp that is broken or inflamed ■ if you are allergic to ingredients in this product	
When using this product ■ avoid contact with eyes ■ if product gets into eyes, rinse thoroughly with water	
Stop use and ask a doctor if ■ rash appears ■ condition worsens or does not improve in 2-4 weeks	
If pregnant or breast-feeding, ask a doctor before use. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
■ Adults and Children 12 years and over: wet hair thoroughly, apply shampoo, generously lather, rinse thoroughly. Repeat. Use every 3-4 days for up to 8 weeks or as directed by a doctor. Then use only as needed to control dandruff.	
■ Children under 12 years: ask a doctor	
<b>Other information</b> ■ store at 20°C to 25°C (68°F-77°F)	
<b>Inactive ingredients</b> Benzyl Alcohol, BHT, Blue 1, Citric Acid, Cocamide MEA, Fragrance, Glycol Distearate, Hydrochloric Acid, Hydroxypropyl Methylcellulose, Polyquaternium-7, Sodium Chloride, Sodium Cocoyl Sarcosinate, Sodium Hydroxide, Sodium Laureth Sulfate, Tetrasodium EDTA, Water	
<b>Ques? 800-962-5357; or collect 215-273-8755</b>	

LOT

EXP



Distributed by:  
**JOHNSON & JOHNSON  
CONSUMER INC.**  
Skillman, NJ 08558



© J&JCI 2018  
Made in Belgium  
000000



Net Content Statement		NET CONTENT	AREA OF PDP
PDP Area: (width x length)	21.00 in <sup>2</sup>	1/8 IN.	5 SQ. IN. OR LESS
Net Content Size:	.125"	1/8 IN.	MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.
		3/16 IN.	MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.
		1/4 IN.	MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.
		1/2 IN.	OVER 400 SQ. IN.



063  
071

FPO

NEW LOOK

NDC 50580-095-07

**Nizoral<sup>®</sup>** A-D  
KETOCONAZOLE ANTI-DANDRUFF SHAMPOO 1%  
NON-PRESCRIPTION STRENGTH

**Nizoral<sup>®</sup>** A-D  
KETOCONAZOLE ANTI-DANDRUFF SHAMPOO 1%

**Nizoral<sup>®</sup>** A-D  
KETOCONAZOLE ANTI-DANDRUFF SHAMPOO 1%

**Nizoral<sup>®</sup>** A-D  
KETOCONAZOLE ANTI-DANDRUFF SHAMPOO 1%



Anti-Dandruff SHAMPOO



Anti-Dandruff SHAMPOO



Anti-Dandruff SHAMPOO

Drug Facts	
<b>Active ingredient</b>	<b>Purpose</b>
Ketoconazole 1%.....	Anti-dandruff shampoo
<b>Uses</b> controls flaking, scaling and itching associated with dandruff	
<b>Warnings</b> For external use only	
Do not use	
<ul style="list-style-type: none"> <li>on scalp that is broken or inflamed</li> <li>if you are allergic to ingredients in this product</li> </ul>	
<b>When using this product</b>	
<ul style="list-style-type: none"> <li>avoid contact with eyes</li> <li>if product gets into eyes, rinse thoroughly with water</li> </ul>	
<b>Stop use and ask a doctor if</b>	
<ul style="list-style-type: none"> <li>rash appears</li> <li>condition worsens or does not improve in 2-4 weeks</li> </ul>	
If pregnant or breast-feeding, ask a doctor before use. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
adults and children 12 years and over	<ul style="list-style-type: none"> <li>wet hair thoroughly</li> <li>apply shampoo, generously lather, rinse thoroughly. Repeat.</li> <li>use every 3-4 days for up to 8 weeks or as directed by a doctor. Then use only as needed to control dandruff</li> </ul>
children under 12 years	<ul style="list-style-type: none"> <li>ask a doctor</li> </ul>
<b>Other information</b>	
<ul style="list-style-type: none"> <li>store at 20°C to 25°C (68°F-77°F)</li> <li>see top panel for lot number and expiration date</li> </ul>	
<b>Inactive ingredients</b>	
Benzyl Alcohol, BHT, Blue 1, Citric Acid, Cocamide MEA, Fragrance, Glycol Distearate, Hydrochloric Acid, Hydroxypropyl Methylcellulose, Polyquaternium-7, Sodium Chloride, Sodium Cocoyl Sarcosinate, Sodium Hydroxide, Sodium Laureth Sulfate, Tetrasodium EDTA, Water	
<b>Questions?</b> call toll-free 800-962-5357 or 215-272-8758 (collect).	

Before use read all label information. If you have a drug reaction, contact a doctor and report it by calling or writing:

**JOHNSON & JOHNSON CONSUMER INC.**  
Skillman, NJ 08558

Questions: 800-962-5357  
Outside the US dial collect 215-272-8758

www.nizoral.com

**CONTROLS**  
FLAKING  
SCALING  
ITCHING

7 FL OZ (200 mL)

Country PCD 875

3 0045-0895-07 3

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.**  
St. Regis-Medeva  
Made in Belgium  
© J&JCI 2018

**Nizoral<sup>®</sup>** A-D  
KETOCONAZOLE ANTI-DANDRUFF SHAMPOO 1%

