

# DIFFERIN<sup>®</sup>

## GEL

### ADAPALENE GEL 0.1%

### ACNE TREATMENT

- Previously available only by prescription
- Once Daily Topical Retinoid\*
- FDA approved

\*Read consumer information leaflet before use

Sample  
(Not for Sale)

NET WT  
0.07 OZ (2 g)

Distributed by:  
Galderma Laboratories, L.P.  
Fort Worth, TX 76177 USA  
Made in Canada P53131-1

PULL HERE TO OPEN

## Drug Facts

### Active ingredient

Adapalene 0.1% (retinoid)\*  
\*read consumer information leaflet

### Purpose

Acne treatment

**Use** ■ For the treatment of acne

### Warnings

For external use only

Do not use ■ on damaged skin (cuts, abrasions, eczema, sunburn)  
■ if you are allergic to adapalene or any of the ingredients in this product

If pregnant or breast-feeding, ask a doctor before use.

When using this product ■ limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors ■ do not wax to remove hair in areas where the product has been applied ■ during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe ■ irritation (redness, itching, dryness, burning) is more likely to occur:

■ in the first few weeks of use ■ if using more than one topical acne medication at a time ■ but irritation usually lessens with continued use of this product  
■ it may take up to 3 months of once daily use to see results  
■ avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water. ■ wash hands after use

Stop use and ask a doctor if ■ you become pregnant, or are planning to become pregnant, while using the product ■ you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)  
■ irritation becomes severe ■ you see no improvement after 3 months of once daily use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** Adults and children 12 years of age and older: ■ use once daily  
■ clean the skin gently and pat dry before applying the product ■ cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face. ■ do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

Children under 12 years of age: ask a doctor

**Other information** ■ store at room temperature 68°-77°F ■ protect from freezing

**Inactive ingredients** carbomer 940, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water and sodium hydroxide.  
May contain hydrochloric acid to adjust pH.

**Questions?** 1-866-735-4137

All trademarks are the property  
of their respective owners

Lot. Exp  
area

# DIFFERIN<sup>®</sup> GEL

# DIFFERIN<sup>®</sup> GEL

ADAPALENE GEL 0.1%

## ACNE TREATMENT

- Previously available only by prescription
- FDA approved
- Dermatologist developed
- Once Daily Topical Retinoid\*

\*Read consumer information leaflet before use

NEW LOOK  
SAME FORMULA

NET WT 0.5 OZ (15 g)

First FDA-approved over-the-counter topical retinoid\* for acne treatment


\*Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.



OIL FREE  
FRAGRANCE FREE  
DERMATOLOGIST DEVELOPED AND TESTED

All trademarks are the property of their respective owners  
PXXXXX-X

Nestlé Skin Health



### Drug Facts

Active ingredient	Purpose
Adapalene 0.1% (retinoid)*	Acne treatment

\*Read consumer information leaflet

#### Use

- For the treatment of acne

#### Warnings

For external use only

Do not use

- on damaged skin (cuts, abrasions, eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product.

If pregnant or breast-feeding, ask a doctor before use.

When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors
- do not wear or remove hair in areas where the product has been applied
- During the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
  - in the first few weeks of use
  - if using more than one topical acne medication at a time
  - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see results
- avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
- wash hands after use

Stop use and ask a doctor if

- you become pregnant, or are planning to become pregnant, while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once daily use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

Adults and children 12 years of age and older:

- use once daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

Children under 12 years of age: ask a doctor

#### Other information

- store at room temperature 68°-77°F
- protect from freezing

#### Inactive ingredients

carbomer 940, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water and sodium hydroxide.  
May contain hydrochloric acid to adjust pH.

#### Questions? 1-866-735-4137

Distributed by: Galderma Laboratories, L.P.  
A Nestlé Skin Health Company  
Fort Worth, TX 76177 USA  
Made in Canada

# DIFFERIN<sup>®</sup> GEL

# DIFFERIN<sup>®</sup> GEL

ADAPALENE GEL 0.1%

## ACNE TREATMENT

- Previously available only by prescription
- FDA approved
- Dermatologist developed
- Once Daily Topical Retinoid\*

\*Read consumer information leaflet before use

First FDA-approved over-the-counter topical retinoid\* for acne treatment

\*Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.



NET WT 0.5 OZ (15 g)

OIL FREE  
FRAGRANCE FREE  
DERMATOLOGIST DEVELOPED AND TESTED

All trademarks are the property of their respective owners  
PXXXXX-X

 Nestlé Skin Health



### Drug Facts

<b>Active ingredient</b> Adapalene 0.1% (retinoid)*	<b>Purpose</b> Acne treatment
--	----------------------------------

\*Read consumer information leaflet

#### Use

- For the treatment of acne

#### Warnings

For external use only

Do not use

- on damaged skin (cuts, abrasions, eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product

If pregnant or breast-feeding, ask a doctor before use.

#### When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe

■ irritation (redness, itching, dryness, burning) is more likely to occur:

- in the first few weeks of use
- if using more than one topical acne medication at a time
- but irritation usually lessens with continued use of this product

■ it may take up to 3 months of once daily use to see results

- avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
- wash hands after use

#### Stop use and ask a doctor if

- you become pregnant, or are planning to become pregnant, while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once daily use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

Adults and children 12 years of age and older:

- use once daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

Children under 12 years of age: ask a doctor

#### Other information

- store at room temperature 68°-77°F
- protect from freezing

#### Inactive ingredients

carboxer 940, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water and sodium hydroxide.  
May contain hydrochloric acid to adjust pH.

#### Questions? 1-866-735-4137

Distributed by: Galderma Laboratories, L.P.  
A Nestlé Skin Health Company  
Fort Worth, TX 76177 USA  
Made in Canada

# DIFFERIN<sup>®</sup> GEL

# DIFFERIN<sup>®</sup> GEL

ADAPALENE GEL 0.1%  
ACNE TREATMENT

- Previously available only by prescription
- FDA approved
- Dermatologist developed
- Once Daily Topical Retinoid\*

\*Read consumer information leaflet before use

OIL FREE  
FRAGRANCE FREE  
DERMATOLOGIST DEVELOPED AND TESTED

Nestlé Skin Health

NEW LOOK  
SAME FORMULA



NET WT 1.6 OZ (45 g)

First FDA-approved over-the-counter topical retinoid\* for acne treatment

\*Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.

ACTUAL SIZE

## Drug Facts

Active ingredient	Purpose
Adapalene 0.1% (retinoid)	Acne treatment

\*Read consumer information leaflet

### Use

- For the treatment of acne

### Warnings

For external use only

Do not use

- on damaged skin (cuts, abrasions, eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product.

If pregnant or breast-feeding, ask a doctor before use.

When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
  - in the first few weeks of use
  - if using more than one topical acne medication at a time
  - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see results
- avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
- wash hands after use

Stop use and ask a doctor if

- you become pregnant, or are planning to become pregnant, while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once daily use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

Adults and children 12 years of age and older:

- use once daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

Children under 12 years of age: ask a doctor

### Other information

- store at room temperature 68°-77°F
- protect from freezing

### Inactive ingredients

carbomer 940, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water and sodium hydroxide.  
May contain hydrochloric acid to adjust pH.

Questions? 1-866-735-4137

Distributed by:  
Galderma Laboratories, L.P.  
A Nestlé Skin Health Company  
Fort Worth, TX 76177 USA

Made in Canada

All trademarks are the property of their respective owners

PXXXXX-X



**DIFFERIN<sup>®</sup>**  
**GEL**

**DIFFERIN<sup>®</sup>**  
**GEL**

**ADAPALENE GEL 0.1%**  
**ACNE TREATMENT**

- Previously available only by prescription
- FDA approved
- Dermatologist developed
- Once Daily Topical Retinoid\*

\*Read consumer information leaflet before use

OIL FREE  
FRAGRANCE FREE  
DERMATOLOGIST DEVELOPED AND TESTED

Nestlé Skin Health



NET WT 1.6 OZ (45 g)

First FDA-approved over-the-counter topical retinoid\* for acne treatment

\*Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.

ACTUAL SIZE

**Drug Facts**

Active ingredient	Purpose
Adapalene 0.1% (retinoid)*	Acne treatment

\*read consumer information leaflet

**Use**

- For the treatment of acne

**Warnings**

For external use only

Do not use

- on damaged skin (cuts, abrasions, eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product.

If pregnant or breast-feeding, ask a doctor before use.

When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
  - in the first few weeks of use
  - if using more than one topical acne medication at a time
  - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see results
- avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
- wash hands after use

Stop use and ask a doctor if

- you become pregnant, or are planning to become pregnant, while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once daily use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Adults and children 12 years of age and older:

- use once daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

Children under 12 years of age: ask a doctor

**Other information**

- store at room temperature 68°-77°F
- protect from freezing

**Inactive ingredients**

carbomer 940, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water and sodium hydroxide. May contain hydrochloric acid to adjust pH.

Questions? 1-866-735-4137

Distributed by:  
Galderma Laboratories, L.P.  
A Nestlé Skin Health Company  
Fort Worth, TX 76177 USA

Made in Canada

All trademarks are the property of their respective owners  
PXXXXX-X