

LAMISIL^{AT} SPRAY
 FOR ATHLETE'S FOOT

NDC 0087-6296-01 

LAMISIL^{AT}

SPRAY

TERBINAFINE HYDROCHLORIDE SOLUTION 1% - ANTIFUNGAL

FOR ATHLETE'S FOOT

RELIEVES ITCHING, BURNING, CRACKING AND SCALING

THE ONLY 1 WEEK (TWICE A DAY) ATHLETE'S FOOT SPRAY



▶ **CLINICALLY PROVEN TO CURE MOST ATHLETE'S FOOT BETWEEN THE TOES**
 ▶ **FULL PRESCRIPTION STRENGTH**

Net Contents 125 mL (4.2 fl oz)

1-800-330-9876 Distributed by: GSK Consumer Healthcare, Warren, NJ 07059 ©2018 GSK or its licensee 10741RF

Drug Facts	
Active Ingredient Terbinafine hydrochloride 1%	Purpose Antifungal
Uses	
<ul style="list-style-type: none"> cures most athlete's foot (tinea pedis) between the toes. Effectiveness on the bottom or sides of foot is unknown. cures most jock itch (tinea cruris) and ringworm (tinea corporis) relieves itching, burning, cracking and scaling which accompany these conditions 	
Warnings	
For external use only	
Do not use	
<ul style="list-style-type: none"> on nails or scalp in or near the mouth or the eyes 	<ul style="list-style-type: none"> for vaginal yeast infections
When using this product	
<ul style="list-style-type: none"> do not get into eyes. If contact occurs, rinse eyes thoroughly with water. do not puncture or incinerate; contents under pressure. Do not expose to heat or store at temperatures above 120°F (49°C). 	
Stop use and ask a doctor if too much irritation occurs or gets worse	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> adults and children 12 years and over: <ul style="list-style-type: none"> wash the affected area with soap and water and dry completely before applying to open remove clear cap hold can 4" to 6" from skin. Press and hold to spray a thin layer over affected area release to stop spray wipe excess from spray opening after each use return cap to can for athlete's foot between the toes spray twice a day (morning and night) for 1 week or as directed by a doctor. Wear well-fitting, ventilated shoes. Change shoes and socks at least once daily. for jock itch and ringworm spray affected area once a day (morning or night) for 1 week or as directed by a doctor wash hands after each use children under 12 years: ask a doctor 	
Other information	
<ul style="list-style-type: none"> store at 20° to 25°C (68° to 77°F) 	
Inactive ingredients ethanol, polyoxyl 20 cetostearyl ether, propylene glycol, purified water	
Questions or comments? call 1-800-330-9876 	



3 00876129283 0

LAMISIL^{AT} SPRAY
 FOR JOCK ITCH

7

NDC 0067-6297-01



LAMISIL^{AT}

SPRAY

TERBINAFINE HYDROCHLORIDE
 SOLUTION 1% - ANTIFUNGAL

FOR **JOCK ITCH**



➤ CURES MOST JOCK ITCH
 ➤ FOR EFFECTIVE RELIEF
 OF ITCHING AND
 BURNING

Net Contents 125 mL (4.2 fl oz)

Distributed by: GSK Consumer Healthcare, Warren, NJ 07069 © 2018 GSK or its licensee. 10794701
 1-800-330-9876

Drug Facts	Purpose
Active ingredient Terbinafine hydrochloride 1%.....	Antifungal
Uses • cures most jock itch (tinea cruris) • relieves itching, burning, cracking and scaling which accompany this condition	
Warnings For external use only	
Do not use • on nails or scalp • in or near the mouth or the eyes • for vaginal yeast infections	
When using this product • do not get into eyes. If contact occurs, rinse eyes thoroughly with water. • do not puncture or incinerate; contents under pressure. Do not expose to heat or store at temperatures above 120°F (49°C).	
Stop use and ask a doctor if too much irritation occurs or gets worse	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • adults and children 12 years and over: • wash the affected area with soap and water and dry completely before applying • to open remove clear cap • hold can 4" to 6" from skin. Press and hold to spray a thin layer over affected area. • spray affected area once a day (morning or night) for 1 week or as directed by a doctor • release to stop spray • wipe excess from spray opening after each use • return cap to can • wash hands after each use • children under 12 years: ask a doctor	
Other information • store at 20° to 25°C (68° to 77°F)	
Inactive ingredients ethanol, polyoxyl 20 castostearyl ether, propylene glycol, purified water	
Questions or comments? call 1-800-330-9876	



3
00676129383
7

PPO

Trademarks are owned by or licensed to the GSK group of companies. 