

2315



(10 mg/mL)

Docetaxel Injection, USP
20 mg/2 mL

Ready to add to infusion solution

20 mg/2 mL (10 mg/mL)

39.5 x 30 mm (W x H)

LOT
EXP

Varnish free area

Ready to add to infusion solution



(01)00304090201027

Check concentration prior to preparation. See package insert for complete instructions.

Ready to add to infusion solution

Each mL contains:
10 mg Docetaxel, 260 mg Polysorbate 80 NF, 4 mg Anhydrous Citric Acid USP, 23% v/v Dehydrated Alcohol USP, q.s. with Polyethylene Glycol 300 NF.

Usual Dosage:
See package insert for dosage information, directions for use and handling.

Retain in original package to protect from light.

Store between 20 to 25°C (68 to 77°F). [See USP Controlled Room Temperature].

Check concentration prior to preparation. See package insert for complete instructions.

1 x 2 mL NDC 0409 0201 02
Single use vial
Discard unused portion

Docetaxel Injection, USP
20 mg/2 mL

(10 mg/mL)

For Intravenous Use only
Ready to add to infusion solution
Caution Cytotoxic Agent

Check concentration prior to preparation. See package insert for complete instructions.

Ready to add to infusion solution
One-vial formulation

Warning: Keep out of reach of children

Rx only

Manufactured by: Zydus Hospira Oncology Private Ltd. Gujarat India.
Distributed by: Hospira Inc. Lake Forest, IL 60045 USA

GUJ-DRUGS/G/28/1267



39.5 x 20 mm (W x H)

ZHC170052



2315



2317 ←



Hospira

(10 mg/mL)

Docetaxel Injection, USP
80 mg/8 mL

Ready to add to
infusion solution

LOT
EXP

Varnish free area

Ready to add to
infusion solution



(01)00304090201102

Check concentration
prior to preparation.
See package insert for
complete instructions.

ZHC170053



→ 2317

80 mg/8 mL (10 mg/mL)

Ready to add to
infusion solution

Each mL contains:
10 mg Docetaxel, 260 mg
Polysorbate 80 NF, 4 mg Anhydrous
Citric Acid USP, 23% v/v Dehydrated
Alcohol USP, q.s. with Polyethylene
Glycol 300 NF.
Usual Dosage:
See package insert for dosage
information, directions for use and
handling.

Check concentration
prior to preparation.
See package insert for
complete instructions.

80 mg/8 mL (10 mg/mL)

1 x 8 mL NDC 0409 0201 10
Multi use vial

Docetaxel
Injection, USP
80 mg/8 mL

(10 mg/mL)

For Intravenous Use only
Ready to add to
infusion solution
Caution: Cytotoxic Agent

Check concentration
prior to preparation.
See package insert for
complete instructions.

80 mg/8 mL (10 mg/mL)

Ready to add to
infusion solution

One-vial formulation

**Warning: Keep out of
reach of children**

Rx only

Retain in original package to protect
from light. Store between 20 to 25°C
(68 to 77°F). [See USP Controlled
Room Temperature].

After first use, Docetaxel
Injection, USP multi-use vials are
stable for up to 28 days when stored
between 2 and 8°C (36 and 46°F)
and protected from light.

Manufactured by: Zydus Hospira Oncology
Private Ltd., Gujarat, India.
Distributed by: Hospira, Inc.,
Lake Forest, IL 60045 USA

GUJ-DRUGS/G/28/1267

Hospira

2319



(10 mg/mL)

Docetaxel
Injection, USP
160 mg/16 mL

Ready to add to
infusion solution

LOT
EXP

Varnish free area

Ready to add to
infusion solution



(01)00304090201201

Check concentration
prior to preparation.
See package insert for
complete instructions.

ZHC170054



2319

47.5 x 30 mm (W x H)

47.5 x 20 mm (W x H)

160 mg/16 mL (10 mg/mL)

Ready to add to
infusion solution

Each mL contains:
10 mg Docetaxel, 260 mg
Polysorbate 80 NF, 4 mg Anhydrous
Citric Acid USP, 23% v/v Dehydrated
Alcohol USP, q.s. with Polyethylene
Glycol 300 NF.

Usual Dosage:
See package insert for dosage
information, directions for use and
handling.

Check concentration
prior to preparation.
See package insert for
complete instructions.

160 mg/16 mL (10 mg/mL)

1 x 16 mL NDC 0409 0201 20
Multi use vial

Docetaxel
Injection, USP
160 mg/16 mL

(10 mg/mL)

For Intravenous Use only
Ready to add to
infusion solution
Caution: Cytotoxic Agent

Check concentration
prior to preparation.
See package insert for
complete instructions.

160 mg/16 mL (10 mg/mL)

Ready to add to
infusion solution

One-vial formulation

Warning: Keep out of
reach of children

Rx only

Retain in original package to protect
from light. Store between 20 to 25°C
(68 to 77°F). [See USP Controlled
Room Temperature].

After first use, Docetaxel
Injection, USP multi-use vials are
stable for up to 28 days when stored
between 2 and 8°C (36 and 46°F)
and protected from light.

Manufactured by: Zydus Hospira Oncology
Private Ltd., Gujarat, India.
Distributed by: Hospira, Inc.,
Lake Forest, IL 60045 USA

GUJ-DRUGS/G/28/1267



2321



20 mg/mL

**Docetaxel
Injection, USP**

Ready to add to
infusion solution

20 mg/mL

LOT
EXP

Varnish free area

Ready to add to
infusion solution



(01)00304090366016

Check concentration
prior to preparation.
See package insert for
complete instructions.

ZHC170055



2321

39.5 x 35 mm (W x H)

39.5 x 22 mm (W x H)

20 mg/mL

**Ready to add to
infusion solution**

Each mL contains:
20 mg Docetaxel, 7 mg Citric Acid
Monohydrate USP, 395 mg
Dehydrated Alcohol USP, q.s. with
Polysorbate 80 NF.

Usual Dosage:
See package insert for dosage
information, directions for use and
handling.

**Retain in original package to protect
from light.**

**Store between 2°C and 25°C (36°F
and 77°F).**

Check concentration
prior to preparation.
See package insert for
complete instructions.

20 mg/mL

1 x 1 mL NDC 0409 0366 01
Single use vial
Discard unused portion

**Docetaxel
Injection, USP**

20 mg/mL

For Intravenous Use only
**Ready to add to
infusion solution**
Caution Cytotoxic Agent

Check concentration
prior to preparation.
See package insert for
complete instructions.

20 mg/mL

**Ready to add to
infusion solution**

One-vial formulation

**Warning: Keep out of
reach of children**

Rx only

Mfd by: Zydus Hospira Oncology Private Ltd.
Gujarat India
Dist. by: Hospira Inc.
Lake Forest IL 60045 USA
Product of India

GUJ-DRUGS/G/28/1267



2323



(20 mg/mL)

Docetaxel
Injection, USP
80 mg/4 mL

Ready to add to
infusion solution

LOT
EXP

Varnish free area

Ready to add to
infusion solution



(01)03034090367013

Check concentration
prior to preparation.
See package insert for
complete instructions.

ZHC170056



2323

39.5 x 35 mm (W x H)

39.5 x 22 mm (W x H)

80 mg/4 mL (20 mg/mL)

Ready to add to
infusion solution

Each mL contains:
20 mg Docetaxel, 7 mg Citric Acid
Monohydrate USP, 395 mg
Dehydrated Alcohol USP, q.s. with
Polysorbate 80 NF.

Usual Dosage:
See package insert for dosage
information, directions for use and
handling.

Check concentration
prior to preparation.
See package insert for
complete instructions.

80 mg/4 mL (20 mg/mL)

1 x 4 mL NDC 0409 0367 01
Multi use vial

Docetaxel
Injection, USP
80 mg/4 mL

(20 mg/mL)

For Intravenous Use only
**Ready to add to
infusion solution**
Caution Cytotoxic Agent

Check concentration
prior to preparation.
See package insert for
complete instructions.

80 mg/4 mL (20 mg/mL)

Ready to add to
infusion solution
One-vial formulation

**Warning: Keep out of
reach of children**


Rx only
Retain in original package to protect
from light. Store between 2°C and
25°C (36°F and 77°F).

After first use, Docetaxel
Injection, USP multi-use vials are
stable for up to 28 days when stored
between 2 and 8°C (36 and 46°F)
and protected from light.

Mfd by: Zydus Hospira Oncology Private Ltd.
Gujarat India
Dist. by: Hospira Inc.
Lake Forest, IL 60045 USA
Product of India


GUJ-DRUGS/G/28/1267





2325

←



Hospira

(20 mg/mL)

Docetaxel
Injection, USP
160 mg/8 mL

Ready to add to infusion solution

LOT

EXP

Varnish free area



01086930409034010

Check concentration
prior to preparation.
See package insert for
complete instructions.

ZHC170057

160 mg/8 mL (20 mg/mL)

**Ready to add to
infusion solution**

Each mL contains:
20 mg Docetaxel, 7 mg Citric Acid
Monohydrate USP, 395 mg Dehydrated
Alcohol USP, q.s. with Polysorbate 80 NF.

Usual Dosage:
See package insert for dosage information,
directions for use and handling.

Check concentration
prior to preparation.
See package insert for
complete instructions.

160 mg/8 mL (20 mg/mL)

1 x 8 mL
Multi use vial

NDC 0409 0368 01

**Docetaxel
Injection, USP
160 mg/8 mL**

(20 mg/mL)

For Intravenous Use only
**Ready to add to
infusion solution**
Caution Cytotoxic Agent

Check concentration
prior to preparation.
See package insert for
complete instructions.

160 mg/8 mL (20 mg/mL)

**Ready to add to
infusion solution**

One-vial formulation


**Warning: Keep out of
reach of children**

Rx only

**Retain in original package to protect from
light. Store between 2°C and 25°C (36°F and
77°F).**

**After first use, Docetaxel Injection, USP
multi-use vials are stable for up to 28 days
when stored between 2°C and 8°C (36°F and
46°F) and protected from light.**



Mfd by: Zydus Hospira Oncology Private Ltd.
Gujarat, India
Dist. by: Hospira Inc.
Lake Forest, IL 60045 USA
Product of India
GUJ-DRUGS/G/28/1267



shee

. MUST BE THERE ON EACH LABEL.



Pharmacode Read Direction

(b) (4)



8 mL Multi use Vial	NDC 0409 020 0 Rx only Sterile	Each mL contains: 10 mg Docetaxel, 260 mg Polysorbate 80 NF, 4 mg Anhydrous Citric Acid USP, 25% w/v Dihydrated Alcohol USP, q.s. with Polyethylene Glycol 300 NF. Store at 20 to 25 °C	
Docetaxel Injection, USP		Protect from light.	ZHL170044
80 mg/8 mL	For intravenous Use only	Caution: Cytotoxic Agent	Mfd by Zylgig Hospira Oncology Private, Ltd., Gujarat, India
(10 mg/mL)	Ready to add to infusion solution. Check concentration prior to preparation. See package insert for complete instructions.	Usual Dosage: See insert	D at by Hospira Inc. Lake Forest, IL 60459 USA
		Lot: _____ Exp: _____	

→ 2316

(b) (4)

16 mL
Multi-use Vial NDC 0409-0201-20
Rx only Sterile

**Docetaxel
Injection, USP
160 mg/16 mL**

(10 mg/mL)

For Intravenous Use only

Ready to add to infusion solution. Check concentration prior to preparation. See package insert for complete instructions.

Each mL contains:
10 mg Docetaxel, 260 mg Polysorbate 80 NF, 4 mg Anhydrous Citric Acid USP, 23% v/v Dehydrated Alcohol USP, q.s. with Polyethylene Glycol 300 NF. Store at 20 to 25°C.
Protect from light.
Caution: Cytotoxic Agent
Usual Dosage: See insert.
GUJ-DRUGS/G/28/1267
ZHL170045

Mfd by: Zydus Hospira Oncology Private Ltd., Gujarat, India. Dist. by: Hospira, Inc. Lake Forest, IL 60045 USA



Lot
Exp

2318 →

(b) (4)

4 mL Multi use Vial Sterile NDC 0409 0367 0

Docetaxel Injection, USP
80 mg/4 mL For Intravenous Use only x o y

(20 mg/mL)

Ready to add to infusion solution. Check concentration or on to prepared on See package insert for complete instructions.

Each mL contains:
20 mg Docetaxel, 7 mg
Sodium Chloride, 0.1 mg
USP 200 mg Potassium ed
Dihydrogen Phosphate, 0.1 mg
Polyethylene Glycol 400, 0.2 mg
Phosphate Buffered Saline, pH 7.0
Maximum Dilution: See insert
for instructions.
0.1% w/v Polyethylene Glycol
400, 0.2% w/v Potassium
Dihydrogen Phosphate, 0.1%
w/v Sodium Chloride, 0.1%
w/v USP 200 mg Potassium
Dihydrogen Phosphate

LOT
EXP



ZHL170 047



→
2322



umber

Text should be no closer than 1 mm to the label edges


All graphics should have 1.5 mm bleed

The cutter must remain on the artwork and its colour cannot be altered
Layers must not be renamed

Text should not pass this guideline leaving 6 mm clear strip along the bottom of this label

This area MUST be left clear for the printing of Batch and Expiry details

A Micro QR Code appears on every label
It MUST be placed in the bottom left corner as shown on this template, 1 mm from the left & bottom label edge
The colour used MUST be



2324

If artwork is to include pre printed Batch and Expiry details, use this text for size and positioning
Position the text 5 mm from the Micro QR Code

Matt varnish layer is set by the supplier at pre press
Label is matt varnished at time of printing, but excludes the Batch and Expiry area



Ramesh
Raghavachari

Digitally signed by Ramesh Raghavachari
Date: 1/26/2018 11:49:36AM
GUID: 502d0913000029f375128b0de8c50020