

READ AND KEEP CAUTION FOR COMPLETE WARNINGS AND INFORMATION

Drug Facts

Active ingredients (in each capsule) **Purposes**
 Diphenhydramine hydrochloride 25 mg, Mefenamic acid
 Solubilized ibuprofen equal to
 200 mg ibuprofen (NSAID) Pain reliever
 (present as the free acid and potassium salt)
 Mefenamic acid Pain reliever
 (nonsteroidal anti-inflammatory drug)

Uses ■ for relief of occasional sleeplessness when
 associated with minor aches and pains ■ helps you fall
 asleep and stay asleep

Warnings

Allergy alert: Ibuprofen may cause a severe allergic
 reaction, especially in people allergic to aspirin.
 Symptoms may include:
 ■ hives ■ facial swelling ■ asthma (wheezing)
 ■ dizziness ■ difficulty breathing
 ■ severe skin redness ■ rash ■ blisters
 If an allergic reaction occurs, stop use and seek medical
 help right away.

Stomach bleeding warning: This product contains an
 NSAID, which may cause severe stomach bleeding. The
 chance is higher if you ■ are age 60 or older ■ take
 had stomach ulcers or bleeding problems ■ take a blood
 thinning (anticoagulant) or steroid drug ■ take a blood
 thinning (antiplatelet) or aspirin ■ take NSAIDs
 (aspirin, ibuprofen, naproxen, or others) ■ take 3 or
 more alcohol drinks every day, while taking this
 product ■ take more or for a longer time than directed

PAA076834



Drug Facts (continued)

Heart attack and stroke warning: NSAIDs, except aspirin,
 increase the risk of heart attack, heart failure, and stroke.
 These can be fatal. The risk is higher if you use more than
 directed or for longer than directed.

Do not use ■ if you have ever had an allergic reaction to any
 other pain reliever/fever reducer ■ unless you have time for
 a full night's sleep ■ in children under 12 years of age
 ■ right before or after heart surgery ■ with any other
 product containing diphenhydramine, even one used on skin
 ■ if you have sleeplessness without pain


Ask a doctor before use if ■ stomach/heartburn warning
 applies to you ■ you have problems or serious side effects
 from taking pain relievers or fever reducers ■ you have
 a history of peptic ulcers, heart disease, liver cirrhosis, kidney
 disease, asthma, or had a stroke ■ you are taking a diuretic
 (water pills) ■ you have diabetes ■ you have had
 chronic bronchitis ■ you have glaucoma or have
 trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are
 ■ taking sedatives or tranquilizers, or any other sleep-aid
 ■ under a doctor's care for any continuing medical illness
 ■ taking any other antacids ■ taking aspirin for heart
 attack or stroke, because ibuprofen may decrease its benefit
 of aspirin ■ taking any other drug

When using this product ■ drowsiness will occur ■ avoid
 alcoholic drinks ■ do not drive a motor vehicle or operate
 machinery ■ take with food or milk if stomach upset occurs

Drug Facts (continued)
 ■ avoid excessive heat above 40°C (104°F)
 ■ protect from light
Inactive ingredients D&C red no. 33, FD&C
 blue no. 1, gelatin, medium-chain triglycerides,
 pharmaceutical ink, polyethylene glycol, potassium
 hydroxide, purified water, sorbitol sorbitan solution
Questions or comments?
 Call weekdays 9 AM to 5 PM EST at 1-800-88-ADVIL
 For most recent product information, visit www.Advii.com
 Distributed by: Pfizer, Madison, NJ 07940 USA
 © 2016 Pfizer Inc. U.S. Patent 9,155,718
 LIQUI-GELS® is a trademark or registered trademark
 of Calient Pharma Solutions.

Do Not Use if seal under bottle cap imprinted with
 "SEALED for YOUR PROTECTION" is broken or missing.




Drug Facts (continued)

Stop use and ask a doctor if ■ you experience any of the
 following signs of stomach bleeding: ■ feel faint
 ■ vomit blood ■ have bloody or black stools ■ have
 stomach pain that does not get better
 ■ you have symptoms of heart problems or stroke:
 ■ chest pain ■ trouble breathing
 ■ weakness in one part of side of body
 ■ slurred speech ■ leg swelling
 ■ pain goes worse or lasts more than 10 days
 ■ sleeplessness persists continuously for more than
 2 weeks. Insomnia may be a symptom of a serious
 underlying medical illness. ■ Any new symptoms appear
 present in the painful area ■ Any new symptoms appear

If pregnant or breast-feeding, ask a health professional
 before use. It is especially important not to use ibuprofen
 during the last 3 months of pregnancy unless definitely
 directed to do so by a doctor because it may cause
 problems in the unborn child or complications during
 delivery. **Keep out of reach of children.** In case of
 overdose, get medical help or contact a Poison Control
 Center right away.

Directions ■ do not take more than directed
 ■ adults and children 12 years and over: take 2 capsules at
 bedtime ■ do not take more than 2 capsules in 24 hours

Other information ■ each capsule contains:
 potassium 20mg ■ read all warnings and directions
 before use. Keep caution. ■ store at 20°-25°C (68°-77°F)



DRUG FACTS MODIFIED TEXT DEFINED	TYPE SIZE
• DRUG FACTS TITLE	8 pt
• DRUG FACTS CONTINUED	7 pt
• HEADINGS	7 pt
• SUBHEADINGS/BODY TEXT	6 pt
• LEADING	6.25 pt
• # OF CHARACTERS PER INCH	<39
• BULLETS	5 pt
• SPACE BEFORE BULLET	2 ems
• BARLINES, HAIRLINES	1.5 pt, .5 pt
• SPACE BETWEEN HAIRLINES AND BOX END	2 spaces

Pfizer Consumer Healthcare

Advil[®]PM 20ct Save \$1.00 IRC D000060918

FRONT



BACK

MANUFACTURER'S COUPON | EXPIRES: 12/31/2021

Save \$1.00 Now on any Advil[®] PM product, 20ct or larger

CONSUMER: LIMIT ONE COUPON PER PURCHASE of products and quantities stated. LIMIT OF 4 LIKE COUPONS in same shopping trip. Coupons not authorized if purchasing products for resale. Void if transferred, sold, auctioned, reproduced or altered from original. Any other use constitutes fraud. You may pay sales tax. Do not send to Pfizer Consumer Healthcare.

DEALER: Sending to Pfizer Consumer Healthcare 616, NCH Marketing Services, P.O. Box 880001, El Paso, TX 88588-0001 signifies compliance with the "Pfizer Consumer Healthcare Redemption Policy", copy available by writing to the above address. Cash value is 1/100th of 1 cent. © 2017 Pfizer Inc.

030573-036470

THIS IS A LIVE DIGICODE

D000060918