



Drug Facts
Active ingredient (in each patch)
 Nicotine, 21 mg delivered over 24 hours
Purpose
 Stop smoking aid
Use reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking
Warnings
 If you are pregnant or breast feeding, only use this medicine on the advice of your health care provider. Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.
 Ask a doctor before use if you have • heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate.
 • high blood pressure not controlled with medication. Nicotine can increase your blood pressure.
 • an allergy to adhesive tape or have skin problems, because you are more likely to get rashes.
 • stomach ulcer or diabetes. • history of seizures.
 Ask a doctor or pharmacist before use if you are • taking a non-nicotine smoking drug.
 • taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.
When using this product • if you have vivid dreams or other sleep disturbances remove this patch at bedtime.
Stop use and ask a doctor if • skin redness caused by the patch does not go away after four days, or if your skin swells, or you get a rash.
 • irregular heartbeat or palpitations occur.
 • you get symptoms of nicotine overdose, such as nausea, vomiting, dizziness, weakness and rapid heartbeat.
 • you have symptoms of an allergic reaction (such as difficulty breathing or rash).
Keep out of reach of children and pets. Used patches have enough nicotine to poison children and pets. If seen loved, get medical help or contact a Poison Control Center right away. Save pouch to use for patch disposal. Dispose of the used patches by dipping sticky ends together and putting in pouch.
Directions • If you are under 18 years of age, ask a doctor before use.
 • before using this product, read the enclosed self-help guide for complete directions and other information.
 • begin using the patch on your quit day. • if you smoke more than 10 cigarettes per day, use the following schedule by week:

Weeks 1 thru 4	Weeks 5 and 6	Weeks 7 and 8
STEP 1 Use one 21 mg patch/day	STEP 2 Use one 14 mg patch/day	STEP 3 Use one 7 mg patch/day

 • if you smoke 10 or less cigarettes per day, start with Step 2 for 6 weeks, then Step 3 for 2 weeks.
 • apply one new patch every 24 hours on skin that is dry, clean and hairless.
 • remove backing from patch and immediately press onto skin. Hold for 10 seconds.
 • wash hands a few applying or removing patch. Save pouch to use or patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch.
 • the used patch should be removed and a new one applied to a different site at the same time each day.
 • if you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning.
 • do not wear more than one patch at a time. • do not cut patch in half or into smaller pieces.
 • do not reuse patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours.
 • to avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures.
 • it is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider.
Other information • store at 20-25°C (68-77°F).
Inactive ingredients acrylic adhesive, aluminumized polyester, cellulose paper, methacrylic acid copolymer.
Comments or Questions? Call 1-800-585-8882 Weekdays (9am-8pm ET) or visit us at www.habitrol.com.
 See bottom panel for lot number and expiration date.

• Not for sale to persons under 18 years of age.
 • Proof of age required.
 • Not for sale in vending machines or from any source where proof of age cannot be verified.



Habitrol®
 Nicotine Transdermal System Patch
 21 mg delivered over 24 hours
STOP SMOKING AID



For your family's protection patches are supplied in child resistant pouches.
 Do not use if individual pouch is open or torn.

See self-help guide inside.

NDC 55741 448 70

Habitrol®
 Nicotine Transdermal System Patch
 21 mg delivered over 24 hours
STOP SMOKING AID

21 mg

Includes:
 Behavior Support Program with self-help guide

7 Patches
 (1 Week Kit)

The full treatment course for STEP 1 is 28 patches (4 weeks); this package contains 7 patches (1 week course) only. Read the enclosed self-help guide for additional information.



TO INCREASE YOUR SUCCESS IN QUITTING:
 1 You must be motivated to quit
 2 Use one patch daily according to directions
 3 It is important to complete treatment
 4 If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider.
 5 Use patch with a behavioral support program, such as the one described in the enclosed booklet.

Habitrol®
 Nicotine Transdermal System Patch
 21 mg delivered over 24 hours
STOP SMOKING AID

STEP 1

IF YOU SMOKE MORE THAN 10 CIGARETTES PER DAY: START WITH STEP 1

STEP 1

IF YOU SMOKE 10 OR LESS CIGARETTES PER DAY: START WITH STEP 2

HABITROL® TAKE CONTROL™ SUPPORT PROGRAM

Distributed by:
 Dr. Reddy's Laboratories, Inc.
 Princeton, NJ 08540



Font & Format Specifications

Drug Patch Kit	Font Name: Helvetica	Size: 10 pt	Weight: Bold	Color: Black
Drug Patch Kit	Font Name: Helvetica	Size: 10 pt	Weight: Bold	Color: Black
Directions	Font Name: Helvetica	Size: 10 pt	Weight: Bold	Color: Black
Warnings	Font Name: Helvetica	Size: 10 pt	Weight: Bold	Color: Black
Do not use	Font Name: Helvetica	Size: 10 pt	Weight: Bold	Color: Black
Other information	Font Name: Helvetica	Size: 10 pt	Weight: Bold	Color: Black
Lot number	Font Name: Helvetica	Size: 10 pt	Weight: Bold	Color: Black
Expiration date	Font Name: Helvetica	Size: 10 pt	Weight: Bold	Color: Black
Lot number	Font Name: Helvetica	Size: 10 pt	Weight: Bold	Color: Black
Expiration date	Font Name: Helvetica	Size: 10 pt	Weight: Bold	Color: Black



Drug Facts							
Active ingredient (in each patch) Nicotine, 21 mg delivered over 24 hours	Purpose Stop smoking aid						
Use reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking							
Warnings If you are pregnant or breast feeding, only use this medicine on the advice of your health care provider. Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.							
Ask a doctor before use if you have: heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate. • high blood pressure not controlled with medication. Nicotine can increase your blood pressure. • an allergy to adhesive tape or have skin problems, because you are more likely to get rashes. • stomach ulcer or diabetes. • history of seizures.							
Ask a doctor or pharmacist before use if you are: taking a non-nicotine smoking drug. • taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.							
When using this product: if you have vivid dreams or other sleep disturbances remove this patch at bedtime.							
Stop use and ask a doctor if: skin redness caused by the patch does not go away after four days, or if your skin swells, or you get a rash. • irregular heartbeat or palpitations occur. • you get symptoms of nicotine overdose, such as nausea, vomiting, dizziness, weakness and rapid heartbeat. • you have symptoms of an allergic reaction (such as difficulty breathing or rash).							
Keep out of reach of children and pets. Used patches have enough nicotine to poison children and pets. If seen loved, get medical help or contact a Poison Control Center right away. Save pouch to use for patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch.							
Directions • If you are under 18 years of age, ask a doctor before use. • before using this product, read the enclosed self-help guide for complete directions and other information. • begin using the patch on your quit day. • If you smoke more than 10 cigarettes per day, use the following schedule to be on:							
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">Weeks 1 thru 4</td> <td style="text-align: center;">Weeks 5 and 6</td> <td style="text-align: center;">Weeks 7 and 8</td> </tr> <tr> <td style="text-align: center;">STEP 1 Use one 21 mg patch/day</td> <td style="text-align: center;">STEP 2 Use one 14 mg patch/day</td> <td style="text-align: center;">STEP 3 Use one 7 mg patch/day</td> </tr> </table>	Weeks 1 thru 4	Weeks 5 and 6	Weeks 7 and 8	STEP 1 Use one 21 mg patch/day	STEP 2 Use one 14 mg patch/day	STEP 3 Use one 7 mg patch/day	
Weeks 1 thru 4	Weeks 5 and 6	Weeks 7 and 8					
STEP 1 Use one 21 mg patch/day	STEP 2 Use one 14 mg patch/day	STEP 3 Use one 7 mg patch/day					
<ul style="list-style-type: none"> • if you smoke 10 or less cigarettes per day, start with Step 2 for 6 weeks, then Step 3 for 2 weeks • apply one new patch every 24 hours on skin that is dry, clean and hairless • remove backing from patch and immediately press onto skin. Hold for 10 seconds • wash hands after applying or removing patch. Save pouch to use or patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch. • the used patch should be removed and a new one applied to a different skin site at the same time each day • if you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning • do not wear more than one patch at a time • do not cut patch in half or into smaller pieces • do not reuse patch on for more than 24 hours because it may irritate your skin and cause allergic reaction • to avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures • it is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider. 							
Other information • store at 20-25°C (68-77°F)							
Inactive ingredients acrylic adhesive, aluminum polyester, cellulose paper, methacrylic acid copolymer							
Comments or Questions? Call 1-800-585-8882 Weekdays (9am-5pm ET) or visit us at www.habitrol.com							
See bottom panel for lot number and expiration date.							



Nicotine Transdermal System PATCH
21 mg delivered over 24 hours
STOP SMOKING AID



For your family's protection, patches are supplied in child-resistant pouches.
Do not use if individual pouch is open or torn.

See self-help guide inside.

TO INCREASE YOUR SUCCESS IN QUITTING:

- You must be motivated to quit
- Use one patch daily according to directions
- It is important to complete treatment
- If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider
- Use patch with a behavioral support program, such as the one described in the enclosed booklet

NDC 43598 448 74

HABITROL™ TAKE CONTROL™

14 PATCHES (2 WEEK KIT)

Dr. Barry S. Labovitz, Inc.
Princeton, NJ 08540

Nicotine Transdermal System PATCH
21 mg delivered over 24 hours
STOP SMOKING AID



Nicotine Transdermal System PATCH
21 mg delivered over 24 hours
STOP SMOKING AID

21 mg

Includes:
Behavior Support Program with self-help guide

IF YOU SMOKE **MORE** THAN 10 CIGARETTES PER DAY: START WITH STEP 1

IF YOU SMOKE 10 OR **LESS** CIGARETTES PER DAY: START WITH STEP 2



Font & Format Specifications			
Drug Patch (14)	Font Name: Helvetica Neue LT Std 77 Std 2 Condensed Oblique	12 point size	
Drug Patch (7)	Font Name: Helvetica Neue LT Std 77 Std 2 Condensed Oblique	10 point size	
Warnings	Font Name: Helvetica Neue LT Std 77 Std 2 Condensed Oblique	8 point size	
Directions	Font Name: Helvetica Neue LT Std 77 Std 2 Condensed	8 point size	
Drug Name	Font Name: Helvetica Neue LT Std 57 Condensed	8 point size	
Lot No.	Font Name: Helvetica Neue LT Std 57 Condensed	8 point size	
Expiration Date	Font Name: Helvetica Neue LT Std 57 Condensed	8 point size	
Quantity of the lot	Font Name: Helvetica Neue LT Std 57 Condensed	8 point size	
Other	Font Name: Helvetica Neue LT Std 57 Condensed	8 point size	
Weight	8.5 g	0.30 oz	
Height	1.5 in	3.8 cm	



Drug Facts
Active ingredient (in each patch)
 Nicotine, 21 mg delivered over 24 hours
Purpose
 Stop smoking aid

Use reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking

Warnings
 If you are pregnant or breast feeding, only use this medicine on the advice of your health care provider. Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

Ask a doctor before use if you have: heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate.
 • high blood pressure not controlled with medication. Nicotine can increase your blood pressure.
 • an allergy to adhesive tape or have skin problems, because you are more likely to get rashes.
 • stomach ulcer or diabetes. • history of seizures.

Ask a doctor or pharmacist before use if you are: taking a non-nicotine smoking drug.
 • taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.

When using this product: if you have vivid dreams or other sleep disturbances remove this patch at bedtime.

Stop use and ask a doctor if: skin redness caused by the patch does not go away after four days, or if your skin swells, or you get a rash.
 • irregular heartbeat or palpitations occur.
 • you get symptoms of nicotine overdose, such as nausea, vomiting, dizziness, weakness and rapid heartbeat.
 • you have symptoms of an allergic reaction (such as difficulty breathing or rash).

Keep out of reach of children and pets. Used patches have enough nicotine to poison children and pets. If seen loved, get medical help or contact a Poison Control Center right away. Save pouch to use for patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch.

Directions • If you are under 18 years of age, ask a doctor before use.
 • before using this product, read the enclosed self-help guide for complete directions and other information.
 • begin using the patch on your quit day. • if you smoke more than 10 cigarettes per day, use the following schedule for use:

Weeks 1 thru 4	Weeks 5 and 6	Weeks 7 and 8
STEP 1 Use one 21 mg patch/day	STEP 2 Use one 14 mg patch/day	STEP 3 Use one 7 mg patch/day

• if you smoke 10 or less cigarettes per day, start with Step 2 for 6 weeks, then Step 3 for 2 weeks.
 • apply one new patch every 24 hours on skin that is dry, clean and hairless.
 • remove backing from patch and immediately press onto skin. Hold for 10 seconds.
 • wash hands after applying or removing patch. Save pouch to use or patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch.
 • the used patch should be removed and a new one applied to a different skin site at the same time each day.
 • if you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning.
 • do not wear more than one patch at a time. • do not cut patch in half or into smaller pieces.
 • do not reuse patch on for more than 24 hours because it may irritate your skin and, loses strength after 24 hours.
 • to avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures.
 • it is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider.

Other information • store at 20-25°C (68-77°F)

Inactive ingredients acrylic adhesive, aluminumized polyester, cellulose paper, methacrylic acid copolymer

Comments or Questions? Call 1-800-585-8882 Weekdays (9am-5pm ET) or visit us at www.habitrol.com

See bottom panel for lot number and expiration date.



Nicotine Transdermal System PATCH
 21 mg delivered over 24 hours STOP SMOKING AID



For your family's protection, patches are supplied in child-resistant pouches. Do not use if individual pouch is open or torn.

See self-help guide inside.

NDC 43598 448 28




Nicotine Transdermal System PATCH
 21 mg delivered over 24 hours STOP SMOKING AID



Nicotine Transdermal System PATCH 21 mg delivered over 24 hours STOP SMOKING AID

21 mg



Includes: Behavior Support Program with self-help guide

IF YOU SMOKE MORE THAN 10 CIGARETTES PER DAY: START WITH STEP 1
 IF YOU SMOKE 10 OR LESS CIGARETTES PER DAY: START WITH STEP 2

28 PATCHES (4 WEEK KIT)

© 2008 by Dr. Healy & Laboratories, Inc. Princeton, NJ 08540



Font & Format Specifications

Drug Facts title	Font Name: Helvetica Neue LT Std Condensed Oblique	10 point type
Drug Facts heading	Font Name: Helvetica Neue LT Std Condensed Oblique	14 pt
Warnings	Font Name: Helvetica Neue LT Std Condensed Oblique	8 point type
Directions	Font Name: Helvetica Neue LT Std Condensed	8 point type
Other info	Font Name: Helvetica Neue LT Std Condensed	8 point type
Table	Font Name: Helvetica Neue LT Std Condensed	8 point type
Spacing of the habitrol logo	Font Name: Helvetica Neue LT Std Condensed	10 pt
Spacing of the habitrol logo	Font Name: Helvetica Neue LT Std Condensed	10 pt
Table	Font Name: Helvetica Neue LT Std Condensed	100%
Table	Font Name: Helvetica Neue LT Std Condensed	5 pt
Table	Font Name: Helvetica Neue LT Std Condensed	5 pt



6 8 8 1 7 0 0 5 1

Drug Facts

Active ingredient (in each patch)
Nicotine, 14 mg delivered over 24 hours

Purpose
Stop smoking aid

Use
reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking

Warnings
If you are pregnant or breast feeding, only use this medicine on the advice of your health care provider. Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

Ask a doctor before use if you have

- heart disease, recent heart attack, or irregular heartbeat
- Nicotine can increase your heart rate
- high blood pressure not controlled with medication
- Nicotine can increase your blood pressure
- an allergy to adhesive tape or have skin problems, because you are more likely to get rashes
- stomach ulcer or diabetes
- history of seizures

Ask a doctor or pharmacist before use if you are

- taking a non-nicotine smoking drug
- taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted
- if you have vivid dreams or other sleep disturbances remove this patch at bedtime

When using this product

- skin redness caused by the patch does not go away after four days, or if your skin swells, or you get a rash
- irregular heartbeat or palpitations occur
- you get symptoms of nicotine overdose, such as nausea, vomiting, dizziness, weakness and rapid heartbeat
- you have symptoms of an allergic reaction (such as difficulty breathing or rash)

Keep out of reach of children and pets. Used patches have enough nicotine to poison children and pets. If seen loved, get medical help or contact a Poison Control Center right away. Save pouch to use for patch disposal. Dispose of the used patches by putting sticky ends together and putting in pouch.

Directions

- If you are under 18 years of age, ask a doctor before use
- before using this product, read the enclosed self-help guide for complete directions and other information
- begin using the patch on your quit day
- if you smoke more than 10 cigarettes per day, use the following schedule to be over:

Weeks 1 thru 4	Weeks 5 and 6	Weeks 7 and 8
STEP 1 use one 21 mg patch/day	STEP 2 use one 14 mg patch/day	STEP 3 use one 7 mg patch/day

- if you smoke 10 or less cigarettes per day, start with Step 2 for 6 weeks, then Step 3 for 2 weeks
- apply one new patch every 24 hours on skin that is dry, clean and hairless
- remove backing from patch and immediately press onto skin. Hold for 10 seconds
- wash hands after applying or removing patch. Save pouch to use or patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch
- the used patch should be removed and a new one applied to a different site at the same time each day
- if you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning
- do not wear more than one patch at a time
- do not cut patch in half or into smaller pieces
- do not reuse patch on for more than 24 hours because it may irritate your skin and cause allergic reaction
- to avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures
- it is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider

Other information - store at 20-25°C (68-77°F)

Inactive ingredients - acrylic adhesive, aluminumized polyester, cellulose paper, methacrylic acid copolymer

Comments or Questions? Call 1 800 585 8682 Weekdays (9am-8pm ET) or visit us at www.habitrol.com

See bottom panel for lot number and expiration date.



5 0 6 8 8

Font & Format Specifications

Drug Facts (NDC)	Font Name	Helvetica Neue LT Std 77	Size	Condensed Outline	10 point type
Drug Facts Summary	N/A				N/A
Warnings	Helvetica Neue LT Std 77	Std 77	10	Condensed Outline	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Comments or Questions?	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Directions	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type
Other information	Helvetica Neue LT Std 77	Std 77	10	Condensed	8 point type



1 6 8 1 7 0 0 5 1

Drug Facts	Purpose						
Active ingredient (in each patch) Nicotine, 14 mg delivered over 24 hours	Stop smoking aid						
Use reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking							
Warnings If you are pregnant or breast feed ing, only use this medic ne on the adv ce of your hea th care provider. Smoking can seriously harm your child. Try to stop smoking wihout us ng any nicotine replacement medic ne. This medic ne is believed to be safer than smok ng. However, the risks to your child from this medic ne are not fu ly known.							
Ask a doctor before use if you have • heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate. • high blood pressure not control led with med cation. Nicotine can increase your blood pressure. • an allergy to adhesive tape or have skin prob lems, because you are more likely to get rashes • stomach ulcer or d abities. • history of seizures							
Ask a doctor or pharmacist before use if you are • using a non nicotine stop smok ng drug • taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted							
When using this product • if you have vivid dreams or other sleep disturbances remove this patch at bedt me							
Stop use and ask a doctor if • skin redness caused by the patch does not go away after four days, or if your skin swe ts, or you get a rash • irregular heartbeat or palpitations occur • you get symptoms of nicotine overdose, such as nausea, vomiting, dizziness, weakness and rapid heartbeat • you have symptoms of an allergic reaction (such as difficulty breathing or rash)							
Keep out of reach of children and pets. Used patches have enough nicotine to poison children and pets. If seen loved, get med cal help or contact a Poison Control Center right away. Save pouch to use for patch disposal. Dispose of the used patches by ding sticky ends together and putting in pouch.							
Directions • If you are under 18 years of age, ask a doctor before use • before using this product, read the enclosed self help guide for complete directed one and other information • beg n us ng the patch on your quit day • if you smoke more than 10 c garettes per day, use the follow ng schedule below:							
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%; text-align: center;">Weeks 1 thru 4</td> <td style="width: 33%; text-align: center;">Weeks 5 and 6</td> <td style="width: 33%; text-align: center;">Weeks 7 and 8</td> </tr> <tr> <td style="text-align: center;">STEP 1 use one 21 mg patch/day</td> <td style="text-align: center;">STEP 2 use one 14 mg patch/day</td> <td style="text-align: center;">STEP 3 use one 7 mg patch/day</td> </tr> </table>	Weeks 1 thru 4	Weeks 5 and 6	Weeks 7 and 8	STEP 1 use one 21 mg patch/day	STEP 2 use one 14 mg patch/day	STEP 3 use one 7 mg patch/day	
Weeks 1 thru 4	Weeks 5 and 6	Weeks 7 and 8					
STEP 1 use one 21 mg patch/day	STEP 2 use one 14 mg patch/day	STEP 3 use one 7 mg patch/day					
<ul style="list-style-type: none"> • if you smoke 10 or less cigarettes per day, start with Step 2 for 6 weeks, then Step 3 for 2 weeks • apply one new patch every 24 hours on skin that is dry, clean and hairless • remove backing from patch and immediately press onto skin. Hold for 10 seconds • wash hands a ter applying or removing patch. Save pouch to use or patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch • the used patch should be removed and a new one applied to a different site at the same time each day • if you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning • do not wear more than one patch at a time • do not cut patch in half or into smaller pieces • do not re-use patch for more than 24 hours because it may irritate your skin and, loses strength after 24 hours • to avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures • it is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider 							
Other information • store at 20-25°C (68-77°F)							
Inactive ingredients acrylic adhesive, aluminumized polyester, cellulose paper, methacrylic acid copolymer							
Comments or Questions? Call 1 800 585 8882 Weekdays (9am-8pm ET) or visit us at www.habitrol.com							

See bottom panel for lot number and expiration date.



5 0 0 5 9

Font & Format Specifications	
Drug Facts Top	Font Name: Helvetica Neue LT 9 77 Bold Condensed Outline
Drug Facts Bottom	N/A
Headline	Font Name: Helvetica Neue LT 9 77 Bold Condensed Outline
Subheadline	Font Name: Helvetica Neue LT 9 77 Bold Condensed
Drug Use	Font Name: Helvetica Neue LT 9 77 Condensed
Warnings	Font Name: Helvetica Neue LT 9 77 Condensed
Directions	Font Name: Helvetica Neue LT 9 77 Condensed
Other information	Font Name: Helvetica Neue LT 9 77 Condensed
Comments or Questions?	Font Name: Helvetica Neue LT 9 77 Condensed
Barcode	Font Name: Helvetica Neue LT 9 77 Condensed
Lot Number	Font Name: Helvetica Neue LT 9 77 Condensed
Expiration Date	Font Name: Helvetica Neue LT 9 77 Condensed



2 STEP

TO INCREASE YOUR SUCCESS IN QUITTING:

- 1 You must be motivated to quit
- 2 Use one patch daily according to directions
- 3 It is important to complete treatment
- 4 If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider
- 5 Use patch with a behavioral support program, such as the one described in the enclosed booklet

NDC 43598 447 70



2 STEP

Nicotine Transdermal System PATCH

14 mg delivered over 24 hours
STOP SMOKING AID

HABITROL™ TAKE CONTROL™



2 STEP

Nicotine Transdermal System PATCH

14 mg delivered over 24 hours
STOP SMOKING AID

14 mg

Includes:
Behavior Support Program with self-help guide



2 STEP

IF YOU SMOKE **MORE** THAN 10 CIGARETTES PER DAY: USE AFTER COMPLETING STEP 1

IF YOU SMOKE 10 OR **LESS** CIGARETTES PER DAY: START WITH STEP 2

The full course of treatment for STEP 2 is 2 or 6 weeks (depending on how many cigarettes you smoke per day); this package contains 7 patches (1 week course) only. Read the enclosed self help guide for additional information.

7 PATCHES (1 WEEK KIT)



8 48985 00151 9

For your family's protection, patches are supplied in child resistant pouches.

Do not use if individual pouch is open or torn.

See self-help guide inside.

0.018 g per patch by Dr. Buddy B. Labarra, Inc., Princeton, NJ 08540

2 6 5 1 7 0 0 5 1

Drug Facts
Active ingredient (in each patch)
 Nicotine, 7 mg delivered over 24 hours
Purpose
 Stop smoking aid
Use
 reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking
Warnings
 If you are pregnant or breast feeding, only use this medicine on the advice of your health care provider. Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.
Ask a doctor before use if you have
 • heart disease, recent heart attack, or irregular heartbeat
 • high blood pressure not controlled with medication
 • nicotine can increase your blood pressure
 • an allergy to adhesive tape or have skin problems, because you are more likely to get rashes
 • stomach ulcer or diabetes
 • history of seizures
Ask a doctor or pharmacist before use if you are
 • taking a non-nicotine smoking drug
 • taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted
When using this product
 • if you have vivid dreams or other sleep disturbances remove this patch at bedtime
Stop use and ask a doctor if
 • skin redness caused by the patch does not go away after four days, or if your skin swells, or you get a rash
 • irregular heartbeat or palpitations occur
 • you get symptoms of nicotine overdose, such as nausea, vomiting, dizziness, weakness and rapid heartbeat
 • you have symptoms of an allergic reaction (such as difficulty breathing or rash)
Keep out of reach of children and pets. Used patches have enough nicotine to poison children and pets. If seen loved, get medical help or contact a Poison Control Center right away. Save pouch to use for patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch.
Directions
 • If you are under 18 years of age, ask a doctor before use
 • before using this product, read the enclosed self-help guide for complete directions and other information
 • begin using the patch on your quit day
 • if you smoke more than 10 cigarettes per day, use the following schedule for use:

Weeks 1 thru 4	Weeks 5 and 6	Weeks 7 and 8
STEP 1 Use one 21 mg patch/day	STEP 2 Use one 14 mg patch/day	STEP 3 Use one 7 mg patch/day

 • if you smoke 10 or less cigarettes per day, start with Step 2 for 6 weeks, then Step 3 for 2 weeks
 • apply one new patch every 24 hours on skin that is dry, clean and hairless
 • remove backing from patch and immediately press onto skin. Hold for 10 seconds
 • wash hands after applying or removing patch. Save pouch to use or patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch
 • the used patch should be removed and a new one applied to a different skin site at the same time each day
 • if you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning
 • do not wear more than one patch at a time
 • do not cut patch in half or into smaller pieces
 • do not reuse patch on more than 24 hours because it may irritate your skin and cause allergic reaction
 • to avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures
 • it is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider
Other information
 • store at 20° to 25° (68° to 77° F)
Inactive ingredients
 acrylic adhesive, aluminum polyester, cellulose paper, methacrylic acid copolymer
Comments or Questions? Call 1-800-585-8882 Weekdays (9am-8pm ET) or visit us at www.habitrol.com
 See bottom panel for lot number and expiration date.

• Not for sale to persons under 18 years of age.
 • Proof of age required.
 • Not for sale in vending machines or from any source where proof of age cannot be verified.

Nicotine Transdermal System PATCH
 7 mg delivered over 24 hours
STOP SMOKING AID

Nicotine Transdermal System PATCH
 7 mg delivered over 24 hours
STOP SMOKING AID

7 mg

Includes:
 Behavior Support Program with self-help guide

FOR USE AFTER COMPLETING STEP 2

7 PATCHES (1 WEEK KIT)

The full treatment course for STEP 3 is 14 patches (2 weeks); this package contains 7 patches (1 week course) only. Read the enclosed self-help guide for additional information.

Nicotine Transdermal System PATCH
 7 mg delivered over 24 hours
STOP SMOKING AID

For your family's protection, patches are supplied in child resistant pouches.
Do not use if individual pouch is open or torn.

NDC 43598 446 70

HABITROL™ TAKE CONTROL™

Nicotine Transdermal System PATCH
 7 mg delivered over 24 hours
STOP SMOKING AID

Distributed by:
 Dr. Reddy's Laboratories, Inc.
 Princeton, NJ 08540

5 0 0 5 0 2

Font & Format Specifications

Drug Facts Box	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique	10 point size
Drug Facts Summary	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique	10 point size
Warnings	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique	8 point size
Directions	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique	8 point size
Other information	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique	8 point size
Inactive ingredients	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique	8 point size
Comments or Questions?	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique	8 point size
Specialty or bar code	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique	8 point size
Patch	0	100%
Length/Width/Depth	1.5 in	1.5 in
Weight	1.5 g	0.05 oz



5 8 9 1 7 0 0 5 1

STEP 3

TO INCREASE YOUR SUCCESS IN QUITTING:

- You must be motivated to quit
- Use one patch daily according to directions
- It is important to complete treatment
- If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider
- Use patch with a behavioral support program, such as the one described in the enclosed booklet

NDC 55741 446 74

Habitrol®
Nicotine Transdermal System Patch
7 mg delivered over 24 hours
STOP SMOKING AID

STEP 3

For your family's protection, patches are supplied in child resistant pouches.

Do not use if individual pouch is open or torn.

See self-help guide inside.

Habitrol®

Nicotine Transdermal System Patch

7 mg delivered over 24 hours
STOP SMOKING AID

7 mg

Includes:
Behavior Support Program with self-help guide

14 Patches
(2 Week Kit)

Habitrol®
Nicotine Transdermal System Patch
7 mg delivered over 24 hours
STOP SMOKING AID

STEP 3

FOR USE AFTER COMPLETING STEP 2

HABITROL® TAKE CONTROL™ SUPPORT PROGRAM

Distributed by:
Dr. Reddy's Laboratories, Inc
Princeton, NJ 08540




8 49648 09004 8

Drug Facts

Active ingredient (in each patch)
Nicotine, 7 mg delivered over 24 hours

Purpose
Stop smoking aid

Use
reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking

Warnings
If you are pregnant or breast feeding, only use this medicine on the advice of your health care provider. Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

Ask a doctor before use if you have: heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate.
• high blood pressure not controlled with medication. Nicotine can increase your blood pressure.
• an allergy to adhesive tape or have skin problems, because you are more likely to get rashes
• stomach ulcer or diabetes
• history of seizures

Ask a doctor or pharmacist before use if you are: taking a non-nicotine smoking cessation drug
• taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted

When using this product: if you have vivid dreams or other sleep disturbances remove this patch at bedtime

Stop use and ask a doctor if: skin redness caused by the patch does not go away after four days, or if your skin swells, or you get a rash
• irregular heartbeat or palpitations occur
• you get symptoms of nicotine overdose, such as nausea, vomiting, dizziness, weakness and rapid heartbeat
• you have symptoms of an allergic reaction (such as difficulty breathing or rash)

Keep out of reach of children and pets. Used patches have enough nicotine to poison children and pets. If seen loved, get medical help or contact a Poison Control Center right away. Save pouch to use for patch disposal. Dispose of the used patches by dipping sticky ends together and putting in pouch.

Directions • If you are under 18 years of age, ask a doctor before use
• before using this product, read the enclosed self-help guide for complete directions and other information
• begin using the patch on your quit day • if you smoke more than 10 cigarettes per day, use the following schedule below:

Weeks 1 thru 4	Weeks 5 and 6	Weeks 7 and 8
STEP 1 use one 21 mg patch/day	STEP 2 use one 14 mg patch/day	STEP 3 use one 7 mg patch/day

• if you smoke 10 or less cigarettes per day, start with Step 2 for 6 weeks, then Step 3 for 2 weeks
• apply one new patch every 24 hours on skin that is dry, clean and hairless
• remove backing from patch and immediately press onto skin. Hold for 10 seconds
• wash hands a few minutes after applying or removing patch. Save pouch to use or patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch
• the used patch should be removed and a new one applied to a different skin site at the same time each day
• if you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning
• do not wear more than one patch at a time • do not cut patch in half or into smaller pieces
• do not reuse patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours
• to avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures
• it is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider

Other information - store at 20° to 25°C (68° to 77°F)

Inactive ingredients acrylic adhesive, aluminumized polyester, cellulose paper, methacrylic acid copolymer

Comments or Questions? Call 1 800 585 8882 Weekdays (9am-8pm ET) or visit us at www.habitrol.com

See bottom panel for lot number and expiration date.

• Not for sale to persons under 18 years of age.
• Proof of age required.
• Not for sale in vending machines or from any source where proof of age cannot be verified.

Font & Format Specifications

Drug Facts Title	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique	10 point size
Drug Facts Overview	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique	8 pt
Warnings	Font Name: Helvetica Neue LT Std 77 Bold Condensed Oblique	8 point size
Directions	Font Name: Helvetica Neue LT Std 77 Bold Condensed	8 point size
Box text	Font Name: Helvetica Neue LT Std 57 Condensed	8 point size
IBOX	Font Name: Helvetica Neue LT Std 57 Condensed	8 point size
Spacing of inner box top edge (Box text)	Font Name: Helvetica Neue LT Std 77 Bold Condensed	8 pt
Spacing of inner box bottom edge (Drug Facts)	Font Name: Helvetica Neue LT Std 77 Bold Condensed	8 pt
Backbox	Font Name: Helvetica Neue LT Std 77 Bold Condensed	8 pt

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

THERESA M MICHELE
01/02/2019 02:13:03 PM

(