

5"

Chlorhexidine Gluconate Solution

0.75%

ANTISEPTIC

FOR EXTERNAL USE ONLY

Bajaj Medical
Chicago IL 60609

4 fl oz (118 mL)

NDC 61037-413-01



3 61037 41301 1




2.125"

5.875"

2"
1.9375"
1.9375"

Drug Facts	Purpose
Active ingredient Chlorhexidine gluconate solution, 0.75%.....	Antiseptic
Use healthcare personnel handwash. helps reduce bacteria that potentially can cause disease	
Warnings For external use only	
Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: <ul style="list-style-type: none"> ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash 	

Lift Here For Drug Facts

2.125"

2.125"

Drug Facts (continued)	<p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none"> ■ if you are allergic to chlorhexidine gluconate or any other ingredient in this product <p>When using this product</p> <ul style="list-style-type: none"> ■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums. ■ if solution should contact these areas, rinse out promptly and thoroughly with water ■ do not use routinely if you have wounds which involve more than the superficial layers of the skin <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. <p>Healthcare personnel handwash:</p> <ul style="list-style-type: none"> ■ wet hands with water ■ dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds ■ rinse and dry thoroughly <p>Other information</p> <ul style="list-style-type: none"> ■ store at 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F) <p>Inactive ingredients citric acid, cocamide DEA, FD&C yellow #5, FD&C red #41, fragrance, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water, ricinoleamidepropyl trimethyl ammonium chloride</p> <p>Questions or comments? call 1 800-561 2528, 24 hours a day, 7 days a week</p> <p style="font-size: x-small;">Keep from freezing.</p>
-------------------------------	---

1.9375"
1.9375"
2"

2.125"

0.75%_8 OZ. white HDPE round

Chlorhexidine Gluconate Solution

0.75%

ANTISEPTIC

FOR EXTERNAL USE ONLY

Bajaj Medical
Chicago IL 60609

8 fl oz (237 mL)



NDC 61037-413-02



Drug Facts

Active ingredient

Chlorhexidine gluconate solution, 0.75%.....Antiseptic

Purpose

Use

- healthcare personnel handwash: helps reduce bacteria that potentially can cause disease

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
- facial swelling
- hives
- rash
- shock

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredient in this product

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water

Drug Facts (continued)

- do not use routinely if you have wounds which involve more than the superficial layers of the skin

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

citric acid, cocamide DEA, FD&C yellow #5, FD&C red #4, fragrance, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water, ricinoleamidopropyl trimethyl ammonium chloride

Questions or comments?

call 1-800-581-2528, 24 hours a day, 7 days a week

Keep from freezing.

0.75%_16 OZ. white HDPE round

Chlorhexidine Gluconate Solution

0.75%

ANTISEPTIC

FOR EXTERNAL USE ONLY

Bajaj Medical
Chicago IL 60609

16 fl oz (473 mL)



NDC 61037-413-03



Drug Facts

Active ingredient Purpose
Chlorhexidine gluconate solution, 0.75%.....Antiseptic

Use
■healthcare personnel handwash: helps reduce bacteria that potentially can cause disease

Warnings
For external use only
Allergy alert:
This product may cause a severe allergic reaction. Symptoms may include:
■ wheezing/difficulty breathing ■ shock
■ facial swelling ■ hives ■ rash
If an allergic reaction occurs, stop use and seek medical help right away.

Do not use
■ if you are allergic to chlorhexidine gluconate or any other ingredient in this product

When using this product
■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
■ if solution should contact these areas, rinse out promptly and thoroughly with water
■ do not use routinely if you have wounds which involve more than the superficial layers of the skin ▶

Drug Facts (continued)
Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Healthcare personnel handwash:
■ wet hands with water
■ dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds
■ rinse and dry thoroughly

Other information
■ store at 20-25°C (68-77°F)
■ avoid excessive heat above 40°C (104°F)

Inactive ingredients
citric acid, cocamide DEA, FD&C yellow #5, FD&C red #4, fragrance, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water, ricinoleamidopropyl trimethyl ammonium chloride

Questions or comments?
call 1-800-581-2528, 24 hours a day, 7 days a week
Keep from freezing.

Chlorhexidine Gluconate Solution

0.75%

ANTISEPTIC

FOR EXTERNAL USE ONLY

Bajaj Medical
Chicago IL 60609

32 fl oz (946 mL)



NDC 61037-413-04



Drug Facts

Active ingredient Purpose
Chlorhexidine gluconate solution, 0.75%.....Antiseptic

Use
▪ **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease

Warnings
For external use only

Allergy alert:
This product may cause a severe allergic reaction. Symptoms may include:
▪ wheezing/difficulty breathing ▪ shock
▪ facial swelling ▪ hives ▪ rash
If an allergic reaction occurs, stop use and seek medical help right away.

Do not use
▪ if you are allergic to chlorhexidine gluconate or any other ingredient in this product

When using this product
▪ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
▪ if solution should contact these areas, rinse out promptly and thoroughly with water
▪ do not use routinely if you have wounds which involve more than the superficial layers of the skin

Drug Facts (continued)

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
▪ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Healthcare personnel handwash:
▪ wet hands with water
▪ dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds
▪ rinse and dry thoroughly

Other information
▪ store at 20-25°C (68-77°F)
▪ avoid excessive heat above 40°C (104°F)

Inactive ingredients
citric acid, cocamide DEA, FD&C yellow #5, FD&C red #4, fragrance, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water, ricinoleamidopropyl trimethyl ammonium chloride

Questions or comments?
call **1-800-581-2528**, 24 hours a day, 7 days a week

Keep from freezing.

0.75%_1 Gallon white HDPE round

NDC 61037-413-05

Chlorhexidine Gluconate Solution

0.75%

ANTISEPTIC

FOR EXTERNAL USE ONLY



128 fl oz (3785 mL)



Drug Facts	
Active ingredient	Purpose
Chlorhexidine gluconate solution, 0.75%.....	Antiseptic
Uses	
<ul style="list-style-type: none"> healthcare personnel handwash: helps reduce bacteria that potentially can cause disease 	
Warnings	
For external use only	
Allergy alert:	
This product may cause a severe allergic reaction.	
Symptoms may include:	
<ul style="list-style-type: none"> wheezing/difficulty breathing shock facial swelling hives rash 	
If an allergic reaction occurs, stop use and seek medical help right away.	
Do not use	
<ul style="list-style-type: none"> if you are allergic to chlorhexidine gluconate or any other ingredient in this product 	
When using this product	
<ul style="list-style-type: none"> keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums. if solution should contact these areas, rinse out promptly and thoroughly with water do not use routinely if you have wounds which involve more than the superficial layers of the skin 	
Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. 	
Healthcare personnel handwash:	
<ul style="list-style-type: none"> wet hands with water dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds rinse and dry thoroughly 	

Drug Facts (continued)
Other information
<ul style="list-style-type: none"> store at 20-25°C (68-77°F) avoid excessive heat above 40°C (104°F)
Inactive ingredients
citric acid, cocamide DEA, FD&C yellow #5, FD&C red #4, fragrance, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water, ricinoleamidopropyl trimethyl ammonium chloride
Questions or comments?
call 1.800.581.2528, 24 hours a day, 7 days a week

Bajaj Medical • Chicago IL 60609
Keep from freezing.



3 61037 41305 9

0.75%_8 OZ. clear oval (b) (4)

NDC 61037-413-07

Chlorhexidine Gluconate Solution

0.75%

ANTISEPTIC



FOR EXTERNAL
USE ONLY
8 fl oz (237 mL)



2.1105"

Drug Facts

Active ingredient Purpose

Chlorhexidine gluconate
solution, 0.75%.....Antiseptic

Use

healthcare personnel handwash:
helps reduce bacteria that potentially can cause disease

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
- facial swelling
- shock
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.



Lift Here for
Drug Facts

Drug Facts (continued)

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredient in this product

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL (7 pumps) of product into cupped hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

Drug Facts (continued)

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

citric acid, cocamide DEA, FD&C yellow #5, FD&C red #4, fragrance, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water, ricinoleamidopropyl trimethyl ammonium chloride

Questions or comments?

call **1.800.581.2528**, 24 hours a day, 7 days a week

Keep from freezing.

Bajaj Medical
Chicago IL 60609

0.75%_8 OZ. white oval (b) (4)

NDC 61037-413-06

Chlorhexidine Gluconate Solution

0.75%

ANTISEPTIC

FDA
APPROVED

FOR EXTERNAL
USE ONLY
8 fl oz (237 mL)



2.1105"

Drug Facts

Active ingredient Purpose
Chlorhexidine gluconate solution, 0.75%.....Antiseptic

Use
healthcare personnel handwash:
helps reduce bacteria that potentially can cause disease

Warnings
For external use only
Allergy alert:
This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- facial swelling
- shock
- hives
- rash

 If an allergic reaction occurs, stop use and seek medical help right away.



3 61037 41306 6

Lift Here for
Drug Facts

Drug Facts (continued)

Do not use
■ if you are allergic to chlorhexidine gluconate or any other ingredient in this product

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL (7 pumps) of product into cupped hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

Drug Facts (continued)

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients
citric acid, cocamide DEA, FD&C yellow #5, FD&C red #4, fragrance, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water, ricinoleamidopropyl trimethyl ammonium chloride

Questions or comments?
call **1.800.581.2528**, 24 hours a day, 7 days a week

Keep from freezing.

Bajaj Medical
Chicago IL 60609

0.75%_40.6 OZ. clear oblong (b) (4)

3.001" x 2.750"

3.001"

2.750"



Chlorhexidine Gluconate Solution

0.75%

ANTISEPTIC

NDC 61037-413-23

MADE IN THE USA

FDA APPROVED

FOR EXTERNAL USE ONLY

40.6 fl oz (1.2 L)

Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate solution, 0.75%.....	Antiseptic

Lift Here for **Drug Facts**

3.001" x 2.750"

3.001"

2.750"

<p>Drug Facts (continued)</p> <p>Use</p> <ul style="list-style-type: none"> healthcare personnel handwash: helps reduce bacteria that potentially can cause disease <p>Warnings</p> <p>For external use only</p> <p>Allergy alert: This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"> wheezing/difficulty breathing shock hives facial swelling rash <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none"> if you are allergic to chlorhexidine gluconate or any other ingredient in this product <p>When using this product</p> <ul style="list-style-type: none"> keep out of eyes, ears, and mouth. May cause serious and permanent eye injury 	<p>Drug Facts (continued)</p> <p>if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.</p> <ul style="list-style-type: none"> if solution should contact these areas, rinse out promptly and thoroughly with water do not use routinely if you have wounds which involve more than the superficial layers of the skin <p>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
---	--

3.001" x 2.750"

3.001"

2.750"

<p>Drug Facts (continued)</p> <p>Healthcare personnel handwash:</p> <ul style="list-style-type: none"> wet hands with water dispense about 5 mL (8 pumps) of product into cupped hands and wash in a vigorous manner for 30 seconds rinse and dry thoroughly <p>Other information</p> <ul style="list-style-type: none"> store at 20-25°C (68-77°F) avoid excessive heat above 40°C (104°F) <p>Inactive ingredients</p> <p>citric acid, cocamide DEA, FD&C yellow #5, FD&C red #4, fragrance, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water, ricinoleamidopropyl trimethyl ammonium chloride</p> <p>Questions or comments?</p> <p>call 1-800-581-2528, 24 hours a day, 7 days a week</p> <p>Keep from freezing. Bajaj Medical • Chicago IL 60609</p>
--

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

THERESA M MICHELE
02/22/2019 03:03:45 PM