

DRAWING INFORMATION

(b) (4)

0000

Drug Facts

Active ingredients **Purpose**
 Naphazoline hydrochloride 0.025% ... Redness reliever
 Pheniramine maleate 0.3% Antihistamine

Uses for the temporary relief of redness and itching of the eye(s) due to:
 ■ ragweed ■ pollen
 ■ grass ■ animal dander and hair

Warnings
For external use only

Do not use
 ■ if you are sensitive to any ingredient in this product
 ■ if this solution changes color or becomes cloudy

Ask a doctor before use if you have
 ■ narrow angle glaucoma ■ heart disease
 ■ high blood pressure ■ trouble urinating

When using this product
 ■ pupils may become enlarged temporarily causing light sensitivity
 ■ overuse may cause more eye redness
 ■ remove contact lenses before using
 ■ to avoid contamination, do not touch tip of container to any surface
 ■ to open: push cap down while turning
 ■ replace cap after each use

Stop use and ask a doctor if
 ■ you feel eye pain ■ changes in vision occur
 ■ redness or irritation of the eye(s) gets worse or lasts more than 72 hours ▶

Drug Facts (continued)

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Accidental swallowing by infants and children may lead to coma and marked reduction in body temperature.

Directions
 ■ adults and children 6 years and over: put 1 or 2 drops in the affected eye(s) up to 4 times daily
 ■ children under 6 years: ask a doctor

Other information
 ■ store at 20°-25°C (68°-77°F)
 ■ protect from light

Inactive ingredients
 benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate, sodium chloride, sodium hydroxide and/or hydrochloric acid

Questions?
 In the U.S. call 1-800-757-9195 or visit www.alcon.com
alcon.medinfo@alcon.com

Naphcon A
RELIEVES ITCHING & REDNESS
 EYE DROPS

TAMPER EVIDENT: For your protection, this bottle has a seal imprinted with the word "Alcon" around the neck. Do not use if seal is damaged or missing at time of purchase.

CLINICALLY PROVEN
EYE ALLERGY RELIEF

Naphcon A
 Naphazoline Hydrochloride 0.025% and Pheniramine Maleate 0.3%
 Ophthalmic Solution
 Redness Reliever and Antihistamine

RELIEVES ITCHING & REDNESS
 EYE DROPS

STERILE 15 mL (0.5 FL OZ)

Alcon


LOT: _____

EXP.: _____

ACTUAL SIZE

Combines a redness reliever and an antihistamine for temporary relief of itchy, red eyes.

© 2018 Novartis
 ALCON LABORATORIES, INC.
 6201 South Freeway
 Fort Worth, TX 76134 USA




A237459 0818


(b) (4)

DRAWING INFORMATION

(b) (4)



001003000000000001



(b) (4)



Drug Facts

Active ingredients
 Naphazoline hydrochloride 0.025%
 Pheniramine maleate 0.3%

Purpose
 Redness reliever
 Antihistamine

Uses for the temporary relief of redness and itching of the eye(s) due to:
 ■ ragweed ■ pollen ■ grass ■ animal dander and hair

Warnings
 For external use only

Do not use
 ■ if you are sensitive to any ingredient in this product
 ■ if this solution changes color or becomes cloudy

Ask a doctor before use if you have
 ■ narrow angle glaucoma ■ heart disease
 ■ high blood pressure ■ trouble urinating

When using this product
 ■ pupils may become enlarged temporarily causing light sensitivity
 ■ overuse may cause more eye redness
 ■ remove contact lenses before using
 ■ to avoid contamination, do not touch tip of container to any surface
 ■ to open: push cap down while turning
 ■ replace cap after each use

Stop use and ask a doctor if
 ■ you feel eye pain ■ changes in vision occur
 ■ redness or irritation of the eye(s) gets worse or lasts more than 72 hours

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Accidental swallowing by infants and children may lead to coma and marked reduction in body temperature.


Directions
 ■ adults and children 6 years and over: put 1 or 2 drops in the affected eye(s) up to 4 times daily
 ■ children under 6 years: ask a doctor

Drug Facts (continued)

Other information
 ■ store at 20°-25°C (68°-77°F)
 ■ protect from light

Inactive ingredients
 benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate, sodium chloride, sodium hydroxide and/or hydrochloric acid

Questions?
 In the U.S. call 1-800-757-9195 or visit www.alcon.com
alcon.medinfo@alcon.com




Naphcon A

RELIEVES ITCHING & REDNESS
EYE DROPS

**Convenient • Take Anywhere
EYE ALLERGY RELIEF**

POCKET SIZE



Naphcon A

Naphazoline Hydrochloride 0.025%
 and Pheniramine Maleate 0.3%
 Ophthalmic Solution
 Redness Reliever and Antihistamine

RELIEVES ITCHING & REDNESS
EYE DROPS
CLINICALLY PROVEN

STERILE Two 5 mL (0.17 FL OZ) Bottles

Alcon

LOT: EXP.:

TAMPER EVIDENT: For your protection, this bottle has a seal imprinted with the word "Alcon" around the neck. Do not use if seal is damaged or missing at time of purchase.



ACTUAL SIZE

Combines a redness reliever and an antihistamine for temporary relief of itchy, red eyes.

ALCON LABORATORIES, INC.
 6201 South Freeway
 Fort Worth, TX 76134 USA
 © 2018 Novartis

DRAWING INFORMATION (b) (4)

(b) (4)

DRAWING INFORMATION

(b) (4)

Drug Facts
Active ingredients Purpose
 Naphazoline hydrochloride 0.025% ... Redness reliever
 Pheniramine maleate 0.3% Antihistamine

Uses for the temporary relief of redness and itching of the eye(s) due to:
 ■ ragweed ■ pollen
 ■ grass ■ animal dander and hair

Warnings
For external use only
Do not use
 ■ if you are sensitive to any ingredient in this product
 ■ if this solution changes color or becomes cloudy

Ask a doctor before use if you have
 ■ narrow angle glaucoma ■ heart disease
 ■ high blood pressure ■ trouble urinating

When using this product
 ■ pupils may become enlarged temporarily causing light sensitivity
 ■ overuse may cause more eye redness
 ■ remove contact lenses before using
 ■ to avoid contamination, do not touch tip of container to any surface
 ■ to open: push cap down while turning
 ■ replace cap after each use

Stop use and ask a doctor if
 ■ you feel eye pain ■ changes in vision occur
 ■ redness or irritation of the eye(s) gets worse or lasts more than 72 hours ▶

Drug Facts (continued)
Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Accidental swallowing by infants and children may lead to coma and marked reduction in body temperature.

Directions
 ■ adults and children 6 years and over: put 1 or 2 drops in the affected eye(s) up to 4 times daily
 ■ children under 6 years: ask a doctor

Other information
 ■ store at 20°-25°C (68°-77°F)
 ■ protect from light

Inactive ingredients
 benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate, sodium chloride, sodium hydroxide and/or hydrochloric acid

Questions?
 In the U.S. call 1-800-757-9195 or visit www.alcon.com
alcon.medinfo@alcon.com

Convenient • Take Anywhere
EYE ALLERGY RELIEF
POCKET SIZE

Naphcon A
 Naphazoline Hydrochloride 0.025% and Pheniramine Maleate 0.3%
 Ophthalmic Solution
 Redness Reliever and Antihistamine
RELIEVES ITCHING & REDNESS
 EYE DROPS
 CLINICALLY PROVEN

STERILE 5 mL (0.17 FL OZ)

Alcon

TAMPER EVIDENT: For your protection, this bottle has a seal imprinted with the word "Alcon" around the neck. Do not use if seal is damaged or missing at time of purchase.

ACTUAL SIZE

Combines a redness reliever and an antihistamine for temporary relief of itchy, red eyes.

ALCON LABORATORIES, INC.
 6201 South Freeway
 Fort Worth, TX 76134 USA
 © 2018 Novartis

A237456-0818

LOT:
 EXP.:

(b) (4)

DRAWING INFORMATION

(b) (4)

0110030000000001



(b) (4)

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

KAREN M MAHONEY
04/11/2019 03:28:36 PM