

Drug Facts

Active ingredient Terbinafine hydrochloride 1%	Purpose Antifungal
--	------------------------------

Uses

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

Warnings
For external use only

Do not use • on nails or scalp • in or near the mouth or eyes • for vaginal yeast infections

When using this product do not get it into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - **for athlete's foot** wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
 - **between the toes only:** apply twice a day (morning and night) for 1 week or as directed by a doctor
 - **on the bottom or sides of the foot:** apply twice a day (morning and night) for 2 weeks or as directed by a doctor
 - **for jock itch and ringworm:** apply once a day (morning or night) for 1 week or as directed by a doctor
 - wash hands after each use
 - children under 12 years: ask a doctor



Other information

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20-25°C (68-77°F)

Drug Facts (continued)

Inactive ingredients
benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monooleate, stearyl alcohol

Questions or comments? call 1-800-330-9876



1-800-330-9876 Distributed by: GSK Consumer Healthcare, Warren, NJ 07059
Trademarks owned or licensed by GSK. ©2019 GSK or its licensors. 909296AF12V2

LAMISIL AT CREAM FOR ATHLETE'S FOOT

FOR ATHLETE'S FOOT

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL

LAMISIL AT

CREAM



NDC 0067-3998-42

LOT EXP

LAMISIL AT CREAM FOR ATHLETE'S FOOT

FOR ATHLETE'S FOOT

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL

LAMISIL AT

CREAM

LAMISIL AT CREAM FOR ATHLETE'S FOOT

FOR ATHLETE'S FOOT

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL

LAMISIL AT

CREAM



- ▶ RELIEVES ITCHING
- ▶ CLINICALLY PROVEN TO CURE MOST ATHLETE'S FOOT BETWEEN THE TOES
- ▶ FULL PRESCRIPTION STRENGTH

Store at controlled room temperature 20-25°C (68-77°F)
See crimp for lot number and expiration date
Do not use if seal on tube is broken or is not visible

Mfg. by: GSK CK, Warren, NJ 07059
Trademarks owned or licensed by GSK.
©2010 GSK or its licensor. 002964F-12TV2

NDC 0067-3998-42

LAMISIL^{AT} CREAM
TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL
FOR ATHLETE'S FOOT

NET WT
12 g (0.42 oz)

Active ingredient
Terbinafine hydrochloride 1%

Purpose
Antifungal

Uses
• cures most athlete's foot (tinea pedis)
• cures most jock itch (tinea cruris) and ringworm (tinea corporis)
• relieves itching, burning, cracking and scaling which accompany these conditions

Warnings
For external use only
Do not use • on nails or scalp • in or near the mouth or eyes • for vaginal yeast infections

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• adults and children 12 years and over:

• use the tip of the cap to break the seal and open the tube
• wash the affected skin with soap and water and dry completely before applying

• for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily

• between the toes only: apply twice a day (morning and night) for 1 week or as directed by a doctor

• on the bottoms or sides of the foot: apply twice a day (morning and night) for 2 weeks or as directed by a doctor

• for jock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor
• wash hands after each use
• children under 12 years: ask a doctor



2010

Drug Facts

Active ingredient Terbinafine hydrochloride 1%	Purpose Antifungal
--	------------------------------

Uses

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

Warnings
For external use only

Do not use

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over:
- use the tip of the cap to break the seal and open the tube

Drug Facts (continued)

- wash the affected skin with soap and water and dry completely before applying
- for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
- between the toes only: apply twice a day (morning and night) for 1 week or as directed by a doctor
- on the bottom or sides of the foot: apply twice a day (morning and night) for 2 weeks or as directed by a doctor
- for jock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor
- wash hands after each use
- children under 12 years: ask a doctor

Other information

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20-25° (68-77°F)

Inactive ingredients: benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monododecylate, stearyl alcohol

Questions? call 1-800-330-9876



1-800-330-9876 Distributed by: GSK Consumer Healthcare, Warren, NJ 07093
 Trademarks owned or licensed by GSK. ©2019 GSK or its licensor. 909296AF30C2



LAMISIL AT CREAM
 TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL
 FOR ATHLETE'S FOOT

NET WT 30 g (1 oz)

LAMISIL AT CREAM
 TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL
 FOR ATHLETE'S FOOT

LAMISIL AT CREAM
 TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL
 FOR ATHLETE'S FOOT

RELIEVES ITCHING
 CLINICALLY PROVEN TO
 MOST ATHLETE'S FOOT
 BETWEEN THE TOES
 FULL PRESCRIPTION STRENGTH

LOT EXP

NDC 0067-3998-30

Store at controlled room temperature 20-25°C (68-77°F)
See crimp for lot number and expiration date
Do not use if seal on tube is broken or is not visible

Dist. by: GSK CH, Warren, NJ 07059
Trademarks owned or licensed by GSK.
©2019 GSK or its licensor. 909296AF30TV2

LAMISIL^{AT} CREAM NDC 0067-3998-30
TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL
FOR ATHLETE'S FOOT
NET WT
30 g (1 oz)

Active Ingredient
Terbinafine hydrochloride 1%

Purpose
Antifungal

Directions

- adults and children 12 years and over:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
 - between the toes only: apply twice a day (morning and night) for 1 week or as directed by a doctor
 - on the bottom or sides of the foot: apply twice a day (morning and night) for 2 weeks or as directed by a doctor
 - for jock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor.
 - wash hands after each use
 - children under 12 years: ask a doctor

Uses

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

Warnings

For external use only

Do not use

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



Drug Facts

Active ingredient	Purpose
Terbinafine hydrochloride 1%	Antifungal

Uses

- cures most jock itch (tinea cruris)
- relieves itching, burning, cracking and scaling which accompany this condition

Warnings

For external use only

Do not use

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

When using this product do not get it in eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over:
- use the tip of the cap to break the seal and open the tube
- wash the affected skin with soap and water and dry completely before applying
- apply once a day (morning or night) for 1 week or as directed by a doctor
- wash hands after each use
- children under 12 years: ask a doctor

Other information

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20-25°C (68-77°F)

Inactive ingredients

benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol

Questions or comments? call 1-800-330-9876



1-800-330-9876 Distributed by: GSK Consumer Healthcare, Warren, NJ 07059
 Trademarks owned or licensed by GSK. ©2019 GSK or its licensors. 90929JH12V2

LAMISIL AT CREAM FOR JOCK ITCH
 TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL
 NET WT 12 g (0.42 oz)

LAMISIL AT CREAM FOR JOCK ITCH
 TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL

NDC 0067-3999-42

LOT EXP

LAMISIL AT CREAM FOR JOCK ITCH
 TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL

FOR JOCK ITCH

- CURES
- FOR ERYTHRAEMA
- OF ITCHING AND BURNING

Store at controlled room temperature 20-25°C (68-77°F). See crimp for lot number and expiration date. Do not use if seal on tube is broken or is not visible. Dist. by: GSK CH, Warren, NJ 07059. Trademarks owned or licensed by GSK. ©2019 GSK or its licensors. 009296JH21V2

LAMISIL^{AT} CREAM
TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL
FOR JOCK ITCH

NDC 0067-3999-42
NET WT
12 g (0.42 oz)

Active ingredient Terbinafine hydrochloride 1%
Purpose Antifungal
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Uses

- cures most jock itch (tinea cruris)
- relieves itching, burning, cracking and scaling which accompany this condition

Warnings
For external use only

Do not use • on nails or scalp • in or near the mouth or eyes • for vaginal yeast infections

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse

Directions

- adults and children 12 years and over:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - apply once a day (morning or night) for 1 week or as directed by a doctor
 - wash hands after each use
- children under 12 years: ask a doctor



This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

THERESA M MICHELE
07/17/2019 10:57:49 AM