

**Net Content Statement**

PDP Area: (width x length) **19.85 in<sup>2</sup>**

**Net Content Size: 125'**

**NET CONTENT**  
 17 1/8 IN.  
 1/8 IN.  
 3 1/8 IN.  
 1 1/4 IN.  
 1/2 IN.

**AREA OF PDP**  
 5 SQ. IN. OR LESS  
 MORE THAN 5 SQ. IN. BUT  
 NOT MORE THAN 25 SQ. IN.  
 MORE THAN 25 SQ. IN. BUT  
 NOT MORE THAN 100 SQ. IN.  
 MORE THAN 100 SQ. IN. BUT  
 NOT MORE THAN 400 SQ. IN.  
 OVER 400 SQ. IN.

<b>Drug Facts</b>	
<b>Active ingredient</b> Minoxidil 5% w/w (without propellants).....	<b>Purpose</b> Hair regrowth treatment for women
<b>Use</b> To regrow hair on the top of the scalp (see pictures on side of this carton)	
<b>Warnings</b> <b>For external use only.</b> Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application. <b>Do not use if</b> ■ your degree of hair loss is different than that shown on side of this carton because this product may not work for you ■ you have no family history of hair loss ■ your hair loss is sudden and/or patchy ■ your hair loss is associated with childbirth ■ you do not know the reason for your hair loss ■ you are under 18 years of age. Do not use on babies and children. ■ your scalp is red, inflamed, infected, irritated, or painful ■ you use other medicines on the scalp	
<b>Ask a doctor before use if you have heart disease</b> <b>When using this product</b> ■ do not use more than directed ■ do not apply on other parts of the body ■ avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water. ■ some people have experienced changes in hair color and/or texture ■ it takes time to regrow hair. Results may occur at 3 months with <b>once-daily use</b> . For some women, you may need to use this product <b>once a day</b> for at least 6 months before you see results. ■ the amount of hair regrowth is different for each person. This product will not work for all women.	
<b>Stop use and ask a doctor if</b> ■ chest pain, rapid heartbeat, faintness, or dizziness occurs ■ sudden, unexplained weight gain occurs ■ your hands or feet swell ■ scalp irritation or redness occurs ■ unwanted facial hair growth occurs ■ you do not see hair regrowth in 6 months <b>May be harmful if used when pregnant or breast-feeding.</b> <b>Keep out of reach of children.</b> If swallowed, get medical help or call a Poison Control Center right away.	
<b>Directions</b> ■ see enclosed booklet for complete directions on how to use ■ apply half a careful <b>once daily directly to the scalp</b> in the hair loss area ■ massage into scalp with fingers. Don't wash hands well ■ using more or more often will not improve results ■ continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again	
<b>Other information</b> ■ see hair loss pictures on side of this carton ■ before use, read all information on carton and enclosed booklet ■ keep the carton. It contains important information. ■ store at controlled room temperature 20° to 25°C (68° to 77°F) ■ contents under pressure. Do not puncture or incinerate container. ■ Do not expose to heat or store at temperatures above 120°F (49°C).	
<b>Inactive ingredients</b> Isotane, dimethyl hydrogen phosphate, cetyl alcohol, citric acid, glycerin, salicylic acid, sodium lauryl sulfate, polyethylene glycol, propylene, purified water, SD alcohol 40-B, stearyl alcohol	
<b>Questions?</b> Call toll free 1-800-764-2463 or 215-273-8755 (collect) visit <a href="http://www.roga.com">www.roga.com</a>	

This overall look and design of this packaging is subject to trademark protection.



3 00453395

300453395


Shelf Life Laboratory,  
Technology Enhanced from  
U.S. Patent No. 6,946,120  
© JBLCI 2019  
COWEN INC.  
SHILLON, NJ 08858  
Distributed by:  
JOHNSON & JOHNSON  
Active Made in Italy

See information booklet with complete directions on how to use and obtain best results.

See information booklet with complete directions on how to use and obtain best results.



**WOMEN'S ROGAINE® Foam** is for women who have a general thinning of hair on the top of the scalp (as shown below) and has been shown to regrow hair in women with the following degrees of thinning:



If women have more hair loss than shown above,  
**WOMEN'S ROGAINE® Foam** may not work.

**THIS PACKAGE CONTAINS:**  
One 60 g (2.11 oz) can of WOMEN'S ROGAINE®  
Foam (two month supply)

**#1 DERMATOLOGIST  
RECOMMENDED BRAND**

**WOMEN'S**  
**Rogaine®**

## 5% Minoxidil Topical Aerosol

## Hair Regrowth Treatment

**REACTIVATES  
HAIR FOLLICLES  
TO STIMULATE  
REGROWTH**

**CLINICALLY PROVEN  
TO REGROW HAIR**



**Once-a-Day**  
Foam For Women

UNSCENTED

**TWO MONTH SUPPLY**  
**ONE 60 g (2.11 OZ) CAN**

ACTUAL SIZE

Net Content Statement

PDP Area: (width x length) 28.31 in²

Net Content Size: 3/16"

NET CONTENT

1/16 IN.

1/8 IN.

3/16 IN.

1/4 IN.

1/2 IN.

AREA OF PDP

5 SQ. IN. OR LESS

MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.

MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.

MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.

OVER 400 SQ. IN.

Drug Facts

Active Ingredient

Minoxidil 5% w/v (without propellant),.....

Purpose

Hair regrowth treatment for women

Use

to regrow hair on the top of the scalp (see pictures on side of this carton)

Warnings

For external use only.

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- your degree of hair loss is different than that shown on side of this carton because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with chemotherapy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 3 months with once-daily use. For some women, you may need to use this product once a day for at least 6 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all women.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- local irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 6 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- see enclosed booklet for complete directions on how to use
- apply half a capful once daily directly to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- store at controlled room temperature 20° to 25° C (68° to 77° F)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120° F (49° C).

Inactive Ingredients

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lauryl acid, polybutene-6, propene, purified water, SD alcohol 40-8, stearyl alcohol

Questions?


call toll-free 800-764-2463 or 215-273-8788 (no collect)

visit [www.rogaine.com](http://www.rogaine.com)

DIRECTIONS FOR USE


See information booklet with complete directions on how to use and obtain best results.

1. PREP HANDS WITH COLD WATER




Rinse your fingers in cold water and dry them. **Note:** foam will melt on contact with warm surfaces.

2. OPEN CHILD RESISTANT CAP




Be sure to align arrow on the cap with arrow on sleeve ring. Lift cap back and pull off.

3. DISPENSE VERTICALLY ONTO A COLD SURFACE




Hold the can straight upside down. If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto cold surface (e.g. dish, or cold hands).

4. APPLY TO SCALP, NOT HAIR



Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.

5. CLOSE CAP AND WASH HANDS



Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.

WOMEN'S ROGAINE® Foam is for women who have a general thinning of hair on the top of the scalp (as shown below) and has been shown to regrow hair in women with the following degrees of thinning hair or hair loss.

If women have more hair loss than shown above, WOMEN'S ROGAINE® Foam may not work.

THIS PACKAGE CONTAINS Two 60 g (2.11 oz) cans of WOMEN'S ROGAINE® Foam (four month supply)

#1 DERMATOLOGIST RECOMMENDED BRAND

WOMEN'S Rogaine®

5% Minoxidil Topical Aerosol

Hair Regrowth Treatment

REACTIVATES HAIR FOLLICLES TO STIMULATE REGROWTH

CLINICALLY PROVEN TO REGROW HAIR


Once-a-Day Foam For Women

UNSCENTED

FOUR MONTH SUPPLY TWO 60 g (2.11 OZ) CANS


ACTUAL SIZE

50053596




3 12547 78022 3

50053596



3 12547 78022 3

50053596



3 12547 78022 3

Distributed by:

JOHNSON & JOHNSON

CONSUMER INC.

Subsidiary of

Active Made in Italy

U.S. Patent No. 6,946,120

Product Incorporated

Technology Licensed from

Shedlet Laboratories

The overall look and design of this packaging is subject to trademark protection.

2D code built with 0 BWR

(03/18)

Reference ID: 4446812



Net Content Statement

PDP Area: (width x length) 7.14 in<sup>2</sup>

Net Content Size: 0.0415"

NET CONTENT

1/16 IN.

1/8 IN.

3/16 IN.

1/4 IN.

1/2 IN.

AREA OF PDP

5 SQ. IN. OR LESS

MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.

MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.

MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.

OVER 400 SQ. IN.

FOR BEST RESULTS

**1: PREP HANDS WITH COLD WATER**  
Rinse your fingers in cold water and dry them. **Note:** Foam will melt on contact with warm surfaces.

**2: OPEN CHILD RESISTANT CAP**  
Align arrow on the cap with arrow on blue ring. Tilt cap back and pull off.

**3: DISPENSE VERTICALLY ONTO A COLD SURFACE**  
Hold the can straight upside down. If you hold can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto a cold surface (e.g., dish, or cold hands).

**4: APPLY TO SCALP, NOT HAIR**  
Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.

**5: CLOSE CAP AND WASH HANDS**  
Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.

Read and keep package and booklet for full product information

**Inactive ingredients**  
butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol

**Questions?**  
Call toll-free 800-764-2463 or 215-273-8755 (collect)  
**Store at Controlled Room Temperature 20° to 25° C (68° to 77° F).** Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120° F (49° C).

WOMEN'S  
Rogaine®

5% Minoxidil  
Topical Aerosol

Hair Regrowth  
Treatment

REACTIVATES  
HAIR FOLLICLES  
TO STIMULATE  
REGROWTH

CLINICALLY PROVEN  
TO REGROW HAIR



UNSCENTED

Two Month Supply  
One 60 g (2.11 oz) Can

**Active ingredient:** Minoxidil 5% w/w (without propellant)

**Warnings** For external use only. **Extremely Flammable:**

Avoid fire, flame, or smoking during and immediately following application. **Do not use if**

- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp
- your hair loss is associated with childbirth

**Ask a doctor before use if you have** heart disease

**When using this product:**

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture

**Stop use and ask a doctor if:**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Distributed by:  
**JOHNSON & JOHNSON CONSUMER INC.**  
Skillman, NJ 08558 Active Made in Italy  
© J&J CI 2019 U.S. Patent No. 6,946,120  
Product incorporates technology  
licensed from Shiele Laboratories  
The trade dress of this package is  
subject to trademark protection.



30043399



DERMATOLOGIST  
RECOMMENDED BRAND

IMPORTANT  
INFORMATION ABOUT

# WOMEN'S Rogaine®

5% Minoxidil  
Topical Aerosol

Hair Regrowth  
Treatment

REACTIVATES  
HAIR FOLLICLES  
TO STIMULATE  
REGROWTH

CLINICALLY PROVEN  
TO REGROW HAIR



Once-a-Day  
Foam For Women

UNSCENTED



# **WOMEN'S Rogaine®**

**5% Minoxidil  
Topical Aerosol**

**Hair Regrowth  
Treatment**

*Save this booklet for  
future reference.*

---

Please read this booklet carefully.  
It will help you understand how to use  
WOMEN'S ROGAINE® Foam and  
what to expect from its use. It takes time  
to regrow hair. Results may occur at  
3 months with **once daily** usage.  
For some women, you may need to  
use this product for at least 6 months  
before you see results. If you have any  
questions after reading this booklet,  
or anytime while using WOMEN'S  
ROGAINE® Foam, you should ask your  
health care professional or call us toll-free  
**800-764-2463** or **215-273-8755** (collect).

### WHAT IS WOMEN'S ROGAINE® FOAM?

WOMEN'S ROGAINE® Foam is a white foam containing 5% minoxidil for use only on the scalp to help regrow hair in women.

### WHO MAY USE WOMEN'S ROGAINE® FOAM?

WOMEN'S ROGAINE® Foam may be appropriate for you if you are an adult who is at least 18 years old and experiencing gradually thinning hair or gradual hair loss on the top of your scalp. The common hereditary thinning or hair loss process begins slowly and may become noticeable only after years of gradual loss.

WOMEN'S ROGAINE® Foam is for general thinning of hair on the top of the scalp as shown on the next page. WOMEN'S ROGAINE® Foam has been shown to regrow hair in women with the degrees of hair loss shown. If women have more hair loss than shown, WOMEN'S ROGAINE® Foam may not work.

Many of those experiencing hair loss have other family members with gradual thinning of hair or hair loss. **If there is no family history of gradual thinning or gradual hair loss, or hair loss is patchy, see your doctor.**





### **WHO SHOULD NOT USE WOMEN'S ROGAINE® FOAM?**

WOMEN'S ROGAINE® Foam will not prevent or improve hair loss related to pregnancy, the use of some prescription and non-prescription medications, certain severe nutritional problems (very low body iron; excessive vitamin A intake), the recently discontinued use of birth control pills, low thyroid states (hypothyroidism), chemotherapy, or diseases which cause scarring of the scalp. Also, WOMEN'S ROGAINE® Foam will not improve hair loss due to:

- Damage from the use of hair care products which cause scarring or deep burns of the scalp.
- Hair grooming methods such as cornrowing or ponytails which require pulling the hair tightly back from the scalp.

Do not use if you are not sure of the reason for your hair loss.

### **WILL WOMEN'S ROGAINE® FOAM WORK FOR ME?**

The amount of hair regrowth is different for each person. Not everyone will respond to WOMEN'S ROGAINE® Foam. The response to WOMEN'S ROGAINE® Foam cannot be predicted. No one will be able to grow back all their hair.

To see your best results with WOMEN'S ROGAINE® Foam, make sure you apply the product directly to the scalp **once daily**. For some women, WOMEN'S ROGAINE® Foam may not work.

**HOW SOON CAN I EXPECT RESULTS FROM USING WOMEN'S ROGAINE® FOAM?**

Since normal hair usually grows only 1/2 to 1 inch per month, hair regrowth with WOMEN'S ROGAINE® Foam also takes time. Generally, new hair growth is slow for a WOMEN'S ROGAINE® Foam user. Results may be seen as early as 3 months with **once daily** use. For some women, it may take at least 6 months for results to be seen. If you do not see any results after 6 months, stop using WOMEN'S ROGAINE® Foam and seek the advice of your doctor.

When you first begin to use WOMEN'S ROGAINE® Foam, your hair loss may continue for up to 2 weeks. This increase in hair loss is expected and is temporary. However, if it continues after two weeks, see your physician.



**IF WOMEN'S ROGAINE® FOAM IS WORKING, WHAT WILL THE HAIR LOOK LIKE?**

At first, hair growth may be soft, downy, and colorless hairs. After further use, the new hairs should be the same color and thickness as the other hairs on your scalp.

**HOW LONG DO I NEED TO USE WOMEN'S ROGAINE® FOAM?**

If you respond to WOMEN'S ROGAINE® Foam, you need to use it **once daily** to keep and continue the hair regrowth. Up to 3 months of usage may be needed to see your best results from WOMEN'S ROGAINE® Foam.

**WHAT HAPPENS IF I COMPLETELY STOP USING WOMEN'S ROGAINE® FOAM? WILL I KEEP THE NEW HAIR?**

Continuous use of WOMEN'S ROGAINE® Foam is needed to maintain hair regrowth. If you stop using WOMEN'S ROGAINE® Foam, the normal hair loss process will start again. You will probably lose your newly regrown hair in three to four months.

**HOW DO I USE WOMEN'S ROGAINE® FOAM?**

For best results, apply half a capful **once a day** directly to the scalp in the hair loss area. Using more than the recommended amount will not improve results. Each can should last two months, if used as

directed. Never take this product by mouth or apply to other parts of the body. Please refer to the "Directions for Use" section of this booklet.

**WHEN DO I USE WOMEN'S ROGAINE® FOAM?**

Apply WOMEN'S ROGAINE® Foam **once daily**. If you apply at night, allow application to dry completely before going to bed.

**WHAT IF I FORGET TO USE WOMEN'S ROGAINE® FOAM OR MISS A DOSE?**

If you miss one daily dose of WOMEN'S ROGAINE® Foam, just continue with your next dose. You should not make up for missed doses.

**CAN I USE WOMEN'S ROGAINE® FOAM MORE THAN ONCE A DAY?**

**WILL IT WORK FASTER, BETTER?**

No. WOMEN'S ROGAINE® Foam will not work faster or better if used more than **once a day**. More frequent use or larger doses have not been shown to speed up hair growth and may increase your chances of side effects.

**WHAT KIND OF SHAMPOO**

**SHOULD I USE WITH**

**WOMEN'S ROGAINE® FOAM?**

If you wash your scalp before applying WOMEN'S ROGAINE® Foam, use a mild shampoo.

**CAN I USE HAIR SPRAYS, MOUSSES, CONDITIONERS, GELS, ETC.?**

Yes. There is no reason to change your usual hair care routine when using WOMEN'S ROGAINE® Foam. However, you should apply WOMEN'S ROGAINE® Foam first and wait for it to dry before applying your styling aids.

**CAN I HAVE MY HAIR COLORED OR PERMED OR USE HAIR RELAXERS WHILE USING WOMEN'S ROGAINE® FOAM?**

Yes. We have no evidence that coloring, perming, or using relaxers on your hair change the effect of WOMEN'S ROGAINE® Foam. However, because the use of a permanent wave and hair color can cause scalp irritation on certain people, we recommend the following precautions:

1. To avoid possible scalp irritation, you should make sure all of the WOMEN'S ROGAINE® Foam has been washed off the hair and scalp before using color or perm chemicals.
2. For best results, do not apply WOMEN'S ROGAINE® Foam on the same day that you use a chemical treatment on your hair.
3. Do not use WOMEN'S ROGAINE® Foam for 24 hours after using any chemicals to make sure your scalp



has not been irritated by the perm or color treatment. If no irritation occurs, continue use of WOMEN'S ROGAINE® Foam as usual.

4. Simply restart your normal WOMEN'S ROGAINE® Foam routine. There is no need to use more WOMEN'S ROGAINE® Foam to make up for missed applications.

Missing one day of WOMEN'S ROGAINE® Foam will not affect your hair regrowth results.

**CAN I APPLY WOMEN'S ROGAINE®  
FOAM AND WASH MY HAIR AN  
HOUR LATER?**

No. For WOMEN'S ROGAINE® Foam to work best, you should allow WOMEN'S ROGAINE® Foam to remain on the scalp for about 4 hours before washing.

#### DIRECTIONS FOR USE

- Please familiarize yourself with the instructions below in order to help make your product application a success.
- This product should be used **ONCE DAILY, EVERY DAY**.
- To be effective, it is important to apply the product **DIRECTLY TO YOUR SCALP** and **NOT TO YOUR HAIR** so that it can easily get to your hair follicles to help regrow your hair.
- There is no need to shampoo your hair before using the product. If you wish to shampoo your hair before applying **WOMEN'S ROGAINE® Foam**, towel dry your hair so that the skin on the scalp is dry.



#### 1: PREP HANDS WITH COLD WATER

Rinse your fingers in **cold** water and dry them. **Note:** foam will melt on contact with warm surfaces.



#### 2: OPEN CHILD RESISTANT CAP

Be sure to align arrow on the cap with arrow on blue ring. Tilt cap back and pull off.



#### 3: DISPENSE VERTICALLY ONTO A COLD SURFACE

**Hold the can straight upside down.** If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto a **cold**, surface (e.g. dish, or cold hands).



#### 4: APPLY TO SCALP, NOT HAIR

Part your hair to expose hair loss area. Massage foam into **scalp**, not hair. **Repeat** until all hair loss areas have been covered.



#### 5: CLOSE CAP AND WASH HANDS

Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.



**ARE THERE ANY SPECIAL  
WARNINGS ABOUT THE USE OF  
WOMEN'S ROGAINE® FOAM?**

**Warnings:**

**For external use only.**

**Extremely Flammable:** Avoid fire, flame, or smoking during and immediately following application.

**DO NOT USE IF**

- your degree of hair loss is more than that shown on page 5 of this booklet, because this product may not work for you
- you have no family history of hair loss

- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age.  
Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have heart disease.**

#### **WHEN USING THIS PRODUCT**

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur in 3 months with **once daily** use. For some women you may need to use this product **once daily** for at least 6 months before you see results.
- the amount of hair regrowth is different for each person.  
This product will not work for everyone.

**STOP USE AND ASK A DOCTOR IF**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 6 months

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**WHAT ARE THE MOST COMMON SIDE EFFECTS WITH WOMEN'S ROGAINE® FOAM?**

The most common side effects are itching and other skin irritations of the treated area of the scalp. WOMEN'S ROGAINE® Foam contains alcohol, which would cause burning or irritation of the eyes or sensitive skin areas. If WOMEN'S ROGAINE® Foam accidentally gets into these areas, rinse with large amounts of cool tap water. Stop using WOMEN'S ROGAINE® Foam and contact your doctor if irritation persists.

### **CAN WOMEN'S ROGAINE® FOAM PRODUCE UNWANTED HAIR?**

Unwanted hair growth has been reported on the face and on other parts of the body with ROGAINE® use. The unwanted hair growth may be caused by the transfer of WOMEN'S ROGAINE® Foam to areas other than the scalp, or by absorption into the circulatory system of low levels of the active ingredient, or by a medical condition not related to the use of WOMEN'S ROGAINE® Foam.

If you experience unwanted hair, discontinue using WOMEN'S ROGAINE® Foam and see your doctor for recommendations about appropriate treatment. After stopping use of WOMEN'S ROGAINE® Foam, the unwanted hair, if caused by the use of WOMEN'S ROGAINE® Foam, should go away over time. You can take steps to decrease the chances for unwanted hair growth:

1. Limit the application of WOMEN'S ROGAINE® Foam only to the scalp,
2. If you use the hands to apply WOMEN'S ROGAINE® Foam, wash your hands thoroughly afterwards, and

3. Allow sufficient drying time before going to bed (usually 2 to 4 hours before going to bed after applying WOMEN'S ROGAINE® Foam).

**CAN I USE WOMEN'S ROGAINE® FOAM FOR BALDNESS OR HAIR LOSS IN BABIES AND CHILDREN?**

No. WOMEN'S ROGAINE® Foam must not be used to treat baldness or hair loss in babies or children.

**WHAT FACTORS MAY INCREASE THE RISK OF SERIOUS SIDE EFFECTS WITH WOMEN'S ROGAINE® FOAM?**

WOMEN'S ROGAINE® Foam should be applied only to the scalp. The risk of side effects may be greater when WOMEN'S ROGAINE® Foam is applied to other parts of the body.

If you have any other questions, ask your health care professional or call us toll-free **800-764-2463** or **215-273-8755** (collect).



**Store at Controlled Room  
Temperature 20°C to 25°C (68°F to  
77°F).** Contents under pressure.

Do not puncture or incinerate container.

Do not expose to heat or store at  
temperatures above 120°F (49°C).

*Save this booklet for future reference.*

Distributed by:  
**JOHNSON & JOHNSON  
CONSUMER INC.**  
Skillman, NJ 08558  
© J&JCI 2019

U.S. Patent No. 6,946,120

Product incorporates technology  
licensed from Stiefel Laboratories  
The WOMEN'S ROGAINE® Foam name  
and the design of this packaging is  
subject to trademark protection.

**Questions?** Call toll-free **800-764-2463**  
or **215-273-8755** (collect).



30043400

135MM  
5.315

(b) (4)

1.25" QUIET ZONE

55MM  
2.1654"

REVISED DIELINE  
01/30/13  
DIELINE # L8726A2