
Drug Facts (continued)
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.
When using this product
■ drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ avoid alcoholic drinks ■ be careful when driving a motor vehicle or operating machinery
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding: ■ if breast-feeding: not recommended
■ if pregnant: ask a health professional before use
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions
adults and children 6 years and over | one 10 mg capsule daily; do not take more than one 10 mg capsule in 24 hours. A5 mg product may be appropriate for less severe symptoms.
adults 65 years and over | ask a doctor
children under 6 years of age | ask a doctor
consumers with liver or kidney disease | ask a doctor
Drug Facts (continued)
Other information
■ store at 20°-25°C (68°-77°F) ■ avoid high humidity and excessive heat above 40°C (104°F)
■ protect from light
Inactive ingredients
FD&C yellow #6, gelatin, glycerin, mannitol, pharmaceutical ink, polyethylene glycol, purified water, sodium hydroxide, sorbitan, sorbitol
Questions or comments? call toll free 1-888-235-2466 (Mon -Fri 9AM - 5PM EST)
†This product is not manufactured or distributed by the owners of Zyrtec®
Manufactured for:
BIONPHARMA
600 Alexander Road, Princeton, NJ 08540
L0000000
R0719
α+health
cetirizine HCl capsules, 10 mg
antihistamine
allergy
indoor & outdoor allergies
25 capsules**
**liquid-filled capsule
24 hour relief of:
• sneezing
• runny nose
• itchy, watery eyes
• itchy throat or nose
†compare to the active ingredient in Zyrtec®
α+health
cetirizine HCl capsules, 10 mg
antihistamine
allergy
indoor & outdoor allergies
25 capsules**
**liquid-filled capsule
24 hour relief of:
• sneezing
• runny nose
• itchy, watery eyes
• itchy throat or nose
TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING
KEEP THIS CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION
Drug Facts
Active ingredient (in each capsule)
Purpose
Cetirizine HCl 10 mg
Antihistamine
Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat
Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose
Lot No.:
Exp. Date:
N
3
69452 26586
4

(b) (4)


Drug Facts (continued)
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.
When using this product
■ drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ avoid alcoholic drinks ■ be careful when driving a motor vehicle or operating machinery
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding: ■ if breast-feeding: not recommended
■ if pregnant: ask a health professional before use
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions
adults and children 6 years and over | one 10 mg capsule daily; do not take more than one 10 mg capsule in 24 hours. A5 mg product may be appropriate for less severe symptoms.
adults 65 years and over | ask a doctor
children under 6 years of age | ask a doctor
consumers with liver or kidney disease | ask a doctor
Drug Facts (continued)
Other information
■ store at 20°-25°C (68°-77°F) ■ avoid high humidity and excessive heat above 40°C (104°F)
■ protect from light
Inactive ingredients
FD&C yellow #6, gelatin, glycerin, mannitol, pharmaceutical ink, polyethylene glycol, purified water, sodium hydroxide, sorbitan, sorbitol
Questions or comments? call toll free 1-888-235-2466 (Mon -Fri 9AM - 5PM EST)
†This product is not manufactured or distributed by the owners of Zyrtec®
Manufactured for:
BIONPHARMA
600 Alexander Road, Princeton, NJ 08540
L0000000
R0719
cetirizine HCl capsules, 10 mg
antihistamine
allergy
indoor & outdoor allergies
40 capsules**
**liquid-filled capsule
24 hour relief of:
• sneezing
• runny nose
• itchy, watery eyes
• itchy throat or nose
†compare to the active ingredient in Zyrtec®
TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING
KEEP THIS CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION
Drug Facts
Active ingredient (in each capsule) | Purpose
Cetirizine HCl 10 mg | Antihistamine
Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat
Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose
Lot No.:
Exp. Date:

(b) (4)

Drug Facts (continued)
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.
When using this product
■ drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ avoid alcoholic drinks ■ be careful when driving a motor vehicle or operating machinery
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding: ■ if breast-feeding: not recommended
■ if pregnant: ask a health professional before use
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions
adults and children 6 years and over | one 10 mg capsule daily; do not take more than one 10 mg capsule in 24 hours. A5 mg product may be appropriate for less severe symptoms.
adults 65 year s and over | ask a doctor
children under 6 years of age | ask a doctor
consumers with liver or kidney disease | ask a doctor
Drug Facts (continued)
Other information
■ store at 20°-25°C (68°-77°F) ■ avoid high humidity and excessive heat above 40°C (104°F)
■ protect from light
Inactive ingredients
FD&C yellow #6, gelatin, glycerin, mannitol, pharmaceutical ink, polyethylene glycol, purified water, sodium hydroxide, sorbitan, sorbitol
Questions or comments? call toll free 1-888-235-2466 (Mon -Fri 9AM - 5PM EST)
†This product is not manufactured or distributed by the owners of Zyrtec®
Manufactured for:
BIONPHARMA
600 Alexander Road, Princeton, NJ 08540
L0000000
R0719
a+health
cetirizine HCl capsules, 10 mg
antihistamine
allergy
indoor & outdoor allergies
24 hour relief of:
• sneezing
• runny nose
• itchy, watery eyes
• itchy throat or nose
65 capsules**
**liquid-filled capsule
†compare to the active ingredient in Zyrtec®
a+health
cetirizine HCl capsules, 10 mg
antihistamine
allergy
indoor & outdoor allergies
24 hour relief of:
• sneezing
• runny nose
• itchy, watery eyes
• itchy throat or nose
65 capsules**
**liquid-filled capsule
TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING
KEEP THIS CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION
Drug Facts
Active ingredient (in each capsule)
Purpose
Cetirizine HCl 10 mg
Antihistamine
Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat
Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose
Lot No.:
Exp. Date:
N
3
69452 26588
8

(b) (4)

Be Health

Cetirizine HCl Capsules, 10 mg

Antihistamine

Indoor & outdoor allergies

24 Hour relief of:

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat or nose

Be Health

NDC 69452-219-90

†Compare to the active ingredient in Zyrtec®

Cetirizine HCl Capsules, 10 mg

Antihistamine

Indoor & outdoor allergies

24 Hour relief of:

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat or nose

90 Capsules*

(*liquid-filled capsule)

Lot No.:

Exp. Date:

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

KEEP THIS CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Drug Facts

Active ingredient (in each capsule)	***Purpose***
Cetirizine HCl 10 mg	Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

Drug Facts (continued)

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over	one 10 mg capsule once daily; do not take more than one 10 mg capsule in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- avoid high humidity and excessive heat above 40°C (104°F)
- protect from light

Drug Facts (continued)

Inactive ingredients

FD&C yellow #6, gelatin, glycerin, mannitol, pharmaceutical ink, polyethylene glycol, purified water, sodium hydroxide, sorbitan, sorbitol

Questions or comments? call toll free **1-888-235 2456** (MON - FRI 9AM - 5PM EST)

†This product is not manufactured or distributed by the owners of Zyrtec®.

Manufactured for

BIONPHARMA

600 Alexander Road,

Princeton, NJ 08540

L0000000

R0719

(b) (4)


.125" corner radius
1.25"
4.25"
a+health
cetirizine HCl
capsules, 10 mg
antihistamine
allergy
indoor & outdoor allergies
24 hour relief of:
• sneezing
• runny nose
• itchy, watery eyes
• itchy throat or nose
25 capsules**
**liquid-filled capsule
TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL ON BOTTLE CAP IS BROKEN OR MISSING
KEEP THE CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION
Active Ingredient (in each capsule) Purpose
Cetirizine HCl 10 mg ..... Antihistamine
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose sneezing itchy, watery eyes itching of the nose or throat
Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine
Consult a doctor if you are pregnant or nursing. If you have asthma, glaucoma, have liver or kidney disease, your doctor should determine if you need cetirizine use. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product drowsiness may occur and alcohol, sedatives, and tranquilizers may increase drowsiness. Be careful when driving a motor vehicle or operating machinery. If symptoms persist, worsen, or if an allergic reaction to this product occurs, Seek medical help right away.
If pregnant or breast-feeding If breast-feeding, not recommended
If pregnant, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions Adults and children 6 years and over: one 10 mg capsule once daily; do not take more than one 10 mg capsule in 24 hours. Children under 6 years of age: consult a doctor. Children under 6 years of age: ask a doctor.
Consumers with liver or kidney disease: ask a doctor
Other Informations store at 20°-25°C (68°-77°F)
avoid high humidity and excessive heat above 40°C (104°F)
tamper-evident product
Inactive Ingredients FD&C yellow #6, gelatin, glycerin, propylene glycol, sorbitol, titanium dioxide, purified water, sodium lauryl sulfate, sorbitan
Questions or comments? Call toll free 1-866-205 3408 (Mon - Fri 9AM - 5PM EST)
Manufactured for: Bioglan Laboratories, 600 Alexander Road, Princeton, NJ 08540
(XXXXXX)
Lot EXP. XX' 19
Non Varnish Area

(b) (4)

.125" corner radius
1.25"
4.25"
a+health
cetirizine HCl
capsules, 10 mg
antihistamine
allergy
indoor & outdoor allergies
24 hour relief of:
• sneezing
• runny nose
• itchy, watery eyes
• itchy throat or nose
40 capsules**
**liquid-filled capsule
TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL ON BOTTLE CAP IS BROKEN OR MISSING
KEEP THE CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION
Active Ingredient (in each capsule) Purpose
Cetirizine HCl 10 mg ..... Antihistamine
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose sneezing itchy, watery eyes itching of the nose or throat
Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine
Consult a doctor if you are pregnant or nursing. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need cetirizine HCl dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product drowsiness may occur and alcohol, sedatives, and tranquilizers may increase drowsiness. Be careful when driving a motor vehicle or operating machinery. If allergic symptoms worsen or persist for more than a few days, stop use and ask a doctor. If rash or other allergic reaction develops, stop use and seek medical help right away.
If pregnant or breast-feeding, ask a health care professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions Adults and children 6 years and over: one 10 mg capsule once daily; do not take more than one 10 mg capsule in 24 hours. Children under 6 years of age: consult a doctor. Adults 65 years and over: ask a doctor. Consumers with liver or kidney disease: ask a doctor
Other Information store at 20°-25°C (68°-77°F) avoid high humidity and excessive heat above 40°C (104°F) tamper-evident seal
Inactive Ingredients FD&C yellow #6, gelatin, glycerin, propylene glycol, sorbitol, titanium dioxide, purified water, sodium lauryl sulfate, sorbitan
Questions or comments? Call toll free 1-866-205-3408
(Mon - Fri 9AM - 5PM EST)
Manufactured for Bioglan Inc.
Lot EXP for 60 CA Alexander Road, Princeton, NJ 08540
Non Varnish Area

(b) (4)


.125″ corner radius
1.5625″
α+health
cetirizine HCl capsules, 10 mg
antihistamine
allergy
indoor & outdoor allergies
24 Hour Relief of:
• sneezing
• runny nose
• itchy, watery eyes
• itchy throat or nose
65 capsules**
**liquid-filled capsule
TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING
KEEP THE CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION
Active ingredient (in each capsule) Purpose
Cetirizine HCl 10 mg ..... Antihistamine
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat
Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should decide to mix if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product ■ drowsiness may occur ■ avoid alcohol drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away if pregnant or breast-feeding ■ if breast-feeding, not recommended ■ if pregnant: ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions Adults and children 6 years and over: one 10 mg capsule once daily; do not take more than one 10 mg capsule in 24 hours. A 5 mg product may be appropriate for less severe symptoms. Adults 65 years and over: ask a doctor. Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor.
Other information ■ store at 20°-25°C (68°-77°F) ■ protect from light ■ avoid heat and excessive heat above 40°C (104°F)
Inactive ingredients FD&C yellow #6, gelatin, glycerin, methyl and propyl parabens, talc, propylene glycol, purified water, sodium hydroxide, sorbitan, sorbitol
Questions or comments? call toll free 1-888-226-2466 (Mon - Fri 10AM - 5PM EST)
L0000001 R.07/19 Manufactured for: Blenheim a Inc. 820 Alexander Road, Princeton, NJ 08540
Lot/EXP
Non Varnish Area
4.50″

(b) (4)


R 0.1250"
4.5000"
1.7500"
0.5000"
Imprint Area
Be Health
NDC 69452-219-90
Cetirizine HCl Capsules, 10 mg
Antihistamine
Indoor & outdoor allergies
24 Hour relief of:
• Sneezing
• Runny nose
• Itchy, watery eyes
• Itchy throat or nose
90 Capsules**
(**liquid-filled capsule)
TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING
KEEP THE CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION
Active ingredient (in each capsule) Purpose
Cetirizine HCl 10 mg ..... Antihistamine
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat
Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding: ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions Adults and children 6 years and over: one 10 mg capsule once daily; do not take more than one 10 mg capsule in 24 hours. A 5 mg product may be appropriate for less severe symptoms. Adults 65 years and over: ask a doctor. Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor.
Other information ■ store at 20°-25°C (68°-77°F) ■ avoid high humidity and excessive heat above 40°C (104°F) ■ protect from light
Inactive ingredients FD&C yellow #6, gelatin, glycerin, mannitol, pharmaceutical ink, polyethylene glycol, purified water, sodium hydroxide, sorbitan, sorbitol
Questions or comments? call toll free: 1-888-235-2466 (MON - FRI 9AM - 5PM EST)
0719
Lot, EXP
L0000000
Manufactured for: BIOVIH-ARMA
600 Alexander Road, Princeton, NJ 08540

(b) (4)

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

THERESA M MICHELE
12/13/2019 03:51:07 PM