



several twists to release the needle.

- C** Put the needle in a sharps disposal container (See Step 8 Needle disposal at the end of this Instructions for Use) (See Figure r).



- D** Replace the pen cap over the cartridge (See Figure s).

- E** If there is still medicine left in your pen, store the pen at room temperature (up to 86°F or 30°C).
Do not store the pen with a used needle attached.



Step 8. Needle disposal

Put your used needle in an FDA-cleared sharps disposal container right away after use. **Do not** throw away (dispose of) loose needles in your household trash.

If you do not have an FDA-cleared sharps container, you may use a household container that is:

- Made of heavy duty plastic,
- Can be closed with a tight-fitting, puncture-resistant lid, without sharps being able to come out,
- Upright and stable during use,
- Leak-resistant, and
- Properly labeled to warn of hazardous waste inside the container.

When your sharps disposable container is almost full you will need to follow your community guidelines for the right way to dispose of your sharps container. There may be state or local laws about how you should throw away used needles and syringes. For more information about safe sharps disposal, and for specific information about sharps disposal in the state that you live in, go to the FDA website at: www.fda.gov/safesharpsdisposal

Do not dispose of a used sharps disposal container in your household trash unless guidelines permit this.
Do not recycle your used sharps disposal container.

Pen care

- Always carry an extra insulin pen in case your pen gets lost or damaged.
- Always use a new sterile disposable needle for each injection.
- Protect SEMGLEE from direct heat and light.
- The used pen may be discarded in your household trash after you have removed the needle.
- You can clean the outside of your pen by wiping it with a damp cloth.
- Avoid dropping your pen as this can cause the cartridge to break, or can damage the pen.

- **Do not** share your pen with other people, even if the needle has been changed. You may give other people serious infection or get a serious infection from them.
- **Do not** soak or wash your pen. **Do not** use alcohol, hydrogen peroxide, bleach, or any other liquids to clean your pen. **Do not** apply lubricants such as oil. This could damage the pen.
- **Do not** try to fix an unusable or damaged pen. Remove the needle as shown in Step 7, safely throw it away in a sharps container as shown in Step 8 and return the pen to the manufacturer letting them know of the problem. Use a new pen instead.

This Instructions for Use has been approved by the Food and Drug Administration.

BD Ultra-Fine™ is a trademark of Becton, Dickinson, and Company. SEMGLEE™ is a trademark of Mylan Pharmaceuticals, Inc.



Manufactured for:
Mylan Specialty L.P.
Morgantown, WV 26505 U.S.A.

Manufactured by: **Biocon Sdn. Bhd.**, Malaysia

Approved: 6/2020
MA:B:IFUP:INGLIJP:RX7