

Please open here  Please open here

 **NOVARTIS**

**NDC 0078-0180-01**  
Unit Dose Package

50 mcg/mL; Each mL contains:  
octreotide (as acetate) ..... 50 mcg  
Inactive ingredients  
lactic acid, USP ..... 3.4 mg  
mannitol, USP ..... 45 mg  
sodium bicarbonate, USP ..... qs to pH 4.2 ± 0.3  
water for injection, USP ..... qs to 1 mL

See package insert for dosage and administration information.

**Storage:** Refrigerate at 2°C to 8°C (36°F to 46°F); protect from light.  
At room temperature, (20°C to 30°C or 70°F to 86°F), Sandostatin is stable for 14 days if protected from light.



Product of Ireland.

Manufactured by:  
Novartis Pharma Stein AG  
Schaffhauserstrasse  
CH-4332 Stein, Switzerland

Distributed by:  
Novartis Pharmaceuticals Corporation  
East Hanover, New Jersey 07936



One-point-cut ampul with cut below colored point

To open, hold as shown with thumb above point and snap off backwards

©Novartis

**NDC 0078-0180-01**  
Unit Dose Package

**10 Ampuls/1 mL size**

 **Sandostatin®**  
octreotide acetate INJECTION  
**50 mcg/mL**

 **NOVARTIS**  
**Sandostatin®**  
octreotide acetate INJECTION  
**50 mcg/mL**

120 x 105 x 20.5  
2235566  
US

**NDC 0078-0180-01**  
Unit Dose Package  
**10 Ampuls/1 mL size**

EP/LCT  
GTIN: 00300780180016

 **NOVARTIS**

**NDC 0078-0180-01**  
Unit Dose Package

 **Sandostatin®**  
*octreotide acetate*  
INJECTION

**Rx only**

**50 mcg/mL**

For Subcutaneous or Intravenous Use **10 Ampuls/1 mL size**



NDC 0074-0180-61

**Sandostatin**®

octreotide acetate  
Injection (subcutaneous  
or intravenous)

1 mL contains:

50 mcg octreotide  
(as acetate) Rx only

Mfd. by Novartis Pharma

Stein AG ©Novartis 2235565 US



EXP/LOT



2235565

Please open here  Please open here

 **NOVARTIS**

**NDC 0078-0181-01**  
Unit Dose Package

**NDC 0078-0181-01**  
Unit Dose Package  
**10 Ampuls/1 mL size**


100 mcg/mL; Each mL contains:  
octreotide (as acetate) ..... 100 mcg  
Inactive ingredients  
lactic acid, USP ..... 3.4 mg  
mannitol, USP ..... 45 mg  
sodium bicarbonate, USP ..... qs to pH 4.2 ± 0.3  
water for injection, USP ..... qs to 1 mL


See package insert for dosage and administration information.

**Storage: Refrigerate at 2°C to 8°C (36°F to 46°F); protect from light. At room temperature, (20°C to 30°C or 70°F to 86°F), Sandostatin is stable for 14 days if protected from light.**



Instructions for Use

  
One-point-cut ampul with cut below colored point

  
To open, hold as shown with thumb above point and snap off backwards

Product of Ireland.  
Manufactured by:  
Novartis Pharma Stein AG  
Schaffhauserstrasse  
CH-4332 Stein, Switzerland

Distributed by:  
Novartis Pharmaceuticals Corporation  
East Hanover, New Jersey 07936

©Novartis

  
**Sandostatin®**  
octreotide acetate INJECTION  
100 mcg/mL

120x 105 x 205  
2235568  
US

**NDC 0078-0181-01**  
Unit Dose Package  
**10 Ampuls/1 mL size**

  
**Sandostatin®**  
octreotide acetate INJECTION  
100 mcg/mL

BP/L/03 00300780181013

 **NOVARTIS**

**NDC 0078-0181-01**  
Unit Dose Package

 **Sandostatin®**  
*octreotide acetate*  
INJECTION

**Rx only**

**100 mcg/mL**

For Subcutaneous or Intravenous Use **10 Ampuls/1 mL size**

2235568



mc 007-0181-01  
**Sandostatin®**  
octreotide acetate  
Injection (subcutaneous or  
intravenous)  
1 mL contains:  
**200 mcg octreotide**  
(as acetate) Rx only  
Mfg. by: Novartis Pharma  
Stein AG ©Novartis 2235567 US



EXP/LOT



2235567

Please open here  Please open here

 **NOVARTIS**

**NDC 0078-0182-01**  
Unit Dose Package

500 mcg/mL; Each mL contains:  
octreotide (as acetate) ..... 500 mcg  
Inactive ingredients  
lactic acid, USP ..... 3.4 mg  
mannitol, USP ..... 45 mg  
sodium bicarbonate, USP ..... qs to pH 4.2 ± 0.3  
water for injection, USP ..... qs to 1 mL

See package insert for dosage and administration information.

**Storage: Refrigerate at 2°C to 8°C (36°F to 46°F); protect from light. At room temperature, (20°C to 30°C or 70°F to 86°F), Sandostatin is stable for 14 days if protected from light.**




Product of Ireland.

Manufactured by:  
Novartis Pharma Stein AG  
Schaffhauserstrasse  
CH-4332 Stein, Switzerland

Distributed by:  
Novartis Pharmaceuticals Corporation  
East Hanover, New Jersey 07936

Instructions for Use



One-point-cut ampul with cut below colored point

To open, hold as shown with thumb above point and snap off backwards

©Novartis

**NDC 0078-0182-01**  
Unit Dose Package  
**10 Ampuls/1 mL size**

 **Sandostatin®**  
octreotide acetate INJECTION  
**500 mcg/mL**

 **Sandostatin®**  
octreotide acetate INJECTION  
**500 mcg/mL**

**NDC 0078-0182-01**  
Unit Dose Package  
**10 Ampuls/1 mL size**

120 x 105 x 20.5  
2235570  
US

EP/L/OT  
GTIN: 00300780182010

 **NOVARTIS**

**NDC 0078-0182-01**  
Unit Dose Package

 **Sandostatin®**  
*octreotide acetate*  
INJECTION

**Rx only**

**500 mcg/mL**

For Subcutaneous or Intravenous Use

**10 Ampuls/1 mL size**

2235570



MC 0078-0182-01

**Sandostatin**®  
octreotide acetate

Injection (subcutaneous  
or intravenous)

1 mL contains:

**500 mcg** octreotide

(as acetate) Rx only

Mfd. by: Novartis Pharma  
Stein AG

Novartis 2235569 US

500/10T



2235569

-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

THERESA E KEHOE  
10/20/2021 03:39:50 PM