Drug Facts

Active ingredient — **Purpose**

Olopatadine (0.7%) ..... Antihistamine
(equivalent to olopatadine hydrochloride 0.776%)

Use temporarily relieves itchy eyes due to pollen, ragweed, grass, animal hair and dander

Warnings

For external use only

Do not use
- if solution changes color or becomes cloudy
- if you are sensitive to any ingredient in this product
- to treat contact lens related irritation

When using this product
- do not touch tip of container to any surface to avoid contamination
- remove contact lenses before use
- wait at least 10 minutes before reinserting contact lenses after use
- do not wear a contact lens if your eye is red

Stop use and ask a doctor if you experience:
- eye pain
- changes in vision
- increased redness of the eye
- itching worsens or lasts for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **adults and children 2 years of age and older:**
  - put **1 drop** in the affected eye(s) **once daily**
  - **do not use more than 1 drop in each eye per day**
  - if using other ophthalmic products while using this product, wait at least 5 minutes between each product
  - replace cap after each use
- **children under 2 years of age:** consult a doctor

Other information

- only for use in the eye
- store between 2°-25°C (36°-77°F)

Inactive ingredients

benzalkonium chloride 0.015%, boric acid, hydrochloric acid/sodium hydroxide (to adjust pH), hydroxypropylgamma-cyclodextrin, hypromellose, mannitol, polyethylene glycol 400, povidone, and purified water

Questions?

In the U.S., call 1-800-757-9195 or email alcon.medinfo@alcon.com

TAMPER EVIDENT:
For your protection, this bottle has a seal imprinted with Alcon around the neck. Do not use if seal is damaged or missing at time of purchase.

Alcon Laboratories, Inc.
6201 South Freeway
Fort Worth, Texas 76134

Country of Origin: Japan

NDC: 0065-0816-12

EXTRA STRENGTH

Pataday®

ONCE DAILY RELIEF

Olopatadine hydrochloride ophthalmic solution 0.7% Antihistamine

Eye Allergy Itch Relief

3-PACK

EXTRA STRENGTH

Pataday®

ONCE DAILY RELIEF

Olopatadine hydrochloride ophthalmic solution 0.7% Antihistamine

Eye Allergy Itch Relief

FULL 24 HOUR

Works in Minutes

Relief from Allergens:
- Pet Dander • Pollen
- Grass • Ragweed

Alcon

Three 2.5 mL bottles (0.085 FL OZ EACH)

STERILE

EXTRA STRENGTH

Pataday®

ONCE DAILY RELIEF

Eye Allergy Itch Relief
Works in Minutes

For Ages 2 and Older

Carton contains Three 2.5 mL bottles

EACH BOTTLE CONTAINS A 30 DAY SUPPLY

300038460-0321

LOT: XXXXX

EXP: XXXX/MM

(b) (q)

5 7/8

EXTRA STRENGTH

Pataday®

ONCE DAILY RELIEF

Olopatadine hydrochloride
ophthalmic solution 0.7%
Antihistamine

Safe Area

5 1/4

2 7/8

Three 2.5 mL bottles (0.085 FL OZ EACH)

FULL 24 HOUR

Eye Allergy Itch Relief

**One Drop.
Once a Day.
For 24-Hour Relief.**

Each bottle contains a 30 Day Supply

Three 2.5 mL bottles
(0.085 FL OZ EACH)

8

ACTUAL SIZE 100%

(b) (4)

5 7/8

8

FULL 24 HOUR

Safe Area

EXTRA STRENGTH

Pataday®

ONCE DAILY RELIEF

Olopatadine hydrochloride ophthalmic solution 0.7%

Antihistamine

Eye Allergy Itch Relief

3-PACK

PATADAY®
ONCE DAILY RELIEF
EXTRA STRENGTH

Works in Minutes

For Ages 2 and Older

Relief from Allergens:

- Pet Dander
- Pollen
- Grass
- Ragweed

3 00650 81612 0

Alcon

FL11750-0921
NDC: 0065-0816-12

Drug Facts

Active ingredient	*Purpose*
Olopatadine (0.7%) (equivalent to olopatadine hydrochloride 0.776%)	Antihistamine

Use temporarily relieves itchy eyes due to pollen, ragweed, grass, animal hair and dander

Warnings

For external use only

Do not use
- if solution changes color or becomes cloudy
- if you are sensitive to any ingredient in this product
- to treat contact lens related irritation

When using this product
- do not touch tip of container to any surface to avoid contamination
- remove contact lenses before use
- wait at least 10 minutes before reinserting contact lenses after use
- do not wear a contact lens if your eye is red

Stop use and ask a doctor if you experience:
- eye pain
- changes in vision
- increased redness of the eye
- itching worsens or lasts for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
- **adults and children 2 years of age and older:**
  - put **1 drop** in the affected eye(s) **once daily**
  - **do not use more than 1 drop in each eye per day**
  - if using other ophthalmic products while using this product, wait at least 5 minutes between each product
  - replace cap after each use
- **children under 2 years of age:** consult a doctor

Other information
- only for use in the eye
- store between 2°-25°C (36°-77°F)

Inactive ingredients

benzalkonium chloride 0.015%, boric acid, hydrochloric acid/sodium hydroxide (to adjust pH), hydroxypropylgamma-cyclodextrin, hypromellose, mannitol, polyethylene glycol 400, povidone, and purified water

Questions?

In the U.S., call 1-800-757-9195 or email alcon.medinfo@alcon.com

Pataday®

ACTUAL SIZE 100%

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

FRANCIS E BECKER
10/25/2021 01:56:09 PM