

After injection

- After you have given the injection, roll the unconscious person on to their side to prevent choking.
- **Call for emergency medical help or a healthcare provider right away after you have injected ZEGALOGUE.** Even if the ZEGALOGUE injection helps the person to wake up, still call for emergency medical help right away. If the person does not respond after 15 minutes, another dose may be given, if available.
- Once the person is able to safely consume food or drink, give the person a fast-acting source of sugar (such as fruit juice) and a long-acting source of sugar (such as crackers with cheese or peanut butter).
- **Replace the used ZEGALOGUE right away so you will have a new ZEGALOGUE in case you need it.**


Hypoglycemia may happen again after receiving ZEGALOGUE treatment.

Early symptoms of hypoglycemia may include:

- sweating
- drowsiness
- dizziness
- sleep disturbances
- irregular heartbeat (palpitation)
- anxiety
- tremor
- blurred vision
- hunger
- slurred speech
- restlessness
- depressed mood
- tingling in the hands, feet, lips, or tongue
- irritability
- abnormal behavior
- lightheadedness
- unsteady movement
- inability to concentrate
- personality changes
- headache

If not treated early, hypoglycemia may worsen and the person may have severe hypoglycemia. Signs of severe hypoglycemia include confusion, seizures, unconsciousness, and death.

How to throw away (dispose of) ZEGALOGUE



Dispose of your ZEGALOGUE and the gray needle cover in an FDA-cleared sharps disposal container.

Put your expired or used needles and syringes in an FDA-cleared sharps disposal container right away after use. **Do not throw away (dispose of) loose needles and syringes in your household trash.**

If you do not have an FDA-cleared sharps disposal container, you may use a household container that is:

- made of a heavy-duty plastic
- can be closed with a tight-fitting, puncture-resistant lid, without sharps being able to come out
- upright and stable during use
- leak-resistant
- properly labeled to warn of hazardous waste inside the container

When your sharps disposal container is almost full, you will need to follow your community guidelines for the correct way to dispose of your sharps disposal container. There may be state or local laws about how you should throw away used syringes. For more information about safe sharps disposal, and for specific information about sharps disposal in the state that you live in, go to the FDA's website at: <http://www.fda.gov/safesharpsdisposal>

Do not dispose of your used sharps disposal container in your household trash unless your community guidelines permit it.

Do not recycle your used sharps disposal container.

This Instructions For Use has been approved by the U.S. Food and Drug Administration.

Manufactured by:
Zealand Pharma A/S
Sydmarken 11
2860 Søborg, Denmark

REP-5121-C21
Revised 03/2021