

NDC 16837-855-75

MAXIMUM STRENGTH

Pepcid[®] AC


**Famotidine Tablets 20 mg
Acid Reducer**

Just One Tablet!
Prevents & Relieves Heartburn
Due to Acid Indigestion



actual size

75 Tablets



30047632



1-800-755-4008 (toll-free) or 215-273-8755 (local)

Drug Facts (continued)


Drug Facts (continued)

Other Information

- Read the directions and warnings before use.
- Keep the carton, it contains important information.
- Store at 20°-25°C (68°-77°F).
- Protect from moisture.

Inactive Ingredients

carbamazepine, hydroxypropyl cellulose, hydroxypropyl methylcellulose, magnesium stearate, microcrystalline cellulose, pregelatinized starch, talc, titanium dioxide



30047632

OT:

EXP:

Exempt from generic competition under the Hatch-Waxman Act.
 Distributed by: **JOHNSON & JOHNSON CONSUMER INC.**
 Medical Consumer Healthcare Division
 Fort Washington, PA 19054 USA
 Kalschedel, Caruana Pharmaceuticals Co., 2020
 PEPCID[®] and PEPCID AC[®] are registered trademarks
 of McNeil-PPC

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- Adults and children 12 years and over: Take one (1) tablet with a glass of water. Do not chew.
- To prevent symptoms, swallow 1 tablet with a glass of water at any time from 30 to 60 minutes before eating food or drinking beverages that cause heartburn.
- Do not use more than 2 tablets in 24 hours.
- Children under 12 years: Ask a doctor.

Drug Facts (continued)

Warnings

- Allergic alert: Do not use if you are allergic to famotidine or other acid reducers.

Uses

- Relieves heartburn associated with acid indigestion and sour stomach.
- Prevents heartburn associated with acid indigestion and sour stomach.
- Prevents heartburn associated with acid indigestion and sour stomach.

Do not use

- If you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- With other acid reducers.

Ask a doctor before use if you have:

- Had heartburn over 3 months. This may be a sign of heartburn with shortness of breath, sweating, pain spreading to arms, neck, or shoulders, or lightheadedness.
- Chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck, or shoulders, or lightheadedness.

Heartburn with frequent heartburn, or dizziness, or dizziness.

Drug Facts (continued)

- Frequent chest pain
- Frequent weight loss
- Frequent vomiting
- Stomach pain
- Stomach pain

Ask a doctor before use if you are:

- Taking a prescription drug. Acid reducers may interact with certain prescription drugs.
- Taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- Your heartburn continues or worsens
- You need to take this product for more than 14 days
- If you are pregnant, planning to get pregnant, or breastfeeding.

Other information:

- If pregnant or breastfeeding, ask a health professional before use.

MAXIMUM STRENGTH

Pepcid[®] AC

75 Tablets

30047632

Drug Facts (continued)

Warnings

- Allergic alert: Do not use if you are allergic to famotidine or other acid reducers.

Uses

- Relieves heartburn associated with acid indigestion and sour stomach.
- Prevents heartburn associated with acid indigestion and sour stomach.
- Prevents heartburn associated with acid indigestion and sour stomach.

Do not use

- If you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- With other acid reducers.

Ask a doctor before use if you have:

- Had heartburn over 3 months. This may be a sign of heartburn with shortness of breath, sweating, pain spreading to arms, neck, or shoulders, or lightheadedness.
- Chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck, or shoulders, or lightheadedness.

Heartburn with frequent heartburn, or dizziness, or dizziness.

Drug Facts (continued)

- Frequent chest pain
- Frequent weight loss
- Frequent vomiting
- Stomach pain
- Stomach pain

Ask a doctor before use if you are:

- Taking a prescription drug. Acid reducers may interact with certain prescription drugs.
- Taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- Your heartburn continues or worsens
- You need to take this product for more than 14 days
- If you are pregnant, planning to get pregnant, or breastfeeding.

Other information:

- If pregnant or breastfeeding, ask a health professional before use.

Tips For Managing Heartburn

- Do not lie flat or bend over after eating • Do not wear tight-fitting clothing around the stomach • Do not eat before bedtime • Raise the head of your bed • Avoid heartburn-causing foods such as rich, spicy, fatty, or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables • Eat slowly and avoid big meals
- If overweight, lose weight • Quit smoking

JUST ONE TABLET prevents and relieves heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages.

Do not use if foil inner seal imprinted with "Sealed For Your Safety" is broken or missing

Do not use if foil inner seal imprinted with "Sealed For Your Safety" is broken or missing.
Active ingredient (in each tablet) **Pepceid**

Famotidine 20 mg..... Acid reducer

Uses • relieves heart burn associated with acid indigestion and sour stomach • prevents heart burn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages. **Warnings** • **Always** A large alert: Do not use if you are allergic to famotidine or other acid reducers. Do not use

• if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor. • with other acid reducers. Ask a doctor before use if you have • had heartburn over 3 months.

30047631

MAXIMUM STRENGTH

NDC 16837-855-75

Pepcid[®]
AC

Famotidine Tablets 20 mg Acid Reducer

Just One Tablet!

Prevents & Relieves Heartburn
Due to Acid Indigestion

75 Tablets

This may be a sign of a more serious condition. • heartburn with light-headedness, sweating, or dizziness • chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arm, neck or shoulder, or lightheadedness • frequent chest pain • frequent wheezing, particularly with heartburn • unexplained weight loss • nausea or vomiting • stomach pain • kidney disease. Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs. Stop use and ask a doctor if • your heartburn continues or worsens • you need to take this product for more than 14 days. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions • adults and children 12 years and over: • to relieve symptoms, swallow 1 tablet with a glass of water. Do not chew. • to prevent symptoms, swallow 1 tablet with a glass of water at any time from 10 to 60 minutes before eating food or drinking beverages that cause heartburn • do not use more than 2 tablets in 24 hours • children under 12 years: ask a doctor

Famotidine (active ingredient) made in Hungary

Distributed by: JOHNSON & JOHNSON CONSUMER INC., McNeil Consumer Healthcare Division
Fort Washington, PA 19034 USA ©McNeil Consumer Pharmaceuticals Co. 2020
PEPCID® and PEPCID AC® are registered trademarks of McNeil-PPC

125 TABLETS (75ct + 50ct)

MAXIMUM STRENGTH

NDC 16837-855-90

Pepcid[®]
AC

Famotidine Tablets 20 mg
Acid Reducer

Just One Tablet!
Prevents & Relieves Heartburn
Due to Acid Indigestion



actual size

75 Tablets



MAXIMUM STRENGTH

Pepcid[®]
AC

Famotidine Tablets 20 mg
Acid Reducer

Just One Tablet!
Prevents & Relieves Heartburn
Due to Acid Indigestion



actual size

50 Tablets



© J&JCI 2021

FPO

MCN-TBD-XXXX



7 16837 85586 6

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
12/20/2022 12:42:38 PM