

NDC 0078-0909-61 Rx only  
28-Day Supply

**Kisqali® Femara® CO-PACK**  
(ribociclib tablets; letrozole tablets)

<b>200 mg daily dose</b> (one 200 mg tablet) 21 Film-coated tablets	<b>2.5 mg per tablet</b> 28 Film-coated tablets
---	--

**This carton contains:**

- Kisqali® (ribociclib) tablets: 1 individual monthly blister pack. Blister pack contains 21 tablets (200 mg per tablet). (NDC 0078-0888-21)
- Femara® (letrozole) tablets: 1 bottle containing 28 tablets. (NDC 0078-0881-50)
- Prescribing Information for Kisqali® Femara® CO-PACK.
- Dosing Calendar

**NOVARTIS**

---

Rx only NDC 0078-0909-61

This carton contains  
Kisqali® (ribociclib) tablets 1 individual monthly blister pack.  
Blister pack contains 21 tablets (200 mg per tablet).  
(NDC 0078-0888-21)  
Femara® (letrozole) tablets 1 bottle containing 28 tablets.  
(NDC 0078-0881-50)  
Prescribing Information for Kisqali® Femara® CO-PACK.  
Dosing Calendar

**Kisqali® Femara® CO-PACK**  
(ribociclib tablets; letrozole tablets)

<b>200 mg daily dose</b> (one 200 mg tablet) 21 Film-coated tablets	<b>2.5 mg per tablet</b> 28 Film-coated tablets
---	--

Usual Dosage: Take one 200 mg Kisqali® tablet once daily for 3 weeks followed by a one-week break, and one 2.5 mg Femara® tablet once daily for 28 days. Take with or without food. Swallow tablets whole.  
**DO NOT** chew, crush, or split tablets.  
• Take Kisqali® Femara® CO-PACK exactly as directed by your prescriber.  
• Use the dosing calendar inside to keep track of your 28-day treatment.  
**Store at 20°C to 25°C (68°F to 77°F). Store in the original package.**  
Keep this and all drugs out of the reach of children.  
For more information, visit [www.KISQALI.com](http://www.KISQALI.com) or call 1-844-KISQALI (1-844-547-7254)

Each Kisqali® tablet contains 200 mg ribociclib equivalent to 254.40 mg of the succinate salt of ribociclib.  
Each Femara® tablet contains 2.5 mg letrozole.


<b>Kisqali®</b> (ribociclib) tablets Product of China. Manufactured by: Novartis Singapore Pharmaceutical Manufacturing Pte. Ltd. 627463, Singapore	<b>Femara®</b> (letrozole) tablets Product of Switzerland. Manufactured by: Novartis Pharma Stein Stein, Switzerland	300004810-US	Distributed by: Novartis Pharmaceuticals Corp. East Hanover, NJ 07936	©Novartis
---	---	--------------	---	-----------

**Kisqali® Femara® CO-PACK**  
(ribociclib tablets; letrozole tablets)

<b>200 mg daily dose</b> (one 200 mg tablet) 21 Film-coated tablets	<b>2.5 mg per tablet</b> 28 Film-coated tablets
---	--

**NOVARTIS**

NDC 0078-0916-61
Rx only  
28-Day Supply




**Kisqali<sup>®</sup> Femara<sup>®</sup> CO-PACK**  
(ribociclib tablets; letrozole tablets)

**400 mg daily dose**  
(two 200 mg tablets)  
42 Film-coated tablets

**2.5 mg per tablet**  
28 Film-coated tablets

**This carton contains:**

- Kisqali<sup>®</sup> (ribociclib) tablets: 3 individual weekly blister packs. Each blister pack contains 14 tablets (200 mg per tablet). (NDC 0078-0895-14)
- Femara<sup>®</sup> (letrozole) tablets: 1 bottle containing 28 tablets. (NDC 0078-0881-50)
- Prescribing Information for Kisqali<sup>®</sup> Femara<sup>®</sup> CO-PACK.
- Dosing Calendar




Rx only

NDC 0078-0916-61

This carton contains:

- Kisqali<sup>®</sup> (ribociclib) tablets: 3 individual weekly blister packs. Each blister pack contains 14 tablets (200 mg per tablet). (NDC 0078-0895-14)
- Femara<sup>®</sup> (letrozole) tablets: 1 bottle containing 28 tablets. (NDC 0078-0881-50)
- Prescribing Information for Kisqali<sup>®</sup> Femara<sup>®</sup> CO-PACK.
- Dosing Calendar



**Usual Dosage:** Take two 200 mg Kisqali<sup>®</sup> tablets once daily for 3 weeks followed by a one-week break, and one 2.5 mg Femara<sup>®</sup> tablet once daily for 28 days. Take with or without food. Swallow tablets whole.

**DO NOT** chew, crush, or split tablets.

- Take Kisqali<sup>®</sup> Femara<sup>®</sup> CO-PACK exactly as directed by your prescriber.
- Use the dosing calendar inside to keep track of your 28-day treatment.


**Store at 20°C to 25°C (68°F to 77°F). Store in the original package.** Keep this and all drugs out of the reach of children.

For more information, visit [www.KISQALI.com](http://www.KISQALI.com) or call 1-844-KISQALI (1-844-547-7254)


**Kisqali<sup>®</sup>**  
(ribociclib) tablets  
Product of China  
Manufactured by:  
Novartis Singapore Pharmaceutical  
Manufacturing Pte. Ltd.  
627463, Singapore

**Femara<sup>®</sup>**  
(letrozole) tablets  
Product of Switzerland  
Manufactured by:  
Novartis Pharma Stein  
Stein, Switzerland

200004806-US



0078-0916-61




Rx only

NDC 0078-0916-61

This carton contains:

- Kisqali<sup>®</sup> (ribociclib) tablets: 3 individual weekly blister packs. Each blister pack contains 14 tablets (200 mg per tablet). (NDC 0078-0895-14)
- Femara<sup>®</sup> (letrozole) tablets: 1 bottle containing 28 tablets. (NDC 0078-0881-50)
- Prescribing Information for Kisqali<sup>®</sup> Femara<sup>®</sup> CO-PACK.
- Dosing Calendar



**Usual Dosage:** Take two 200 mg Kisqali<sup>®</sup> tablets once daily for 3 weeks followed by a one-week break, and one 2.5 mg Femara<sup>®</sup> tablet once daily for 28 days. Take with or without food. Swallow tablets whole.

**DO NOT** chew, crush, or split tablets.

- Take Kisqali<sup>®</sup> Femara<sup>®</sup> CO-PACK exactly as directed by your prescriber.
- Use the dosing calendar inside to keep track of your 28-day treatment.


**Store at 20°C to 25°C (68°F to 77°F). Store in the original package.** Keep this and all drugs out of the reach of children.

For more information, visit [www.KISQALI.com](http://www.KISQALI.com) or call 1-844-KISQALI (1-844-547-7254)


**Kisqali<sup>®</sup>**  
(ribociclib) tablets  
Product of China  
Manufactured by:  
Novartis Singapore Pharmaceutical  
Manufacturing Pte. Ltd.  
627463, Singapore

**Femara<sup>®</sup>**  
(letrozole) tablets  
Product of Switzerland  
Manufactured by:  
Novartis Pharma Stein  
Stein, Switzerland

200004806-US



0078-0916-61




Rx only

NDC 0078-0916-61

This carton contains:

- Kisqali<sup>®</sup> (ribociclib) tablets: 3 individual weekly blister packs. Each blister pack contains 14 tablets (200 mg per tablet). (NDC 0078-0895-14)
- Femara<sup>®</sup> (letrozole) tablets: 1 bottle containing 28 tablets. (NDC 0078-0881-50)
- Prescribing Information for Kisqali<sup>®</sup> Femara<sup>®</sup> CO-PACK.
- Dosing Calendar



**Usual Dosage:** Take two 200 mg Kisqali<sup>®</sup> tablets once daily for 3 weeks followed by a one-week break, and one 2.5 mg Femara<sup>®</sup> tablet once daily for 28 days. Take with or without food. Swallow tablets whole.

**DO NOT** chew, crush, or split tablets.

- Take Kisqali<sup>®</sup> Femara<sup>®</sup> CO-PACK exactly as directed by your prescriber.
- Use the dosing calendar inside to keep track of your 28-day treatment.


**Store at 20°C to 25°C (68°F to 77°F). Store in the original package.** Keep this and all drugs out of the reach of children.

For more information, visit [www.KISQALI.com](http://www.KISQALI.com) or call 1-844-KISQALI (1-844-547-7254)


**Kisqali<sup>®</sup>**  
(ribociclib) tablets  
Product of China  
Manufactured by:  
Novartis Singapore Pharmaceutical  
Manufacturing Pte. Ltd.  
627463, Singapore

**Femara<sup>®</sup>**  
(letrozole) tablets  
Product of Switzerland  
Manufactured by:  
Novartis Pharma Stein  
Stein, Switzerland

200004806-US



0078-0916-61



NDC 0078-0923-61
Rx only  
28-Day Supply

**Kisqali® Femara® CO-PACK**  
(ribociclib tablets; letrozole tablets)

**600 mg**  
daily dose  
(three 200 mg tablets)

63 Film-coated tablets

**2.5 mg**  
per tablet

28 Film-coated tablets

**This carton contains:**

- Kisqali® (ribociclib) tablets: 3 individual weekly blister packs. Each blister pack contains 21 tablets (200 mg per tablet). (NDC 0078-0902-21)
- Femara® (letrozole) tablets: 1 bottle containing 28 tablets. (NDC 0078-0881-50)
- Prescribing Information for Kisqali® Femara® CO-PACK.
- Dosing Calendar

**Kisqali® Femara® CO-PACK**  
(ribociclib tablets; letrozole tablets)

600 mg daily dose (three 200 mg tablets)  
2.5 mg per tablet  
63 Film-coated tablets

---

Rx only

NDC 0078-0923-61

This carton contains:

- Kisqali® (ribociclib) tablets: 3 individual weekly blister packs. Each blister pack contains 21 tablets (200 mg per tablet). (NDC 0078-0902-21)
- Femara® (letrozole) tablets: 1 bottle containing 28 tablets. (NDC 0078-0881-50)
- Prescribing Information for Kisqali® Femara® CO-PACK.
- Dosing Calendar

**Kisqali® Femara® CO-PACK**  
(ribociclib tablets; letrozole tablets)

**600 mg**  
daily dose  
(three 200 mg tablets)

63 Film-coated tablets

**2.5 mg**  
per tablet

28 Film-coated tablets

**Usual Dosage:** Take three 200 mg Kisqali® tablets once daily for 3 weeks followed by a one-week break, and one 2.5 mg Femara® tablet once daily for 28 days. Take with or without food. Swallow tablets whole.

**DO NOT** chew, crush, or split tablets.

- Take Kisqali® Femara® CO-PACK exactly as directed by your prescriber.
- Use the dosing calendar inside to keep track of your 28-day treatment.

**Store at 20°C to 25°C (68°F to 77°F). Store in the original package.** Keep this and all drugs out of the reach of children. For more information, visit [www.KISQALI.com](http://www.KISQALI.com) or call 1-844-KISQALI (1-844-547-7254)

**Kisqali®**  
(ribociclib) tablets

Product of China  
Manufactured by:  
Novartis Singapore Pharmaceutical  
Manufacturing Pte. Ltd.  
627463, Singapore

**Femara®**  
(letrozole) tablets

Product of Switzerland  
Manufactured by:  
Novartis Pharma Stein  
Stein, Switzerland

200004807-US

Distributed by:  
Novartis Pharmaceuticals Corp.  
East Hanover, NJ 07926

1-61-4678-070

**Kisqali® Femara® CO-PACK**  
(ribociclib tablets; letrozole tablets)

600 mg daily dose (three 200 mg tablets)  
2.5 mg per tablet  
63 Film-coated tablets



Ramesh  
Raghavachari

Digitally signed by Ramesh Raghavachari  
Date: 5/04/2022 04:08:48PM  
GUID: 502d0913000029f375128b0de8c50020