


For current labeling information, please visit <https://www.fda.gov/drugsatfda>





**LEQVIO<sup>®</sup>**  
(inclisiran) injection

NDC 0078-1000-60

**284 mg/1.5 mL**  
(189 mg/mL)

N  
3



0078-1000-60 3

**Single-dose Prefilled Syringe**

**For subcutaneous use**

For administration by a healthcare professional only

Rx only

**Recommended Dosage:** See Prescribing Information.

Each prefilled syringe contains 1.5 mL of solution containing 284 mg inclisiran (present as 300 mg inclisiran sodium), Water for Injection, and may include sodium hydroxide and/or phosphoric acid for pH adjustment.

Discard after single use.

Sterile Solution – No Preservative

 **NOVARTIS**

**Storage:** Store at 20°C to 25°C (68°F to 77°F);  
excursions permitted between

15°C and 30°C (59°F and 86°F)

[see USP Controlled Room Temperature].

Distributed by Novartis Pharmaceuticals Corporation  
East Hanover, NJ 07936 © Novartis

46300898 US

NDC 0078-1000-60

**LEQVIO<sup>®</sup>**

(inclisiran) injection

**284 mg/1.5 mL\***

\*Present as 300 mg inclisiran sodium

Single-dose Rx only

**For subcutaneous use**



© Novartis  
46300899 US



Lot AB1234  
EXP MMM YYYY

(



Ramesh  
Raghavachari

Digitally signed by Ramesh Raghavachari  
Date: 6/06/2022 07:59:28AM  
GUID: 502d0913000029f375128b0de8c50020