



**LEQVIO**<sup>®</sup>  
(inclisiran) injection  
284 mg/1.5 mL  
(189 mg/mL)



**LEQVIO**<sup>®</sup>  
(inclisiran) injection

NDC 0078-1000-60

**284 mg/1.5 mL**  
(189 mg/mL)



**Contains One Single-dose Prefilled Syringe**

**For subcutaneous use**

For administration by a healthcare professional only

**LEQVIO**<sup>®</sup>  
(inclisiran) injection  
284 mg/1.5 mL  
(189 mg/mL)



**Recommended Dosage:** See Prescribing Information.

**Storage:** Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F) [see USP Controlled Room Temperature]. Discard after single use.

Each prefilled syringe contains 1.5 mL of solution containing 284 mg inclisiran (present as 300 mg inclisiran sodium), Water for Injection, and may include sodium hydroxide and/or phosphoric acid for pH adjustment. Contains no preservatives.


Not made with natural rubber latex.

For more information, visit [www.LEQVIO.com](http://www.LEQVIO.com) or call 1-888-669-6682.

Manufactured by Sandoz GmbH, Langkampfen, Austria

Distributed by Novartis Pharmaceuticals Corporation, East Hanover, New Jersey 07936

© Novartis



N 0078-1000-60 3



**For subcutaneous use**

**284 mg/1.5 mL**  
(189 mg/mL)

**LEQVIO**<sup>®</sup>  
(inclisiran) injection

46301242 US

**LEQVIO**<sup>®</sup>  
(inclisiran) injection

NDC 0078-1000-60

**284 mg/1.5 mL**  
(189 mg/mL)



**Contains One Single-dose Prefilled Syringe**

**For subcutaneous use**

For administration by a healthcare professional only

Sterile Solution  
Rx only



 **NOVARTIS**

AB1234  
MMYY  
Lot  
EXP



**LEQVIO**<sup>®</sup>  
(inclisiran) injection

**284 mg/1.5 mL**  
(189 mg/mL)

NDC 0078-1000-60



**Single-dose Prefilled Syringe**

**For subcutaneous use**

For administration by a healthcare professional only

Rx only

**Recommended Dosage:** See Prescribing Information.

Each prefilled syringe contains 1.5 mL of solution containing 284 mg inclisiran (present as 300 mg inclisiran sodium), Water for Injection, and may include sodium hydroxide and/or phosphoric acid for pH adjustment.

Discard after single use. Sterile Solution – No Preservative



**Storage:** Store at 20°C to 25°C (68°F to 77°F);  
excursions permitted between  
15°C and 30°C (59°F and 86°F)  
[see USP Controlled Room Temperature].

Distributed by Novartis Pharmaceuticals Corporation  
East Hanover, NJ 07936 © Novartis

46300898 US

NDC 0078-1000-60

**LEQVIO**<sup>®</sup>

(inclisiran) injection

**284 mg/1.5 mL\***

\*Present as 300 mg inclisiran sodium

Single-dose Rx only

**For subcutaneous use**



© Novartis  
46300899 US



Lot AB1234  
EXP MMM YYYY



Ramesh  
Raghavachari

Digitally signed by Ramesh Raghavachari  
Date: 6/06/2022 07:59:28AM  
GUID: 502d0913000029f375128b0de8c50020