



NDC 0234-0575-04

HIBICLENS
Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**



PERSISTENT EFFECT GREAT FOR HAND HYGIENE GENERAL SKIN CLEANSING

ONE 4 fl oz (118 mL) BOTTLE



The Mölnlycke Health Care, HBI, HibiClen, and HibiStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies.
Distributed by:
Mölnlycke Health Care, US LLC,
Peachtree Corners,
Georgia 30092
©2022 Mölnlycke Health Care AB. All rights reserved.
For more information go to www.hibiclens.com
www.molnycke.com
5200483-00-1



FPO UPC
7332551938352
0 00000 00000 0

NDC 0234-0575-04

HIBICLENS
Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**



PERSISTENT EFFECT GREAT FOR HAND HYGIENE GENERAL SKIN CLEANSING

ONE 4 fl oz (118 mL) BOTTLE

Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate solution 4% w/v	Antiseptic

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings
For external use only

Allergy alert:
This product may cause a severe allergic reaction. Symptoms may include:
 ■ wheezing/difficultly breathing ■ shock ■ facial swelling
 ■ hives ■ rash
 If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- skin wound and general skin cleansing. Thoroughly rinse the area to be cleaned with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash. Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients
fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497

NDC 0234-0575-04

HIBICLENS®

Chlorhexidine Gluconate
Solution 4% w/v

**ANTISEPTIC
SKIN CLEANSER**

Helps reduce bacteria that
potentially can cause disease


Mölnlycke®

4 fl oz (118 mL)

Drug Facts

Active ingredient Chlorhexidine gluconate solution 4% w/v.....Antiseptic
Purpose Antiseptic

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

Drug Facts (continued)

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Drug Facts (continued)

- *skin wound and general skin cleansing.* Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- *surgical hand scrub.* Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- *healthcare personnel handwash.* Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497

Lot number and expiration date printed on bottom of container. Laundering/Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

The Mölnlycke Health Care, Hibi, HibiClen, and HibiStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies.

Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved. 5200776-00-1

FPO UPC

7332551065690



NDC 0234-0575-41

HIBICLENS®

Chlorhexidine Gluconate Solution 4% w/v

ANTISEPTIC SKIN CLEANSER



PERSISTENT EFFECT



GREAT FOR HAND HYGIENE



GENERAL SKIN CLEANSING

Helps reduce bacteria that potentially can cause disease

With foam pump • Replace cap after use

4 fl oz (118 mL)

Drug Facts

Active ingredient Purpose
Chlorhexidine gluconate solution 4% w/v.....Antiseptic

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, →

Drug Facts (continued)

rinse with cold water right away

- wounds which involve more than the superficial layers of the skin should not be routinely treated

- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- skin wound and general skin cleansing.** Thoroughly rinse the area to be decontaminated with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- surgical hand scrub.** Wet hands and forearms with water. Scrub for 3 minutes with about 5mL (4 pumps) of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash.** Wet hands with water. Dispense about 5mL (4 pumps) of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly. →

Drug Facts (continued)

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497

Lot number and expiration date printed on bottom of container. Laundering/Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

The Mölnlycke Health Care, Hibi, HibiCleans, and HibiStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved.

For more information go to:
www.hibiclens.com
www.molnlycke.com

5200937-00-1

Mölnlycke®



FPO UPC
7323190212972

0 00000 1 00000 0



NDC 0234-0575-08

HIBICLENS
Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**




PERSISTENT EFFECT GREAT FOR HAND HYGIENE GENERAL SKIN CLEANSING

ONE 8 fl oz (236 mL) BOTTLE



The Mölnlycke Health Care, Hib, HibCleans, and HibStat names and registered logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies, Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved. For more information go to www.hibiclens.com

Mölnlycke



This packaging is tamper evident. If package is damaged, do not use

HIBICLENS
Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**

NDC 0234-0575-08

HIBICLENS
Chlorhexidine Gluconate
Solution 4% w/v
**ANTISEPTIC
SKIN CLEANSER**



PERSISTENT EFFECT GREAT FOR HAND HYGIENE GENERAL SKIN CLEANSING

ONE 8 fl oz (236 mL) BOTTLE

Drug Facts

Active ingredient
Chlorhexidine gluconate solution 4% w/v

Purpose
Antiseptic

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings

For external use only

- Allergy alert:** This product may cause a severe allergic reaction. Symptoms may include:
- wheezing/difficulty breathing
 - shock
 - facial swelling
 - hives
 - rash
- If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5 mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash. Wet hands with water. Dispense about 5 mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497

Laundering/Cleaning Instruction. Chlorhexidine Gluconate skin cleansers will cause stains if used with chlorinated products. Rinse completely and use only non-chlorine detergents. See website for more details.

NDC 0234-0575-08

HIBICLENS®

Chlorhexidine Gluconate
Solution 4% w/v

**ANTISEPTIC
SKIN CLEANSER**



PERSISTENT
EFFECT



GREAT FOR
HAND HYGIENE



GENERAL SKIN
CLEANSING

Helps reduce bacteria that potentially can cause disease



8 fl oz (236 mL)

Drug Facts

Active ingredient Chlorhexidine gluconate solution 4% w/v..... Antiseptic

Purpose

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums

Drug Facts (continued)

- if contact occurs in any of these areas, rinse with cold water right away

- wounds which involve more than the superficial layers of the skin should not be routinely treated

- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

- *skin wound and general skin cleansing.* Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.

- *surgical hand scrub.*

Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.

- *healthcare personnel handwash.* Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a

Drug Facts (continued)

vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497

Lot number and expiration date printed on bottom of container. Laundering/Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

5200620-00-1


The Mölnlycke Health Care, Hibi, Hibicleans, and HibiStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies.

Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092

©2022 Mölnlycke Health Care AB. All rights reserved.

For more information go to:

www.hibicleans.com, www.molnlycke.com



NDC 0234-0575-16
HIBICLENS
 Chlorhexidine Gluconate
 Solution 4% w/v
**ANTISEPTIC
 SKIN CLEANSER**



Includes Foam Dispenser

ONE 16 fl oz (473 mL) BOTTLE

Mylanlycke

The Mylanlycke Health Care, Hib, HibClens, and HibStar names and respective logos are registered globally to one or more of the Mylanlycke Health Care Group of Companies. Distributed by Mylanlycke Health Care, US, LLC, Peachtree Corners, Georgia 30092 ©2022 Mylanlycke Health Care AZL All rights reserved.

For more information go to www.hibclens.com or www.mylanlycke.com



NDC 0234-0575-16
HIBICLENS
 Chlorhexidine Gluconate
 Solution 4% w/v
**ANTISEPTIC
 SKIN CLEANSER**



Includes Foam Dispenser

ONE 16 fl oz (473 mL) BOTTLE

Drug Facts

Active ingredient	Purpose
Chlorhexidine gluconate solution 4% w/v	Antiseptic

Uses

- Antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease.
- Use on skin wounds and general skin cleansing.
- Use on surgical hand scrub.
- Use on healthcare personnel handwash.

Warnings

For external use only

Allergy alert: This product may cause a severe allergic reaction. Symptoms may include:

- hives
- swelling, especially breathing
- skin rash
- itching
- difficulty breathing
- swelling of the face, lips, tongue, or throat
- feeling faint or dizzy
- stomach pain
- diarrhea
- nausea
- vomiting
- stomach cramps
- stomach pain
- stomach cramps
- stomach pain
- stomach cramps

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- If you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product.
- If you are pregnant or breastfeeding.
- If you are taking any other medicine.
- If you are taking any other medicine.
- If you are taking any other medicine.
- If you are taking any other medicine.

When using this product

- Keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause dryness when inhaled in the middle ear through eustachian ear tubes.
- If contact occurs in any of these areas, rinse with cold water right away.
- Wash hands with water for at least 20 seconds. The skin should not be routinely treated.
- Use only on intact skin. Do not use on open wounds or areas that are broken or irritated.
- Use only on intact skin. Do not use on open wounds or areas that are broken or irritated.
- Use only on intact skin. Do not use on open wounds or areas that are broken or irritated.

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. There may be signs of serious conditions.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- Use on skin wounds and general skin cleansing. Thoroughly rinse the area to be cleaned with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- Use on surgical hand scrub: Wet hands and forearms with water. Scrub for 3 minutes with about 1oz (14 pumps) of the product with a brush. Rinse thoroughly under running water. Squeeze dry thoroughly.
- Use on healthcare personnel handwash: Wet hands with water. Dispense about 1oz (14 pumps) of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- Keep between 20°C (68°F) and 25°C (77°F).
- Avoid excessive heat above 40°C (104°F).

Inactive ingredients

Isopropyl alcohol 4% w/v, L-cysteine, sodium lauryl sulfate, polyethylene glycol 200, purified water and not 40.

Questions? 1-800-843-8497

Laundry/Cleaning Instruction:
 Chlorhexidine Gluconate skin cleansers will cause staining if used with chlorinated products. Rinse completely and use only non-chlorine detergents. See website for more details.

NDC 0234-0575-16

HIBICLENS®

Chlorhexidine Gluconate
Solution 4% w/v

**ANTISEPTIC
SKIN CLEANSER**



PERSISTENT
EFFECT



GREAT FOR
HAND HYGIENE



GENERAL SKIN
CLEANSING

Helps reduce bacteria that potentially can cause disease

16 fl oz (473 mL)

Drug Facts

Active ingredient

Chlorhexidine gluconate

solution 4% w/v.....Antiseptic

Purpose

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause

Drug Facts (continued)

deafness when instilled in the middle ear through perforated eardrums.

- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- *skin wound and general skin cleansing.* Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- *surgical hand scrub.* Wet hands and forearms with water. Scrub for 3 minutes with about 5mL (4 pumps) of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- *healthcare personnel handwash.* Wet hands with water. Dispense about 5mL (4 pumps) of the product into cupped hands

Drug Facts (continued)

and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497



Mölnlycke®

Lot number and expiration date printed on bottom of container. Laundering/Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

The Mölnlycke Health Care, Hibi, HibiClens, and HibiStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved.

For more information go to:
www.hibiclens.com
www.molnlycke.com

5200773-00-1



NDC 0234-0575-32

HIBICLENS[®]

Chlorhexidine Gluconate
Solution 4% w/v

**ANTISEPTIC
SKIN CLEANSER**

Helps reduce bacteria that
potentially can cause disease


Mölnlycke[®]

32 fl oz (1 qt) (946 mL)

Drug Facts

Active ingredient Chlorhexidine gluconate solution 4% w/v. **Purpose** Antiseptic

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body

Drug Facts (continued)

areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- skin wound and general skin cleansing.** Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- surgical hand scrub.** Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash.** Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40


Questions? 1-800-843-8497

Lot number and expiration date printed on bottom of container. Laundering/Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

The Mölnlycke Health Care, Hibi, HibiClens, and HibiStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092. ©2022 Mölnlycke Health Care AB. All rights reserved.

For more information go to:
www.hibiclens.com
www.molnlycke.com

5200950-00-1



NDC 0234-0575-91

HIBICLENS®

Chlorhexidine Gluconate
Solution 4% w/v

**ANTISEPTIC
SKIN CLEANSER**

Helps reduce bacteria that
potentially can cause disease



1 gal (3.79 L)

Drug Facts

Active ingredient
Chlorhexidine gluconate
solution 4% w/v.....Antiseptic

Purpose

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

Drug Facts (continued)

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount

Drug Facts (continued)

of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.

- surgical hand scrub.** Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel handwash.** Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497

Lot number and expiration date printed on bottom of container. Laundering/Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents.

The Mölnlycke Health Care, Hibi, HibiClens, and HibiStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092 ©2022 Mölnlycke Health Care AB. All rights reserved.

For more information go to:
www.hibiclens.com
www.molnlycke.com

5200944-00-1



NDC 0234-0575-17

HIBICLENS[®]

Chlorhexidine Gluconate
Solution 4% w/v

ANTISEPTIC SKIN CLEANSER

NON-STERILE
SOLUTION

**Helps reduce bacteria that potentially
can cause disease**

Please refer to outer packaging for
directions for use and products warnings.

Distributed by Mölnlycke Health Care, US
LLC, Peachtree Corners, Georgia 30092
©2022 Mölnlycke Health Care AB.
All rights reserved.



Mölnlycke[®]

Part# 52000951-00-1

Single Use

0.507 fl oz
(15 mL)



FPO UPC
7323190200276

0 00000 00000 0

Mölnlycke

Helps reduce bacteria that potentially
can cause disease

HIBICLENS
Chlorhexidine Gluconate
Solution 4% w/v
ANTISEPTIC SKIN CLEANSER
NON-STERILE
SOLUTION

NDC 0234-0575-17

Drug Facts		Drug Facts (continued)
Active ingredient Chlorhexidine gluconate solution 4% w/v.....Antiseptic	Purpose if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums	Drug Facts (continued) vigorous manner for 15 seconds. Rinse and dry thoroughly. ■ <i>patient preoperative skin preparation.</i> Apply the product liberally to surgical site and swab for at least 2 minutes. Dry with a sterile towel. Repeat.
Uses ■ antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease ■ for skin wound and general skin cleansing ■ surgical hand scrub ■ healthcare personnel handwash ■ patient preoperative skin preparation	■ if contact occurs in any of these areas, rinse with cold water right away ■ wounds which involve more than the superficial layers of the skin should not be routinely treated ■ repeated general cleansing of large body areas should not be done except when advised by a health care provider	Other information ■ store between 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F)
Warnings For external use only Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: ■ wheezing/difficulty breathing ■ shock ■ facial swelling ■ hives ■ rash If an allergic reaction occurs, stop use and seek medical help right away. Do not use ■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product ■ as a patient preoperative skin preparation of the head or face ■ in contact with the meninges ■ in the genital area	Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. ■ <i>skin wound and general skin cleansing.</i> Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly. ■ <i>surgical hand scrub.</i> Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. ■ <i>healthcare personnel handwash.</i> Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a	Inactive ingredients fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40 Questions? 1-800-843-8497 Lot number and expiration date printed on bottom of container. Laundering/ Cleaning Instructions. Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products. Rinse completely and use only non-chlorine detergents. For more information go to: www.hibiclens.com www.molnlycke.com Part # 5200952-00-1 RECYCLED • RECYCLABLE This carton is made from at least 35% postconsumer recycled fibers.
When using this product ■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury		

NDC 0234-0575-17

HIBICLENS
Chlorhexidine Gluconate
Solution 4% w/v
ANTISEPTIC SKIN CLEANSER
NON-STERILE
SOLUTION

Helps reduce bacteria that potentially
can cause disease



FPO UPC
7323190200252

NDC 0234-0575-17

HIBICLENS
Chlorhexidine Gluconate
Solution 4% w/v
ANTISEPTIC SKIN CLEANSER
NON-STERILE
SOLUTION

Helps reduce bacteria that potentially
can cause disease


Contains: 50 Single Use Packettes, 0.507 fl oz (15mL) Each


 The Mölnlycke Health Care, Hibi, HibiClens, and HibiStat names and respective logos are registered globally to one or more of the Mölnlycke Health Care Group of Companies. Distributed by Mölnlycke Health Care, US LLC, Peachtree Corners, Georgia 30092-6222
Mölnlycke Health Care AB. All rights reserved.

NDC 0234-0575-17

HIBICLENS
Chlorhexidine Gluconate
Solution 4% w/v
ANTISEPTIC SKIN CLEANSER
NON-STERILE
SOLUTION

Helps reduce bacteria that potentially
can cause disease


 LOT
EXP

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

PAMELA J HORN
07/26/2023 11:06:16 AM