

Drug Facts: 9.00 pt	Body Text: 6.00 pt	Bullets: 5.00 pt	Horizontal Scale: 100%
Headers: 8.00 pt	Leading: 6.50 pt	Barlines: 2.50 pt	
Subheaders: 6.00 pt	Drug Facts (continued): 8.00 pt	Hairlines: 0.50 pt	Average Tracking: 0

Cetirizine
Cetirizine
Cetirizine
Cetirizine

ZYRTEC

3
Tablets 0.125"

LOT:
EXP:



Drug Facts

Active ingredient (in each tablet)
Cetirizine HCl 10 mg

Purpose
Antihistamine

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- itchy nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product:

- avoid alcoholic drinks
- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions
adults and children 6 years and over: **one 10 mg tablet once daily** (do not take more than one 10 mg tablet in 24 hours). A 24-hour product may be appropriate for less severe symptoms.

adults and over	ask a doctor
children under 6 years of age	ask a doctor
and over	ask a doctor
and under 6 years of age	ask a doctor

consumers with liver or kidney disease | ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- do not use if pouch is torn or damaged
- meets USP Dissolution Test 2

Inactive ingredients: colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

Questions? (collect)

Active ingredient made in Switzerland
 Distributed by:
 JANSSEN & JOHNSON CONSUMER INC.
 PO Box 10000, Allentown, PA 18106
 PO Box 10000, Allentown, PA 18106
 Call 1-800-222-1222
 www.zyrtec.com
 The trademark of the ZYRTEC® package is subject to trademark protection.
 000000000



Indoor & Outdoor Allergies
10 mg

24 Hour relief of

- 
 Itchy, Watery Eyes
- 
 Itchy Throat or Nose
- 
 Sneezing
- 
 Runny Nose

3 Tablets
10 mg each

Actual Size

000000000



Original Prescription Strength

ZYRTEC
Cetirizine HCl tablets **ALLERGY**
10mg/antihistamine

NDC 0000-000-00

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

000000000



GO PACKS
3 Portable Pouches
One 10mg tablet per pouch

0000000

Labeling Format Information: Fonts: HelveticaNeueLTStd: Cond, Bold Cond, Cond Bold Obi

Drug Facts: 9.00 pt Body Text: 6.00 pt Bullets: 5.00 pt Horizontal Scale: 100%
Headers: 8.00 pt Leading: 6.50 pt Barlines: 2.50 pt
Subheaders: 6.00 pt Drug Facts (continued): 8.00 pt Hairlines: 0.50 pt Average Tracking: 0

Cetirizine
Cetirizine
Cetirizine
Cetirizine



5
Tablets 0.125"

LOT:
EXP:

Drug Facts
Cetirizine HCl 10 mg

Purpose
Antihistamine

Active ingredient (in each tablet)
Cetirizine HCl 10 mg

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ itchy nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product
■ avoid alcoholic drinks
■ drowsiness may occur
■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:
■ if breast-feeding: not recommended
■ keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions
adults and children 6 years and over: take one 10 mg tablet once daily, up to not more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
ask a doctor
children under 6 years of age: ask a doctor
ask a doctor
consumers with liver or kidney disease: ask a doctor

Other information
■ store between 20° to 25°C (68° to 77°F)
■ do not use if pouch is torn or damaged
■ meets USP Dissolution Test 2

Inactive ingredients colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

Questions? (collect)



Active ingredient made in Switzerland

Distributed by:
JANSSEN & JOHNSON CONSUMER INC.
P.O. Box 141200, Kenilworth, NJ 07033
P.O. Box 141200, Kenilworth, NJ 07033
www.zyrtec.com
The trademark of the ZYRTEC® package is subject to trademark protection.


0 000000 000000 0

24 Hour relief of

Itchy, Watery Eyes Itchy Throat or Nose Sneezing Runny Nose

5 Tablets 10 mg each

Actual Size



ZYRTEC
Cetirizine HCl tablets **ALLERGY**
10mg/antihistamine

NDC 0000-000-00

Indoor & Outdoor Allergies
10 mg

5
Tablets
10 mg
each



Original Prescription Strength

New look
Same relief

5 Portable Pouches
One 10mg tablet per pouch

GO PACKS



ZYRTEC
Cetirizine HCl tablets **ALLERGY**
10mg/antihistamine

Labeling Format Information: Fonts: Univers LT Pro Cd, Univers LT Pro Bd Cd, Univers LT Std Bd Cd Cd
 Drug Facts: 9.00 pt | Body Text: 6.00 pt | Bullets: 5.00 pt | Horizontal Scale: 75%
 Headers: 8.00 pt | Leading: 6.50 pt | Baselines: 1.50 pt
 Subheaders: 8.00 pt | Drug Facts (continued): 8.00 pt | Hairlines: 0.50 pt | Average Tracking: -25

Cetirizine
 Cetirizine
 Cetirizine
 Cetirizine
ZYRTEC

30 Tablets 0.125"

The trade dress of this ZYRTEC[®] package is subject to trademark protection.
 Active ingredient made in Switzerland.

10 mg antihistamine
 Cetirizine HCl Tablets
ZYRTEC
 Indoor & Outdoor Allergies

Original Prescription Strength
 NDC 0009-000-00
ZYRTEC
 Cetirizine HCl tablets ALLERGY
 10 mg antihistamine

New look Same relief

Indoor & Outdoor Allergies
 Strength 10 mg Tablets

24 Hour relief of
 Sneezing
 Runny Nose
 Itchy, Watery Eyes
 Itchy Throat or Nose

30 Tablets 10 mg each
 Actual Size

30 Tablets 10 mg each

Active ingredient made in Switzerland.
 Distributed by:
 JOHNSON & JOHNSON CONSUMER INC.
 McNeil Consumer Healthcare Division
 Fort Washington, PA 19034 USA
 ©J&JCI 20XX zyrtec.com

00000000

0 0000 0000 0

LOT: EXP:

Important: Read all product information before using. Keep this box for important information.

Drug Facts
 Read the important information about this medicine carefully. It includes important information about the safe and effective use of this medicine.
 Each year, millions of people are hospitalized or die because they do not read and follow the instructions on the medicine they are taking.
 Do not use this medicine if you are allergic to cetirizine or any of the ingredients listed below. Tell your doctor if you are taking any other medicine, especially other antihistamines, sedatives, or alcohol.
 Tell your doctor if you are pregnant, planning to get pregnant, or are breastfeeding.
 Tell your doctor if you are taking any other medicine, especially other antihistamines, sedatives, or alcohol.
 Tell your doctor if you are pregnant, planning to get pregnant, or are breastfeeding.
 Tell your doctor if you are taking any other medicine, especially other antihistamines, sedatives, or alcohol.

Warnings
 Tell your doctor if you are pregnant, planning to get pregnant, or are breastfeeding.
 Tell your doctor if you are taking any other medicine, especially other antihistamines, sedatives, or alcohol.
 Tell your doctor if you are pregnant, planning to get pregnant, or are breastfeeding.
 Tell your doctor if you are taking any other medicine, especially other antihistamines, sedatives, or alcohol.

Directions
 Take 10 mg (one tablet) once daily with water.
 Do not take more than 10 mg in 24 hours.
 Do not take this medicine if you are allergic to cetirizine or any of the ingredients listed below.
 Tell your doctor if you are taking any other medicine, especially other antihistamines, sedatives, or alcohol.
 Tell your doctor if you are pregnant, planning to get pregnant, or are breastfeeding.
 Tell your doctor if you are taking any other medicine, especially other antihistamines, sedatives, or alcohol.

Other information
 Each tablet contains 10 mg of cetirizine HCl.
 Contains 30 tablets.
 Keep out of reach of children. See important information about prescription drugs on page 2 of this package insert.
 © 2009 Johnson & Johnson Consumer Inc. All rights reserved.

Actual Size

Labeling Format Information				Folds: Unwrap LF Std; Bold Cond Oth; Unwrap LF Phc; Cond; Bold Cond			
Drug Facts: 10.00 pt	Body Text: 6.00 pt	Bullets: 5.50 pt	Horizontal Scale: 88%	Headline: 8.00 pt	Leading: 100 pt	Baseline: 2.00 pt	
Subheaders: 6.50 pt	Drug Facts (continued): 6.50 pt	Headline: 6.50 pt	Average Tracking: 0				

Cetirizine
Cetirizine
Cetirizine
Cetirizine

ZYRTEC®

ZYRTEC®
Cetirizine HCl Tablets **ALLERGY**
10 mg antihistamine

Indoor & Outdoor Allergies

Drug Facts (continued)
Keep out of reach of children. In case of overdose, get medical help or contact Poison Control Center right away. (1-800-232-2222)

Warnings
Do not take if you are allergic to cetirizine or any of the ingredients. Tell your doctor if you are taking or have recently taken any other medicine, especially other antihistamines, sedatives, or tranquilizers. Tell your doctor if you are pregnant, planning to get pregnant, or breastfeeding. Tell your doctor if you are taking or have recently taken any other medicine, especially other antihistamines, sedatives, or tranquilizers. Tell your doctor if you are pregnant, planning to get pregnant, or breastfeeding. Tell your doctor if you are taking or have recently taken any other medicine, especially other antihistamines, sedatives, or tranquilizers. Tell your doctor if you are pregnant, planning to get pregnant, or breastfeeding.

Directions
Take 10 mg (1 tablet) once daily with or without food. Do not take more than 10 mg (1 tablet) in 24 hours. Do not take if you are allergic to cetirizine or any of the ingredients. Tell your doctor if you are taking or have recently taken any other medicine, especially other antihistamines, sedatives, or tranquilizers. Tell your doctor if you are pregnant, planning to get pregnant, or breastfeeding. Tell your doctor if you are taking or have recently taken any other medicine, especially other antihistamines, sedatives, or tranquilizers. Tell your doctor if you are pregnant, planning to get pregnant, or breastfeeding.

Other information
Keep out of reach of children. In case of overdose, get medical help or contact Poison Control Center right away. (1-800-232-2222)

Contains 120 Tablets

Original Prescription Strength

ZYRTEC®
Cetirizine HCl tablets **ALLERGY**
10 mg antihistamine

Now look Same relief

Indoor & Outdoor Allergies

120 Total Tablets

24 Hour relief of

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

120 Tablets
10 mg each

Actual Size

70 10 mg Tablets

50 10 mg Tablets

70ct + 50ct = 120ct Tablets 10 mg each

Active ingredient made in Switzerland.
Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
McNeil Consumer Healthcare Division
Fort Washington, PA 19034 USA
©J&JCI 20XX
zyrtec.com
000000000

Actual Size

70 10 mg Tablets

50 10 mg Tablets

ZYRTEC®
Cetirizine HCl Tablets **ALLERGY**
10 mg antihistamine

ZYRTEC®
Cetirizine HCl Tablets **ALLERGY**
10 mg antihistamine

The trade dress of this ZYRTEC® package is subject to trademark protection. Active ingredient made in Switzerland.

LOT: _____
EXP: _____

Labeling Format Information: Fonts: HelveticaNeueLTStd Bold Cond, Black Cond, Black Cond Obl				
Drug Facts: 5.00 pt	Body Text: 5.00 pt	Bullets: 4.00 pt	Horizontal Scale: 75%	
Headers: 5.00 pt	Leading: 5.00 pt	Barlines: N/A pt		
Subheaders: 5.00 pt	Drug Facts (continued): N/A pt	Hairlines: N/A pt	Average Tracking: -20	



To Open: While Folded on Line, Tear At Slit

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product, drowsiness may occur. Avoid alcoholic drinks, alcohol, sedatives, and tranquilizers may increase drowsiness. Be careful when driving a motor vehicle or operating machinery. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away if pregnant or breast-feeding. If breast-feeding, not recommended as if pregnant; ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions: Adults and children 6 years and over: one 10 mg tablet once daily. Do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. Adults 65 years and over: ask a doctor. Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor.

Other information: Store between 20° to 25° (68° to 77°) do not use if pouch is torn or damaged. **USP Dissolution Test?**

Inactive ingredients: colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

Questions? call 1-800-343-7895 (toll-free) or 215-273-8755 (collect)

Active ingredient made in Switzerland

Labeling Format Information: Fonts: Univers LT Pro Cd, Univers LT Pro Bd Cd, Univers LT Std Bd Cd Obl

Drug Facts:	N/A pt	Body Text:	4.50 pt	Bullets:	3.50 pt	Horizontal Scale:	80%
Headers:	4.50 pt	Leading:	4.80 pt	Barlines:	N/A pt		
Subheaders:	4.50 pt	Drug Facts (continued):	N/A pt	Hairlines:	N/A pt	Average Tracking:	-20

Active ingredient in each tablet:

Cetirizine HCl 10 mg.

Purpose

Antihistamine
 Use: temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

runny nose • sneezing • itchy, watery eyes • itching of the nose or throat.

Warnings: Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product

• drowsiness may occur • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness • be careful when driving a motor vehicle or operating machinery. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away, if pregnant or breastfeeding; not recommended

• if pregnant; ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions: Adults and children 6 years and over: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours.

A 5 mg product may be appropriate for less severe symptoms. Adults 65 years and over: ask a doctor. Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor.

Other information: Store between 20° to 25°C (68° to 77°F) • do not use if foil inner seal imprinted with "ZYRTEC" is broken or missing • meets USP Dissolution Test 2. **Inactive ingredients:** coloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide. **Questions?** call 1-800-343-7895 (to 1-800) or 215-272-8795 (collect). The trade dress of this ZYRTEC® package is subject to trademark protection.

Active ingredient made in Switzerland.
 Distributed by: JOHNSON & JOHNSON CONSUMER INC.
 McNeil Consumer Healthcare Division
 Fort Washington, PA 19034 USA ©J&J 20XX



00000000

zyrtec.com

NDC 00000-000-00
ZYRTEC
 Cetirizine HCl ALLERGY
 antihistamine
 10 mg tablets

30Tablets
10 mg each

LOT: XXXXXX
 EXP: XXXXXX

Labeling Format Information: Fonts: Univers LT Pro Cd, Univers LT Pro Bd Cd, Univers LT Std Bd Cd Obl

Drug Facts:	N/A pt	Body Text:	4.50 pt	Bullets:	3.50 pt	Horizontal Scale:	80%
Headers:	4.50 pt	Leading:	4.80 pt	Barlines:	N/A pt		
Subheaders:	4.50 pt	Drug Facts (continued):	N/A pt	Hairlines:	N/A pt	Average Tracking:	-20

Active ingredient in each tablet:

Cetirizine HCl 10 mg.

Purpose

Antihistamine
 Use: temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 sneezing, runny nose, itchy, watery eyes, itching of the nose or throat.

Warnings: Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product drowsiness may occur. Avoid alcoholic drinks, alcohol, sedatives, and tranquilizers may increase drowsiness. Be careful when driving a motor vehicle or operating machinery. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away, if pregnant or breastfeeding; not recommended if pregnant; ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions: Adults and children 6 years and over: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. Adults 65 years and over: ask a doctor. Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor.

Other information: Store between 20° to 25°C (68° to 77°F). Do not use if foil inner seal imprinted with "ZYRTEC" is broken or missing or meets USP Dissolution Test 2. **Inactive ingredients:** coloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide. **Questions?** call 1-800-343-7895 (to 1-800) or 215-272-8795 (collect). The trade dress of this ZYRTEC package is subject to trademark protection.

Active ingredient made in Switzerland.
 Distributed by: JOHNSON & JOHNSON CONSUMER INC.
 McNeil Consumer Healthcare Division
 Fort Washington, PA 19034 USA ©J&J 20XX



00000000

zyrtec.com

NDC 00000-000-00
ZYRTEC
 Cetirizine HCl ALLERGY
 antihistamine
 10 mg tablets

40
 Tablets
 10 mg each

LOT: XXXXXX
 EXP: XXXXXX

Labeling Format Information: Fonts: Univers LT Pro Cd, Univers LT Pro Bd Cd, Univers LT Std Bd Cd Obl

Drug Facts:	N/A pt	Body Text:	4.50 pt	Bullets:	3.50 pt	Horizontal Scale:	80%
Headers:	4.50 pt	Leading:	4.80 pt	Barlines:	N/A pt		
Subheaders:	4.50 pt	Drug Facts (continued):	N/A pt	Hairlines:	N/A pt	Average Tracking:	-20

Active ingredient in each tablet:

Cetirizine HCl 10 mg.

Purpose: Antihistamine

Use: temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

runny nose • sneezing • itchy, watery eyes • itching of the nose or throat.

Warnings: Do not use if you have ever had an allergic reaction to this product or any of its

ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or

pharmacist before use if you are taking tranquilizers or sedatives. When using this product

drowsiness may occur • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may

increase drowsiness • be careful when driving a motor vehicle or operating machinery.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical

help right away, if pregnant or breastfeeding; not recommended

if pregnant; ask a health professional before use. Keep out of reach of children. In case

of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions: Adults and children 6 years and over: one 10 mg tablet

once daily; do not take more than one 10 mg tablet in 24 hours.

A 5 mg product may be appropriate for less severe symptoms. Adults

65 years and over: ask a doctor. Children under 6 years of age:

ask a doctor. Consumers with liver or kidney disease: ask a doctor.

Other information: store between 20° to 25°C (68° to 77°F) • do not use if foil inner seal

imprinted with "ZYRTEC" is broken or missing • meets USP Dissolution Test 2. **Inactive**

ingredients: coloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose

monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol,

titanium dioxide. **Questions?** call 1-800-343-7895 (to 1-800) or 215-272-8795 (collect).

The trade dress of this ZYRTEC® package is subject to trademark protec. ion.

Active ingredient made in Switzerland.

Distributed by: JOHNSON & JOHNSON CONSUMER INC.

McNeil Consumer Healthcare Division

Fort Washington, PA 19034 USA ©J&J 20XX



00000000

zyrtec.com

NDC 00000-000-00
ZYRTEC
Cetirizine HCl **ALLERGY**
antihistamine
10 mg tablets

50

Tablets
10 mg each

LOT: XXXXXX
EXP: XXXXXX

Labeling Format Information: Fonts: Univers LT Pro Cd, Univers LT Pro Bd Cd, Univers LT Std Bd Cd Obl

Drug Facts:	N/A pt	Body Text:	4.50 pt	Bullets:	3.50 pt	Horizontal Scale:	80%
Headers:	4.50 pt	Leading:	4.80 pt	Barlines:	N/A pt		
Subheaders:	4.50 pt	Drug Facts (continued):	N/A pt	Hairlines:	N/A pt	Average Tracking:	-20

Active ingredient in each tablet:

Cetirizine HCl 10 mg.

Purpose

Antihistamine
 Use: temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 sneezing, runny nose, itchy, watery eyes, itching of the nose or throat.

Warnings: Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product drowsiness may occur. Avoid alcoholic drinks, alcohol, sedatives, and tranquilizers may increase drowsiness. Be careful when driving a motor vehicle or operating machinery. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away, if pregnant or breastfeeding; not recommended if pregnant; ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions: Adults and children 6 years and over: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. Adults 65 years and over: ask a doctor. Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor.

Other information: Store between 20° to 25°C (68° to 77°F). Do not use if foil inner seal imprinted with "ZYRTEC" is broken or missing or meets USP Dissolution Test 2. **Inactive ingredients:** coloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide. **Questions?** call 1-800-343-7895 (to 1-800) or 215-272-8795 (collect). The trade dress of this ZYRTEC package is subject to trademark protection.

Active ingredient made in Switzerland.
 Distributed by: JOHNSON & JOHNSON CONSUMER INC.
 McNeil Consumer Healthcare Division
 Fort Washington, PA 19034 USA ©J&J 20XX



00000000

zyrtec.com

NDC 00000-000-00
ZYRTEC
 Cetirizine HCl ALLERGY
 antihistamine
 10 mg tablets

60Tablets
10 mg each

LOT: XXXXXX
 EXP: XXXXXX

Labeling Format Information: Fonts: Univers LT Pro Cd, Univers LT Pro Bd Cd, Univers LT Std Bd Cd Obl

Drug Facts:	N/A pt	Body Text:	4.50 pt	Bullets:	3.50 pt	Horizontal Scale:	80%
Headers:	4.50 pt	Leading:	4.80 pt	Barlines:	N/A pt		
Subheaders:	4.50 pt	Drug Facts (continued):	N/A pt	Hairlines:	N/A pt	Average Tracking:	-20

Active ingredient in each tablet:

Cetirizine HCl 10 mg.

Purpose

Antihistamine
 Use: temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 • runny nose • sneezing • itchy, watery eyes • itching of the nose or throat.

Warnings: Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product

• drowsiness may occur • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness • be careful when driving a motor vehicle or operating machinery. Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away, if pregnant or breastfeeding; not recommended

• if pregnant; ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions: Adults and children 6 years and over: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms. Adults 65 years and over: ask a doctor. Children under 6 years of age: ask a doctor. Consumers with liver or kidney disease: ask a doctor.

Other information: • store between 20° to 25°C (68° to 77°F) • do not use if foil inner seal imprinted with "ZYRTEC" is broken or missing • meets USP Dissolution Test 2. **Inactive ingredients:** coloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide. **Questions?** call 1-800-343-7895 (to 1-800) or 215-272-8795 (collect). The trade dress of this ZYRTEC® package is subject to trademark protection.

Active ingredient made in Switzerland.
 Distributed by: JOHNSON & JOHNSON CONSUMER INC.
 McNeil Consumer Healthcare Division
 Fort Washington, PA 19034 USA ©J&J 20XX



00000000

zyrtec.com

NDC 00000-000-00
ZYRTEC
 Cetirizine HCl **ALLERGY**
 antihistamine
 10 mg tablets

70Tablets
10 mg each

LOT: XXXXXX
 EXP: XXXXXX

Labeling Format Information: Fonts: Univers LT Pro Cd, Univers LT Pro Bd Cd, Univers LT Std Bd Cd Obl

Drug Facts:	N/A pt	Body Text:	4.50 pt	Bullets:	3.50 pt	Horizontal Scale:	80%
Headers:	4.50 pt	Leading:	4.80 pt	Barlines:	N/A pt		
Subheaders:	4.50 pt	Drug Facts (continued):	N/A pt	Hairlines:	N/A pt	Average Tracking:	-20

Active ingredient in each tablet:

Cetirizine HCl 10 mg.

Purpose

Antihistamine
 Use: temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

runny nose • sneezing • itchy, watery eyes • itching of the nose or throat.

Warnings: Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives. When using this product

• drowsiness may occur • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness • be careful when driving a motor vehicle or operating machinery.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away, if pregnant or breast feeding; • if breastfeeding; not recommended • if pregnant; ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions: Adults and children 6 years and over: one 10 mg tablet

once daily; do not take more than one 10 mg tablet in 24 hours.

A 5 mg product may be appropriate for less severe symptoms. Adults

65 years and over: ask a doctor. Children under 6 years of age:

ask a doctor. Consumers with liver or kidney disease: ask a doctor.

Other information: Store between 20° to 25°C (68° to 77°F) • do not use if foil inner seal

imprinted with "ZYRTEC" is broken or missing • meets USP Dissolution Test 2. **Inactive**

ingredients: colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose

monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol,

titanium dioxide. **Questions?** call 1-800-343-7895 (to 1-800) or 215-272-8795 (collect).

The trade dress of this ZYRTEC® package is subject to trademark protection.

Active ingredient made in Switzerland.

Distributed by: JOHNSON & JOHNSON CONSUMER INC.

McNeil Consumer Healthcare Division

Fort Washington, PA 19034 USA ©J&J 20XX



00000000

zyrtec.com

NDC 00000-000-00
ZYRTEC
 Cetirizine HCl **ALLERGY**
 antihistamine
 10 mg tablets

90Tablets
10 mg each

LOT: XXXXXX
 EXP: XXXXXX

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
12/01/2023 03:58:50 PM