

NDC 0078-0686-15

R_x only

Promacta[®]
(eltrombopag) Tablets
50 mg*

Swallow tablets whole. Do not
split, chew, or crush tablets.

Dispense with Medication Guide
attached or provided separately.

 **NOVARTIS** 30 Tablets

Store at 20°C to 25°C (68°F to 77°F);
excursions permitted between 15°C
and 30°C (59°F and 86°F).

**Do not use if printed safety seal
under cap is broken or missing.**

Dosage: See accompanying
Prescribing Information.

Important: Use safety closures when
dispensing this product unless
otherwise directed by physicians or
requested by purchaser.

KEEP OUT OF THE REACH OF CHILDREN


*Each tablet contains eltrombopag olamine
equivalent to 50 mg of eltrombopag free acid.

Mfd. by: Lek d.d.
Ljubljana, Slovenia

Dist. by: Novartis Pharmaceuticals Corp.
East Hanover, New Jersey 07936

Product of Ireland © Novartis

300003442 US



NDC 0078-0686-15

R_x only

Promacta[®]
(eltrombopag) Tablets
50 mg*

Swallow tablets whole. Do not
split, chew, or crush tablets.

Dispense with Medication Guide
attached or provided separately.

 NOVARTIS 30 Tablets

Store at 20°C to 25°C (68°F to 77°F);
excursions permitted between 15°C
and 30°C (59°F and 86°F).

**Do not use if printed safety seal
under cap is broken or missing.**

Dosage: See accompanying
Prescribing Information.

Important: Use safety closures when
dispensing this product unless
otherwise directed by physicians or
requested by purchaser.

KEEP OUT OF THE REACH OF CHILDREN


*Each tablet contains eltrombopag olamine
equivalent to 50 mg of eltrombopag free acid.

Mfd. by: Lek d.d.
Ljubljana, Slovenia

Dist. by: Novartis Pharmaceuticals Corp.
East Hanover, New Jersey 07936

Product of Switzerland © Novartis

300003441 US



GTIN 12345678901234
SN 00000000000000
LOT ZZ9999
EXP YYYY-MMM

NDC 0078-0686-55

R_x only

Promacta[®]
(eltrombopag) Tablets
50 mg*

Swallow tablets whole. Do not
split, chew, or crush tablets.

Dispense with Medication Guide
attached or provided separately.

 NOVARTIS **14 Tablets**

Store at 20°C to 25°C (68°F to 77°F);
excursions permitted between 15°C
and 30°C (59°F and 86°F).

**Do not use if printed safety seal
under cap is broken or missing.**

Dosage: See accompanying
Prescribing Information.

Important: Use safety closures when
dispensing this product unless
otherwise directed by physicians or
requested by purchaser.

KEEP OUT OF THE REACH OF CHILDREN

*Each tablet contains eltrombopag olamine
equivalent to 50 mg of eltrombopag free acid.

Mfd. by: Lek d.d.
Ljubljana, Slovenia


Dist. by: Novartis Pharmaceuticals Corp.
East Hanover, New Jersey 07936

Product of Switzerland © Novartis

300003446 US



N 3



Sample-Not for Sale

R_x only

Promacta[®]
(eltrombopag) Tablets
50 mg*

Swallow tablets whole. Do not split, chew, or crush tablets.

Dispense with Medication Guide attached or provided separately.

 NOVARTIS

14 Tablets

Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F).

Do not use if printed safety seal under cap is broken or missing.

Dosage: See accompanying Prescribing Information.

Important: Use safety closures when dispensing this product unless otherwise directed by physicians or requested by purchaser.

KEEP OUT OF THE REACH OF CHILDREN


*Each tablet contains eltrombopag clamine equivalent to 50 mg of eltrombopag free acid.

Mfd. by: Lek d.d.
Ljubljana, Slovenia
Dist. by: Novartis Pharmaceuticals Corp.
East Hanover, New Jersey 07936
Product of Ireland © Novartis

300003445 US



0078-9686-55



Variable data printing

XXXXXXXXXX

YYYY-MM

Sample-Not for Sale

R_x only

Promacta[®]
(eltrombopag) Tablets
50 mg*

Swallow tablets whole. Do not split, chew, or crush tablets.

Dispense with Medication Guide attached or provided separately.

 NOVARTIS

14 Tablets

Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F).

Do not use if printed safety seal under cap is broken or missing.

Dosage: See accompanying Prescribing Information.

Important: Use safety closures when dispensing this product unless otherwise directed by physicians or requested by purchaser.

KEEP OUT OF THE REACH OF CHILDREN


*Each tablet contains eltrombopag clamine equivalent to 50 mg of eltrombopag free acid.

Mfd. by: Lek d.d.
Ljubljana, Slovenia
Dist. by: Novartis Pharmaceuticals Corp.
East Hanover, New Jersey 07936
Product of Switzerland © Novartis

300003451 US



0078-9686-55



Variable data printing

XXXXXXXX

YYYY-MMM



Ramesh
Raghavachari

Digitally signed by Ramesh Raghavachari
Date: 7/06/2023 02:05:49PM
GUID: 502d0913000029f375128b0de8c50020