

NEW LOOK

HALEON

# FLONASE

## ALLERGY RELIEF

Fluticasone Propionate Nasal Spray  
50 mcg Per Spray Allergy Symptom  
Reliever (Glucocorticoid)\*

NPA010853

### Non-Drowsy Relief of:

- Nasal congestion
- Itchy, watery eyes
- Itchy nose
- Runny nose
- Sneezing

**FULL PRESCRIPTION STRENGTH**

0.62 fl oz (18.2 mL)

\*Fluticasone propionate is a steroid  
medicine known as a glucocorticoid.  
NPA010853



**144 METERED  
SPRAYS**

NEW LOOK

HALEON

# FLONASE

## ALLERGY RELIEF

Fluticasone Propionate Nasal Spray  
50 mcg Per Spray Allergy Symptom  
Reliever (Glucocorticoid)\*

NPA010852

### Non-Drowsy Relief of:

- Nasal congestion
- Itchy, watery eyes
- Itchy nose
- Runny nose
- Sneezing

**FULL PRESCRIPTION STRENGTH**

1.24 fl oz (36.4 mL) total  
0.62 fl oz (18.2 mL) each

\* Fluticasone propionate is a steroid  
medicine known as a glucocorticoid.  
NPA010852



**Two bottles**  
**144 sprays per bottle**

**FLONASE**  
ALLERGY RELIEF

Fluticasone Propionate Nasal Spray  
50 mcg Per Spray Allergy Symptom  
Reliever (Glucocorticoid)

144 sprays 0.62 fl oz (18.2 mL)

**IMPORTANT:** Read Drug Facts label and enclosed materials for important information. Children 4-11: 1 spray per nostril per day. **Talk to a doctor if your child needs to use for longer than two months a year. Keep out of reach of children.** Only for use in the nose, do not spray into eyes. Store between 4°-30°C (39°-86°F).

Shake gently before each use.

Dist. by: Haleon, Warren, NJ 07059

Made in Canada ©2023 Haleon or licensor.

NPA010620 0000000



0000000

LOT/EXP

**Drug Facts** (continued)

**Inactive ingredients**

benzalkonium chloride, dextrose, microcrystalline cellulose, phenylethyl alcohol, polysorbate 80, purified water, sodium carboxymethylcellulose

**Questions or comments?**

call toll-free 1-844-FLONASE  
(1-844-356-6273)

**FLONASE**  
ALLERGY RELIEF

**What problems can  
FLONASE Allergy  
Relief help with?**

**FLONASE Allergy Relief  
helps relieve a broad  
range of uncomfortable  
symptoms like congestion  
and itchy eyes.**



**Nasal  
symptoms**



**Eye  
symptoms**

**These symptoms can be  
triggered by allergens  
like pollen, mold, dust  
or pet dander.**



**Outdoor  
allergens**



**Animal  
allergens**



**Indoor  
allergens**

Dist. by: Haleon, Warren, NJ 07059  
Made in Canada  
©2023 Haleon or licensor.  
Trademarks are owned by or licensed  
to the Haleon group of companies.

**IMPORTANT** - Peel here for complete  
Drug Facts label. Children 4-11: do not  
use for more than 2 months a year.

**FLONASE**  
ALLERGY RELIEF

Be sure to read the Quick Start Guide and  
Question & Answer Leaflet inside package

**Drug Facts**

Active ingredient (in each spray)	Purpose
Fluticasone propionate (glucocorticoid)* 50 mcg.....	Allergy symptom reliever
*read the Question & Answer Leaflet	

**TAMPER-EVIDENT** features for your protection.  
The product is packaged in a sealed container.  
Under the cap and nozzle, each bottle has an  
aluminum seal around bottle  
neck. Do not use if any of these  
features are torn or damaged.



NP401061G

**Drug Facts** (continued)

**Uses**

Temporarily relieves these symptoms of hay  
fever or other upper respiratory allergies:

- nasal congestion
- itchy nose
- runny nose
- itchy, watery eyes
- sneezing

**Warnings**

Only for use in the nose. Do not spray into  
your eyes or mouth.

**Do not use**

- in children under 4 years of age
- to treat asthma
- if you have an injury or surgery to your  
nose that is not fully healed
- if you have ever had an allergic reaction to  
this product or any of the ingredients

**Ask a doctor before use if you have or  
had glaucoma or cataracts**

**Drug Facts** (continued)

**Ask a doctor or pharmacist before  
use if you are taking**

- medicine for HIV infection (such as  
ritonavir)
- a steroid medicine for asthma, allergies  
or skin rash
- ketoconazole pills (medicine for fungal  
infection)

**When using this product**

- the growth rate of some children may  
be slower
- stinging or sneezing may occur for a few  
seconds right after use
- do not share this bottle with anyone else  
as this may spread germs
- remember to tell your doctor about all the  
medicines you take, including this one

**Stop use and ask a doctor if**

- you have, or come into contact with  
someone who has, chicken pox, measles  
or tuberculosis

**Drug Facts** (continued)

- your symptoms do not get better  
within 7 days of starting use or you get  
new symptoms such as severe facial  
pain or thick nasal discharge. You may  
have something more than allergies,  
such as an infection,
- you get a constant whistling sound  
from your nose. This may be a sign of  
damage inside your nose,
- you get an allergic reaction to this  
product. Seek medical help right away,
- you get new changes to your vision  
that develop after starting this product
- you have severe or frequent  
nosebleeds

**If pregnant or breast-feeding, ask  
a health professional before use.**

**Keep out of reach of children.** In case  
of overdose, get medical help or contact  
a Poison Control Center right away.

**Drug Facts** (continued)

**Directions**

- read the Quick Start Guide for how to:
- prime the bottle
- use the spray
- clean the spray nozzle
- shake gently before each use
- use this product only once a day
- do not use more than directed

**ADULTS AND CHILDREN 12 YEARS  
OF AGE AND OLDER**

- Week 1 – use 2 sprays in each nostril  
once daily
- Week 2 through 6 months – use 1 or  
2 sprays in each nostril once daily, as  
needed to treat your symptoms
- After 6 months of daily use – ask your  
doctor if you can keep using

**CHILDREN 4 TO 11 YEARS OF AGE**

- the growth rate of some children may  
be slower while using this product.

**Drug Facts** (continued)

Children should use for the shortest  
amount of time necessary to achieve  
symptom relief. Talk to your child's  
doctor if your child needs to use the  
spray for longer than two months  
a year.

- an adult should supervise use
- use 1 spray in each nostril once daily

**CHILDREN UNDER 4 YEARS OF AGE**

- do not use

**Other information**

- you may start to feel relief the first day  
and full effect after several days of  
regular, once-a-day use
- store between 4° and 30°C (39°  
and 86°F)
- keep this label and enclosed materials.  
They contain important additional  
information.



-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

NUSHIN F TODD  
11/15/2023 01:49:38 PM