



**CHILDREN'S  
ASTEPRO<sup>®</sup> ALLERGY**  
First Antihistamine Nasal Spray FDA-Approved for Over-the-Counter Use

**CHILDREN'S  
ASTEPRO<sup>®</sup> ALLERGY**

Azelastine HCl 205.5 mcg per spray  
ANTIHISTAMINE NASAL SPRAY

**FULL  
PRESCRIPTION  
STRENGTH**



**UP TO  
24 HOUR  
RELIEF OF**

- ◀ Nasal congestion
- ◀ Runny nose
- ◀ Sneezing
- ◀ Itchy nose



**22 METERED SPRAYS**  
0.14 fl oz (4mL)

Alcohol-Free  
Fragrance-Free  
**AGE 6+**



**Drug Facts (continued)**  
**Other information**  
 ■ store between 20° to 25°C (68° to 77°F). Protect from freezing.  
 ■ keep this carton and the enclosed User Guide for important information.  
 ■ do not use if tape printed with "sealed for your protection" on top and bottom carton flaps is not intact.

**Inactive ingredients**  
benzalkonium chloride, edetate disodium, hypromellose, purified water, sodium citrate, sorbitol, sucralose

**Questions or comments?**  
1-800-317-2165 (Mon-Fri, 9AM-5PM EST)

Bayer and the Bayer Cross are registered trademarks of Bayer. The Astepro mark is owned by Viatris. Used under license. © 2023 Bayer. Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981. Patents: patents.livewell.bayer.com. Product of Germany. 00000000 Bayer

**INDOOR & OUTDOOR  
Allergy Relief**

NDC 0280-0066-03



**Drug Facts**

**Active ingredient (in each spray)**  
Azelastine HCl 205.5 mcg (equivalent to 187.6 mcg azelastine).....  
**Purpose**  
Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ nasal congestion ■ runny nose ■ sneezing ■ itchy nose

**Warnings**  
Only for use in the nose. Do not spray in eyes or mouth.  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you**  
 ■ have had recent nose ulcers or nose surgery  
 ■ have had a nose injury that has not healed

**When using this product**  
 ■ drowsiness may occur  
 ■ avoid alcoholic drinks  
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness  
 ■ be careful when driving a motor vehicle or operating machinery  
 ■ you may get a bitter taste in your mouth. To help avoid this, tilt your head downward while spraying.  
 ■ nasal discomfort or sneezing may occur right after use  
 ■ do not share this bottle with anyone else as this may spread germs

**Stop use and ask a doctor if**  
 ■ an allergic reaction, such as a skin rash, to this product occurs  
 ■ you have severe or frequent nosebleeds

**If pregnant or breast-feeding, ask a health professional before use.**  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Read the User Guide for how to:  
 ■ prime the bottle before first use  
 ■ prime bottle again if not used for 3 or more days  
 ■ use the spray  
 ■ clean the spray nozzle if it gets clogged

adults and children 12 years and older  
 This product may be used either once or twice a day:  
 ■ once daily: use 2 sprays in each nostril; OR  
 ■ twice daily: use 1 or 2 sprays in each nostril every 12 hours  
 ■ do not use more than 4 sprays in each nostril in a 24 hour period

children 6 years to 11 years  
 ■ an adult should supervise use  
 ■ 1 spray in each nostril every 12 hours  
 ■ do not use more than 2 sprays in each nostril in a 24 hour period

children under 6 years  
 do not use





**CHILDREN'S  
ASTEPRO<sup>®</sup> ALLERGY**  
First Antihistamine Nasal Spray FDA-Approved for Over-the-Counter Use

**CHILDREN'S  
ASTEPRO<sup>®</sup> ALLERGY**

Azelastine HCl 205.5 mcg per spray  
ANTIHISTAMINE NASAL SPRAY

**FULL  
PRESCRIPTION  
STRENGTH**



**UP TO  
24 HOUR  
RELIEF OF**

- ◀ Nasal congestion
- ◀ Runny nose
- ◀ Sneezing
- ◀ Itchy nose



**60 METERED SPRAYS**  
0.37 fl oz (11 mL)

Alcohol-Free  
Fragrance-Free  
**AGE 6+**



**Drug Facts (continued)**

**Other information**

- store between 20° to 25°C (68° to 77°F). Protect from freezing.
- keep this carton and the enclosed User Guide for important information
- do not use if tape printed with "sealed for your protection" on top and bottom carton flaps is not intact

**Inactive ingredients**

benzalkonium chloride, edetate disodium, hypromellose, purified water, sodium citrate, sorbitol, sucralose

**Questions or comments?**

1-800-317-2165 (Mon-Fri, 9AM-5PM EST)

Bayer and the Bayer Cross are registered trademarks of Bayer. The Astepro mark is owned by Viatris. Used under license. © 2023 Bayer. Dist. by: Bayer HealthCare LLC Whippany, NJ 07981 Patents: patents.livewell.bayer.com Product of Germany. 00000000 Bayer

**INDOOR & OUTDOOR  
Allergy Relief**

NDC 0280-0066-01



**Drug Facts**

**Active ingredient (in each spray)**  
Azelastine HCl 205.5 mcg (equivalent to 187.6 mcg azelastine).....**Purpose**  
Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ nasal congestion ■ runny nose ■ sneezing ■ itchy nose

**Warnings**  
Only for use in the nose. Do not spray in eyes or mouth.  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you**  
■ have had recent nose ulcers or nose surgery  
■ have had a nose injury that has not healed

**When using this product**  
■ drowsiness may occur  
■ avoid alcoholic drinks  
■ alcohol, sedatives, and tranquilizers may increase drowsiness  
■ be careful when driving a motor vehicle or operating machinery  
■ you may get a bitter taste in your mouth. To help avoid this, tilt your head downward while spraying.

■ nasal discomfort or sneezing may occur right after use  
■ do not share this bottle with anyone else as this may spread germs

**Stop use and ask a doctor if**  
■ an allergic reaction, such as a skin rash, to this product occurs  
■ you have severe or frequent nosebleeds

**If pregnant or breast-feeding, ask a health professional before use.**  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

■ Read the User Guide for how to:  
■ prime the bottle before first use ■ use the spray  
■ prime bottle again if not used for 3 or more days ■ clean the spray nozzle if it gets clogged

adults and children 12 years and older This product may be used either once or twice a day:  
■ once daily: use 2 sprays in each nostril; OR  
■ twice daily: use 1 or 2 sprays in each nostril every 12 hours  
■ do not use more than 4 sprays in each nostril in a 24 hour period

children 6 years to 11 years ■ an adult should supervise use  
■ 1 spray in each nostril every 12 hours  
■ do not use more than 2 sprays in each nostril in a 24 hour period

children under 6 years do not use





# CHILDREN'S ASTEPRO<sup>®</sup> ALLERGY

First Antihistamine Nasal Spray FDA-Approved for Over-the-Counter Use

## CHILDREN'S ASTEPRO<sup>®</sup> ALLERGY

Azelastine HCl 205.5 mcg per spray  
ANTIHISTAMINE NASAL SPRAY

**FULL PRESCRIPTION STRENGTH**

**UP TO 24 HOUR RELIEF OF**

- ◀ Nasal congestion
- ◀ Runny nose
- ◀ Sneezing
- ◀ Itchy nose



**120** METERED SPRAYS  
0.78 fl oz (23 mL)

Alcohol-Free  
Fragrance-Free  
AGE 6+



CHILDREN'S ASTEPRO<sup>®</sup> ALLERGY

ACTUAL SIZE

### Drug Facts (continued)

**Other information**

- store between 20° to 25°C (68° to 77°F). Protect from freezing.
- keep this carton and the enclosed User Guide for important information
- do not use if tape printed with "sealed for your protection" on top and bottom carton flaps is not intact

**Inactive ingredients**  
benzalkonium chloride, edetate disodium, hypromellose, purified water, sodium citrate, sorbitol, sucralose

**Questions or comments?**  
1-800-317-2165  
(Mon-Fri, 9AM-5PM EST)

Bayer and the Bayer Cross are registered trademarks of Bayer.  
The Astepro mark is owned by Viatis. Used under license.  
© 2023 Bayer.  
Dist. by:  
Bayer HealthCare LLC  
Whispery, NJ 07981  
Patents: patents.livewell.bayer.com  
Product of Germany.  
00000000 Bayer

**INDOOR & OUTDOOR Allergy Relief**

NDC 0280-0065-02



### Drug Facts

**Active ingredient (in each spray)**  
Azelastine HCl 205.5 mcg (equivalent to 187.6 mcg azelastine) **Purpose**  
Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ nasal congestion ■ runny nose ■ sneezing ■ itchy nose

**Warnings**  
Only for use in the nose. Do not spray in eyes or mouth.  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you**  
 ■ have had recent nose ulcers or nose surgery  
 ■ have had a nose injury that has not healed

**When using this product**  
 ■ drowsiness may occur  
 ■ avoid alcoholic drinks  
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness  
 ■ be careful when driving a motor vehicle or operating machinery  
 ■ you may get a bitter taste in your mouth. To help avoid this, tilt your head downward while spraying.  
 ■ nasal discomfort or sneezing may occur right after use  
 ■ do not share this bottle with anyone else as this may spread germs

**Stop use and ask a doctor if**  
 ■ an allergic reaction, such as a skin rash, to this product occurs  
 ■ you have severe or frequent nosebleeds

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Read the User Guide for how to:  
 ■ prime the bottle before first use ■ use the spray  
 ■ prime bottle again if not used for 3 or more days ■ clean the spray nozzle if it gets clogged

adults and children 12 years and older This product may be used either once or twice a day:  
 ■ once daily: use 2 sprays in each nostril, OR  
 ■ twice daily: use 1 or 2 sprays in each nostril every 12 hours  
 ■ do not use more than 4 sprays in each nostril in a 24 hour period

children 6 years to 11 years ■ an adult should supervise use  
 ■ 1 spray in each nostril every 12 hours  
 ■ do not use more than 2 sprays in each nostril in a 24 hour period

children under 6 years do not use





-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

MARTHA K LENHART  
11/20/2023 02:58:22 PM