




Variable data printed online





## 284 mg/1.5 mL (189 mg/mL)

PHYSICIAN SAMPLE NOT FOR SALE

Single-dose Prefilled Syringe

For subcutaneous use

For administration by a healthcare professional only

Recommended Dosage: See Prescribing Information.

Each prefilled syringe contains 1.5 mL of solution containing 284 mg inclisiran (present as 300 mg inclisiran sodium), Water for Injection, and may include sodium hydroxide and/or phosphoric acid for pH adjustment.

Discard after single use. Sterile Solution – No Preservative 

\*\*Brown Monage 

\*\*Brow

NDC 0078-1000-98 Rx only

Storage: Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F)

Inicilisiran (present as im hydroxide and/or Distributed by Novartis Pharmaceuticals Corporation

8 NOVARTIS

19 C and 30°C (99° and 86°F)
[see USP Controlled Room Temperature].


Distributed by Novartis Pharmaceuticals Corporation

East Hanover, NJ 07936

© Novartis

© Novartis 46313844 US

Variable data printed online



Digitally signed by Ramesh Raghavachari

Date: 2/17/2023 03:27:39PM

GUID: 502d0913000029f375128b0de8c50020