



Active ingredient (in each tablet)

Cetirizine HCl 5mg

Purpose

Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat.

Warnings: Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. **Ask a doctor before use** if you have liver or kidney disease. Your doctor should determine if you need a different dose. **Ask a doctor or pharmacist before use** if you are taking tranquilizers or sedatives. **When using this product**

■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. **If pregnant or breast-feeding:** ■ if breast-feeding: not recommended

■ if pregnant: ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions: Adults and children 6 years and over: 1 tablet (5 mg) or 2 tablets (10 mg) once daily depending upon severity of symptoms; do not take more than 2 tablets (10mg) in 24 hours. **Adults 65 years and over:** 1 tablet (5 mg) once daily; do not take more than 1 tablet (5 mg) in 24 hours. **Children under 6 years of age:** ask a doctor. **Consumers with liver or kidney disease:** ask a doctor. **Other information** ■ store between 20° to 25° C (68° to 77° F) ■ do not use if foil inner seal

imprinted with "Sealed For Your Safety" is broken or missing ■ meets USP Dissolution Test 2.

Inactive ingredients: colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide. **Questions?** call 1-800-343-7005 (toll-free) or 215-273-8755 (collect)

The trade dress of this Zyrtec® package is subject to trademark protection.

Active ingredient made in Switzerland.

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.** Pat. www.jjcpats.com

McNeil Consumer Healthcare Division Fort Washington, PA 19034 USA © J&JCI 2023

zyrtec.com



35
Tablets
5mg each

NET CONTENT
 4500 IN. GRASS
 118 IN.
 316 IN.
 114 IN.
 112 IN.

Net Content Statement
 PDP Area: (width x length) **11.85 in²**
 Net Content Size: **0.125"**

AREA OF PDP
 4500 IN. GRASS
 MORE THAN 5 SQ. IN. BUT
 NOT MORE THAN 25 SQ. IN.
 MORE THAN 25 SQ. IN. BUT
 NOT MORE THAN 100 SQ. IN.
 MORE THAN 100 SQ. IN. BUT
 NOT MORE THAN 400 SQ. IN.
 OVER 400 SQ. IN.

Labeling Format Information: Fonts: HelveticaDF—Cond Medium, Cond Bold, Cond Bold Italic

Drug Facts: 9.00 pt | Body Text: 6.00 pt | Bullets: 5.00 pt | Horizontal Scale: 100%
 Headers: 8.00 pt | Leading: 6.50 pt | Barlines: 1.50 pt
 Subheaders: 6.00 pt | Drug Facts (continuing): 8.00 pt | Hairlines: 0.50 pt | Average Tracking: 0

GO PACKS
 15 Portable Pouches
 One 5 mg tablet per pouch

ZYRTEC
 Cetirizine HCl Tablets ALLERGY
 5 mg/antihistamine

Indoor & Outdoor Allergies
 5 mg Strength Tablets

24 Hour relief of
 15 Tablets 5 mg each

Sneezing
 Runny Nose
 Itchy Throat or Nose
 Itchy, Watery Eyes

Take 1 to 2 tablets* once daily depending on the severity of your symptoms
 *Adults 65 and older take only one tablet per day

Actual Size

3 00450 25615 7

Active ingredient made in Switzerland
 Distributed by:
 JOHNSON & JOHNSON CONSUMER INC.
 Market Executive Allergies Division
 Fort Washington, PA 19034 USA
 ©2012 J&J
 www.zyrtec.com
 The trade dress of the ZYRTEC® package is protected by trademark protection.
 Pat. www.jjcpat.com
 3025XXX

PAPER BOX PLASTIC TUBE

ZYRTEC
 Cetirizine HCl tablets ALLERGY
 5 mg/antihistamine

Drug Facts
 Cetirizine HCl 5 mg
 Antihistamine
 Purpose

Uses
 Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients or an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product
 ■ drowsiness may occur ■ avoid alcoholic drinks
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness
 ■ be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:
 ■ If pregnant, ask a health professional before use.
 ■ If breast-feeding, not recommended.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions
 adults and children
 1 tablet (5 mg) or 2 tablets (10 mg) once daily depending upon severity of symptoms; do not take more than 2 tablets (10mg) in 24 hours

adults 65 years and over
 1 tablet (5 mg) once daily; do not take more than 1 tablet (5 mg) in 24 hours.

ask a doctor
 children under 6 years of age
 ask a doctor

consumers with liver or kidney disease
 ask a doctor

Other information
 ■ do not use if carton is opened, do not use if pouch is torn or damaged
 ■ meets USP Dissolution Test 2

Inactive ingredients
 colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

Questions? Call 1-800-343-7905 (toll-free) or 215-273-8755 (collect)

Important: Read all product information before using. Keep this box for important information.

LOT: XXXXXXXXX
 EXP: YYYMM

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

MARTHA K LENHART
03/28/2024 07:57:14 PM