



N 3 59212-240-55 2

Each tablet contains 62.5 mcg.
See prescribing information for dosage information.
Store at 25°C (77°F); excursions permitted to 15 to 30°C (59 to 86°F) [see USP Controlled Room Temperature] in a dry place and protect from light.
Dispense in tight, light-resistant container as defined in the USP. Keep out of reach of children.
Do not use if printed safety seal under cap is broken or missing.

NDC 59212-240-55 100 Tablets

LANOXIN[®]
(digoxin) Tablets, USP

62.5 mcg

CONCORDIA

Mfd. for: Concordia Pharmaceuticals
Distributed by:
Amdipharm Limited,
17 Northwood House, Dublin 9, Ireland
Made in India

032383
Rx only

AW-LB-0000251 (v0.5) Rev. 03/24



25.00

Varnish free area for Serialization details

PC:
SN:
Lot:
EXP: YYYY-MMM



23.00



N 3 59212-242-55 6

Each scored tablet contains 125 mcg.
See prescribing information for dosage information.
Store at 25°C (77°F); excursions permitted to 15 to 30°C (59 to 86°F) (see USP Controlled Room Temperature) in a dry place and protect from light. Dispense in tight, light-resistant container as defined in the USP. Keep out of reach of children.
Do not use if printed safety seal under cap is broken or missing.

NDC 59212-242-55 100 Tablets

LANOXIN®
(digoxin) Tablets, USP

125 mcg

CONCORDIA

Mfd. for: Concordia Pharmaceuticals
Distributed by:
Amdipharm Limited,
17 Northwood House, Dublin 9, Ireland
Made in India

R_x only

032384

AW-LB-0000252 (v0.5) Rev. 03/24



25.00

23.00

Varnish free area for Serialization details

PC:
SN:
Lot:
EXP: YYYY-MMM





N 3 59212-249-55 5

Each scored tablet contains 250 mcg.
See prescribing information for dosage information.
Store at 25°C (77°F); excursions permitted to 15 to 30°C (59 to 86°F) [see USP Controlled Room Temperature] in a dry place and protect from light. Dispense in tight, light-resistant container as defined in the USP. Keep out of reach of children.
Do not use if printed safety seal under cap is broken or missing.

NDC 59212-249-55 100 Tablets

LANOXIN[®]
(digoxin) Tablets, USP

250 mcg


CONCORDIA
Pharmaceuticals

Mfd. for: Concordia Pharmaceuticals
Distributed by:
Amdipharm Limited,
17 Northwood House, Dublin 9, Ireland
Made in India

032385

R_x only

AW-LB-0000253 (v0.5) Rev. 03/24



25.00

Varnish free area for Serialization details

PC:
SN:
Lot:
EXP: YYYY-MMM



23.00

Varnish free area for Serialization details

PC:
SN:
Lot:
EXP: YYYY-MMM



**125 mcg
per tablet**

LANOXIN[®]
(digoxin) Tablets, USP

UNIT DOSE PACK
100 Tablets (10 blisterpacks of 10 tablets each)
NDC 59212-242-56



NDC 59212-242-56

UNIT DOSE PACK

100 Tablets (10 blisterpacks of 10 tablets each)

LANOXIN[®]
(digoxin) Tablets, USP

**125 mcg
per tablet**

Each scored tablet contains 125 mcg digoxin.

See prescribing information for dosage information.

Store at 25°C (77°F); excursions permitted to 15°- 30°C (59°- 86°F) [see USP controlled room temperature] in a dry place and protect from light. Keep out of reach of children.



3 59212-242-56 3

NDC 59212-242-56

UNIT DOSE PACK

100 Tablets (10 blisterpacks of 10 tablets each)

LANOXIN[®]
(digoxin) Tablets, USP

**125 mcg
per tablet**

This unit dose packaging is intended for institutional inpatient use. If dispensed for outpatient use, an appropriate safety closure should be provided.

R_x only

See prescribing information for dosage information.

CONCORDIA
PHARMACEUTICALS

NDC 59212-242-56

UNIT DOSE PACK

100 Tablets (10 blisterpacks of 10 tablets each)

LANOXIN[®]
(digoxin) Tablets, USP

**125 mcg
per tablet**

Each scored tablet contains 125 mcg digoxin.

See prescribing information for dosage information.

Store at 25°C (77°F); excursions permitted to 15°- 30°C (59°- 86°F) [see USP controlled room temperature] in a dry place and protect from light. Keep out of reach of children.

Do not use if blisters are torn, broken, or missing.

Mfd. for: Concordia Pharmaceuticals
Distributed by:
Amdipharm Limited,
17 Northwood House
Dublin 9, Ireland

Made in India



NDC 59212-242-56

UNIT DOSE PACK

100 Tablets (10 blisterpacks of 10 tablets each)

LANOXIN[®]
(digoxin) Tablets, USP

**125 mcg
per tablet**

This unit dose packaging is intended for institutional inpatient use. If dispensed for outpatient use, an appropriate safety closure should be provided.

R_x only

See prescribing information for dosage information.

CONCORDIA
PHARMACEUTICALS

NDC 59212-242-56

UNIT DOSE PACK

100 Tablets (10 blisterpacks of 10 tablets each)

LANOXIN[®]
(digoxin) Tablets, USP

**125 mcg
per tablet**

AW-OC-000018 (v0.3)
76724-07
Rev 03/24



76724-07

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

MARY R SOUTHWORTH
04/29/2024 10:06:51 AM