

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

Each tablet contains 2 mg everolimus

For oral use.

See package insert for dosage information. See enclosed Afinitor DISPERZ Instructions for Use. Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container, protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by: Novartis Pharma Stein AG
Stein, Switzerland
©Novartis
46335533-US

Distributed by: Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936
Product of Slovenia

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension

Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0626-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

TABLETS MUST BE DISPERSED IN WATER.

TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.

Each tablet contains 2 mg everolimus

 NOVARTIS

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

46335533-US
533

LOT
EXP

GTIN: 00300780626514



533
Reading Direction →

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension) **2 mg**



533
← Reading Direction



Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

Each tablet contains 2 mg everolimus

For oral use.

See package insert for dosage information. See enclosed Afinitor DISPERZ Instructions for Use. Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by: Distributed by:
Novartis Pharma Stein AG Novartis Pharmaceuticals Corporation
Stein, Switzerland East Hanover, New Jersey 07936
©Novartis 46335530-US Product of Switzerland

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension

Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0626-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

TABLETS MUST BE DISPERSED IN WATER.

TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.

Each tablet contains 2 mg everolimus



NOVARTIS

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

46335530-US
553

GTIN: 00300780626514

LOT
EXP



553

Reading Direction



N 0078-0626-51 4

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension) **2 mg**

553
Reading Direction

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

Each tablet contains 2 mg everolimus

For oral use.

See package insert for dosage information. See enclosed Afinitor DISPERZ Instructions for Use. Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Sandoz S.R.L.,
Targu Mures, Romania

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936

©Novartis 46334821-US Product of Slovenia



28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension

Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0626-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

**TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.**

Each tablet contains 2 mg everolimus



28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

 **NOVARTIS**



821
Reading Direction 

46334821-US
821

GTIN: 00300780626514

LOT:
EXP.:

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension) **2 mg**



821
Reading Direction 

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

Each tablet contains 2 mg everolimus

For oral use.

See package insert for dosage information. See enclosed Afinitor DISPERZ Instructions for Use. Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Sandoz S.R.L.,
Targu Mures, Romania
©Novartis

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936
46334820-US
Product of Switzerland

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension

Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0626-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

**TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.**

Each tablet contains 2 mg everolimus

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

2 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

 **NOVARTIS**

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension) **2 mg**



482
Reading Direction

46334820-US
482

LOT:
EXP.:

GTIN: 00300780626514



482
Reading Direction

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

Each tablet contains 3 mg everolimus

For oral use.

See package insert for dosage information. See enclosed Afinitor DISPERZ Instructions for Use. Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Sandoz S.R.L.,
Targu Mures, Romania
©Novartis

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936
46334797-US
Product of Switzerland

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension

Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0627-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

**TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.**

Each tablet contains 3 mg everolimus

 NOVARTIS

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.



797
Reading Direction

46334797-US
797

GTIN: 00300780627511

LOT:
EXP.:



797
Reading Direction

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

Each tablet contains 3 mg everolimus

For oral use.

See package insert for dosage information. See enclosed Afinitor DISPERZ Instructions for Use. Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Novartis Pharma Stein AG
Stem, Switzerland

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936
©Novartis 46335531-US
Product of Switzerland

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension

Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0627-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

TABLETS MUST BE DISPERSED IN WATER.

TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.

Each tablet contains 3 mg everolimus



 **NOVARTIS**

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.



531
Reading Direction →

531
← Reading Direction

46335531-US
531

GTIN: 00300780627511

LOT
EXP

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

Each tablet contains 3 mg everolimus

For oral use.

See package insert for dosage information. See enclosed Afinitor DISPERZ Instructions for Use. Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:

Sandoz S.R.L.,

Targu Mures, Romania

©Novartis

Distributed by:

Novartis Pharmaceuticals Corporation

East Hanover, New Jersey 07936

46334798-US

Product of Slovenia

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

46334798-US
798

28 Tablets for Oral Suspension

Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0627-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

TABLETS MUST BE DISPERSED IN WATER.

TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.

Each tablet contains 3 mg everolimus

 **NOVARTIS**

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

LOT:
EXP.:

GTIN: 00300780627511



798
Reading Direction



AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)
3 mg



N 0078-0627-51 1

798
Reading Direction



Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

Each tablet contains 3 mg everolimus

For oral use.

See package insert for dosage information. See enclosed Afinitor DISPERZ Instructions for Use. Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Novartis Pharma Stein AG
Stein, Switzerland

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936

©Novartis

46335534-US
Product of Slovenia

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension

Carton contains 4 individual blister cards
of 7 tablets.

NDC 0078-0627-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

**TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.**

Each tablet contains 3 mg everolimus

 **NOVARTIS**

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

3 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

46335534-US
534

GTIN: 00300780627511

LOT
EXP



534
Reading Direction →



AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)
3 mg



534
Reading Direction ←



Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

Each tablet contains 5 mg everolimus

For oral use.

See package insert for dosage information.
See enclosed Afinitor DISPERZ Instructions for Use.
Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container, protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Sandoz S.R.L.,
Targu Mures, Romania
©Novartis

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936
46334823-US
Product of Switzerland



28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

46334823-US
823

28 Tablets for Oral Suspension


Carton contains 4 individual blister cards
of 7 tablets.

NDC 0078-0628-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg



**TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.**

Each tablet contains 5 mg everolimus



28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

NOVARTIS

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

GTIN: 00300780628518

LOT: _____
EXP.: _____



823
Reading Direction



3 8 0078-0628-51

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)
5 mg

823
Reading Direction



Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

Each tablet contains 5 mg everolimus

For oral use.

See package insert for dosage information.
See enclosed Afinitor DISPERZ Instructions for Use.
Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Novartis Pharma Stein AG Novartis Pharmaceuticals Corporation
Stein, Switzerland East Hanover, New Jersey 07936
©Novartis 46335532-US Product of Switzerland



28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.


28 Tablets for Oral Suspension

Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0628-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)



5 mg

**TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.**

Each tablet contains 5 mg everolimus



28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg



NOVARTIS

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

46335532-US
532

LOT
EXP

GTIN: 00300780628518



532

Reading Direction



AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)
5 mg

532
Reading Direction

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

Each tablet contains 5 mg everolimus

For oral use.

See package insert for dosage information.
See enclosed Afinitor DISPERZ Instructions for Use.
Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Sandoz S.R.L.,
Targu Mures, Romania
©Novartis

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936
46334824-US
Product of Slovenia



28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.


28 Tablets for Oral Suspension

Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0628-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)



5 mg

**TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.**

Each tablet contains 5 mg everolimus



28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)



NOVARTIS

5 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)
5 mg



824
Reading Direction

46334824-US
824

GTIN: 00300780628518

LOT:
EXP.:



824
Reading Direction

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

Each tablet contains 5 mg everolimus

For oral use.

See package insert for dosage information.
See enclosed Afinitor DISPERZ Instructions for Use.
Store at 20°C - 25°C (68°F - 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F). See USP Controlled Room Temperature. Store in the original container; protect from light and moisture. Keep this and all drugs out of the reach of children.

Manufactured by:
Novartis Pharma Stein AG
Stein, Switzerland
©Novartis

Distributed by:
Novartis Pharmaceuticals Corporation
East Hanover, New Jersey 07936
46335535-US
Product of Slovenia

28 Tablets for Oral Suspension

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.

28 Tablets for Oral Suspension


Carton contains 4 individual blister cards of 7 tablets.

NDC 0078-0628-51

Rx only

AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg



**TABLETS MUST BE DISPERSED IN WATER.
TABLETS MUST NOT BE SWALLOWED WHOLE, CHEWED OR CRUSHED.**

Each tablet contains 5 mg everolimus

 **NOVARTIS**

28 Tablets for Oral Suspension


AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)

5 mg

For more information, visit www.AFINITOR.com or call 1-888-423-4648.



AFINITOR DISPERZ[®]
(everolimus tablets for oral suspension)
5 mg



535
Reading Direction

46335535-US
535

LOT
EXP

GTIN: 00300780628518



535
Reading Direction

NDC 0078-0628-61

Afinitor **Disperz**[®]
(everolimus tablet
for oral suspension)

5 mg Rx Only

Store at 20°C - 25°C
(68°F - 77°F).
Store in original container.
Protect from light and
moisture.

46334825-US 825 ©Novartis

LOT
EXP

N (01) 100300780628617

NDC 0078-0628-61

Afinitor **Disperz**[®]
(everolimus tablet
for oral suspension)

5 mg Rx Only

Store at 20°C - 25°C
(68°F - 77°F).
Store in original container.
Protect from light and
moisture.

46334825-US 825 ©Novartis

LOT
EXP

N (01) 100300780628617

NDC 0078-0628-61

Afinitor **Disperz**[®]
(everolimus tablet
for oral suspension)

5 mg Rx Only

Store at 20°C - 25°C
(68°F - 77°F).
Store in original container.
Protect from light and
moisture.

46334825-US 825 ©Novartis

LOT
EXP

N (01) 100300780628617

NDC 0078-0628-61

Afinitor **Disperz**[®]
(everolimus tablet
for oral suspension)

5 mg Rx Only

Store at 20°C - 25°C
(68°F - 77°F).
Store in original container.
Protect from light and
moisture.

46334825-US 825 ©Novartis

LOT
EXP

N (01) 100300780628617

46334825-US 825
EMPTY CAVITY

46334825-US 825
EMPTY CAVITY

NDC 0078-0628-61

Afinitor **Disperz**[®]
(everolimus tablet
for oral suspension)

5 mg Rx Only

Store at 20°C - 25°C
(68°F - 77°F).
Store in original container.
Protect from light and
moisture.

46334825-US 825 ©Novartis

LOT
EXP

N (01) 100300780628617

NDC 0078-0628-61

Afinitor **Disperz**[®]
(everolimus tablet
for oral suspension)

5 mg Rx Only

Store at 20°C - 25°C
(68°F - 77°F).
Store in original container.
Protect from light and
moisture.

46334825-US 825 ©Novartis

LOT
EXP

N (01) 100300780628617

NDC 0078-0628-61

Afinitor **Disperz**[®]
(everolimus tablet
for oral suspension)

5 mg Rx Only

Store at 20°C - 25°C
(68°F - 77°F).
Store in original container.
Protect from light and
moisture.

46334825-US 825 ©Novartis

LOT
EXP

N (01) 100300780628617

NDC 0078-0628-61

Afinitor **Disperz**[®]
(everolimus tablet
for oral suspension)

5 mg Rx Only

Store at 20°C - 25°C
(68°F - 77°F).
Store in original container.
Protect from light and
moisture.

46334825-US 825 ©Novartis

LOT
EXP

N (01) 100300780628617

46334825-US 825
EMPTY CAVITY

46334825-US 825
EMPTY CAVITY

46334825-US 825
EMPTY CAVITY

46334825-US 825
EMPTY CAVITY

NDC 0078-0628-61

Afinitor **Disperz**[®]
(everolimus tablet
for oral suspension)

5 mg Rx Only

Store at 20°C - 25°C
(68°F - 77°F).
Store in original container.
Protect from light and
moisture.

46334825-US 825 ©Novartis

LOT
EXP

N (01) 100300780628617

NDC 0078-0628-61

Afinitor **Disperz**[®]
(everolimus tablet
for oral suspension)

5 mg Rx Only

Store at 20°C - 25°C
(68°F - 77°F).
Store in original container.
Protect from light and
moisture.

46334825-US 825 ©Novartis

LOT
EXP

N (01) 100300780628617

NDC 0078-0628-61

Afinitor **Disperz**[®]
(everolimus tablet
for oral suspension)

5 mg Rx Only

Store at 20°C - 25°C
(68°F - 77°F).
Store in original container.
Protect from light and
moisture.

46334825-US 825 ©Novartis

LOT
EXP

N (01) 100300780628617

NDC 0078-0628-61

Afinitor **Disperz**[®]
(everolimus tablet
for oral suspension)

5 mg Rx Only

Store at 20°C - 25°C
(68°F - 77°F).
Store in original container.
Protect from light and
moisture.

46334825-US 825 ©Novartis

LOT
EXP

N (01) 100300780628617





Ramesh
Raghavachari

Digitally signed by Ramesh Raghavachari
Date: 3/11/2024 03:29:20PM
GUID: 502d0913000029f375128b0de8c50020