



Back of Vial Ampule w/ Hot Stamped Lot/Exp







BAUSCH+LOMB

LUMIFY®

BRIMONIDINE TARTRATE

Works in 1 minute

0.013 FL OZ (0.4 mL) per vial

**OPHTHALMIC SOLUTION 0.025%** 

**REDNESS RELIEVER EYE DROPS** 

Convenient single-use vials

PRESERVATIVE FREE

Now available in preservative free

20 single-use vials (4 pouches x 5 single-use vials)

NEW!

LUMIFY® Preservative Free eye drops, from the eye care experts at Bausch + Lomb.

> Just one drop works within a minute to reduce redness.

# PRESS & HOLD >



Directions To open, twist tab off.



Instill 1 drop in the affected eye(s). Discard vial immediately after use.

Store unused single-use vials in the child-resistant carton.

## DO NOT USE IF POUCH IS TORN OR OPEN

# **Drug Facts**

Active ingredient

Purpose ..Redness reliever

### Use

■ relieves redness of the eye due to minor eye irritations

#### Warnings

For external use only

if solution changes color or becomes cloudy

# ■ if single-use vial is not intact

Stop use and ask a doctor if

■ you experience eye pain, changes in vision, continued redness or irritation of the eye

condition worsens or persists for more than 3 days

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

■ adults and children 5 years of age and over:
■ twist tab completely off to open vial

- instill 1 drop in the affected eye(s)
   discard vial immediately after use; do not re-use
- store unused single-use vials in the child-resistant carton do not use more than 4 times daily
- remove contact lenses before use
- wait at least 10 minutes before re-inserting contact lenses after use ■ if using other ophthalmic products while using this product, wait at least
- 5 minutes between each product
- to avoid contamination, do not touch tip of container to any surface ■ children under 5 years of age: consult a doctor

#### Other information

- store at 15-25 °C (59-77 °F)
- use only if pouch is sealed and single-use vial is intact
- this carton is child-resistant
- protect from light

# Inactive ingredients

boric acid, calcium chloride dihydrate, glycerin, potassium chloride, sodium borate decahydrate, sodium chloride, water for injection. Hydrochloric acid and/or sodium hydroxide may be used to adjust pH.

Questions or comments? (call: 1-800-553-5340



Closed Carton w/Sleeve and Tray



# Open Carton w/Sleeve and Tray





\_\_\_\_\_

This is a representation of an electronic record that was signed
electronically. Following this are manifestations of any and all
electronic signatures for this electronic record.

.....

/s/

PAMELA J HORN 04/19/2024 12:17:09 PM