












Pataday®

ONCE DAILY RELIEF

Olopatadine hydrochloride
ophthalmic solution 0.2% Antihistamine

Eye Allergy Itch Relief

Original Prescription Strength

Pataday®

ONCE DAILY RELIEF


Olopatadine hydrochloride
ophthalmic solution 0.2%
Antihistamine

Eye Allergy Itch Relief

**ONCE
DAILY**

#1 DOCTOR RECOMMENDED
OTC EYE ALLERGY
BRAND*

Works in Minutes



Alcon 2.5 mL (0.085 FL OZ)

STERILE

LOT:

EXP:

XXXXX
YYYY-MM-DD

Pataday®

ONCE DAILY RELIEF

Eye Allergy Itch Relief


Works in Minutes

TAMPER EVIDENT: For your protection,
this bottle has a seal imprinted around the
neck. Do not use if seal is damaged or
missing at time of purchase.



NDC: 0065-8150-01 300071461-0325







Pataday®

ONCE DAILY RELIEF

Olopatadine hydrochloride
ophthalmic solution 0.2% Antihistamine

Eye Allergy Itch Relief

Original Prescription Strength

Pataday®

ONCE DAILY RELIEF

Olopatadine hydrochloride
ophthalmic solution 0.2%

Antihistamine

Eye Allergy Itch Relief

**ONCE
DAILY**

#1 DOCTOR RECOMMENDED
OTC EYE ALLERGY
BRAND*

Works in Minutes

Pataday®

ONCE DAILY RELIEF

Eye Allergy Itch Relief
Works in Minutes

TAMPER EVIDENT: For your protection,
this bottle has a seal imprinted around the
neck. Do not use if seal is damaged or
missing at time of purchase.

**For Ages 2
and Older
30 DAY
SUPPLY**

Fill Line

Alcon Laboratories, Inc.
6201 South Freeway
Fort Worth, Texas 76134
Country of Origin: Japan

ACTUAL SIZE

Drug Facts

Active ingredient **Purpose**
Olopatadine (0.2%).....Antihistamine
(equivalent to olopatadine hydrochloride 0.222%)

Use temporarily relieves itchy eyes due to pollen,
ragweed, grass, animal hair and dander

Warnings

For external use only

Do not use

- if solution changes color or becomes cloudy
- if you are sensitive to any ingredient in this product
- to treat contact lens related irritation

When using this product

- do not touch tip of container to any surface to avoid contamination
- remove contact lenses before use
- wait at least 10 minutes before reinserting contact lenses after use
- do not wear a contact lens if your eye is red

Stop use and ask a doctor if you experience:

- eye pain
- changes in vision
- increased redness of the eye
- itching worsens or lasts for more than 72 hours

Keep out of reach of children. If swallowed, get medical
help or contact a Poison Control Center right away.

Directions

■ **adults and children 2 years of age and older:**

- put 1 drop in the affected eye(s) once daily, no more
than once per day

Drug Facts (continued)

- if using other ophthalmic products while using this product, wait at least 5 minutes between each product
- replace cap after each use
- **children under 2 years of age:** consult a doctor

Other information

- only for use in the eye
- store between 2°-25°C (36°-77°F)

Inactive ingredients

benzalkonium chloride 0.01%,
dibasic sodium phosphate, edetate
disodium, hydrochloric acid/sodium
hydroxide (adjust pH), povidone,
purified water, and sodium chloride

Questions?

In the U.S., call 1-800-757-9195 or
email alcon.medinfo@alcon.com

*Based on a survey of eye care professionals,
allergist, and primary care doctors. December 2024.



3 00658 15002 8



LOT:

EXP:


XXXXX

YYYY-MM-DD

*GRAIN

GRAPHICS TOP





GRAPHICS TOP


*GRAIN






*GRAIN

GRAPHICS TOP











*GRAIN

GRAPHICS TOP











This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

PAMELA J HORN
04/15/2025 03:15:44 PM