

(b) (4)

Drug Facts Format Information					
Drug Facts:	10.00 pt	Subheadings/Body Text:	6.00 pt	Barlines:	2.5 pt
Drug Facts (continued):	8.00 pt	Bullets:	5.00 pt	Horizontal Scale:	90%
Headings:	8.00 pt	Leading:	6.50 pt	Tracking:	-20



Drug Facts Format Information					
Drug Facts:	NA pt	Subheadings/Body Text:	4.25 pt	Barlines:	NA pt
Drug Facts (continued):	NA pt	Bullets:	4.25 pt	Hairlines:	NA pt
Headings:	4.25 pt	Leading:	4.75 pt	Horizontal Scale:	80%
				Tracking:	0

DUAL ACTION

Pepcid

Complete

Acid Reducer + Antacid

Just One Tablet!

Berry Flavor

Relieves Heartburn

Due to Acid Indigestion

1

Chewable Tablet

Do not use if pouch is torn or damaged.

Active ingredients (in each chewable tablet)

Famotidine 10 mg.....Pepstatin

Calcium carbonate 100 mg.....Antacid

Magnesium hydroxide 100 mg.....Antacid

Relieves heartburn associated with acid indigestion and sour stomach

Warnings/Allerg alert: Do not use if you are allergic to famotidine or other acid reducers. Do not use • if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

• **with other acid reducers.** Ask a doctor before use if you have • had heartburn over 3 months. This may be a sign of a more serious condition. • **heartburn with light-headedness, sweating, or dizziness** • chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arm, neck or shoulder; or light-headedness • **frequent chest pain** • frequent wheezing, particularly with heartburn • **unexplained weight loss** • **nausea or vomiting** • **stomach pain** • **kidney disease.** Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs. **Stop use and ask a doctor if** • your heartburn continues or worsens • you need to take this product for more than 14 days. **If pregnant or breast-feeding,** ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-321-1222). **Directions** • adults and children 12 years and over: • **do not swallow tablet whole;** chew completely • **to relieve symptoms,** chew 1 tablet before swallowing • **do not use more than 2 chewable tablets in 24 hours** • children under 12 years: ask a doctor. **Other information** • each tablet contains: calcium 320 mg, magnesium 70 mg • **read the directions and warnings before use** • **keep the carton.** It contains important information. • **store at 20°-25° C (68°-77°F)** • **protect from moisture** • **do not use if pouch is torn or damaged.** **Inactive ingredients:** cellulose acetate, corn starch, croscarmellose, D,L-α-tocopherol, calcium lake, croscarmellose, FD&C blue no. 1, aluminum lake, FD&C red no. 40, aluminum lake, flavors, gum arabic, hydroxypropyl cellulose, hypromellose, lactose monohydrate, magnesium stearate, methylcellulose, mineral oil*, modified starch, sucralose

*may contain mineral oil

Directions or comments? 1-800-365-4000 (toll-free) or 215-773-4716 (collect)

Dist. by: **Novartis Brands LLC**
Summit, NJ 07901

©Novartis Brands LLC 2024

0000000

NNNNNN

EXP-YYYYMM

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
01/31/2025 10:51:09 AM