


Rx Only NDC 46783-161-01  
Do not store above 25°C (77°F).  
Reconstitute with  
preservative-free 0.9% Sodium  
Chloride Injection; USP.  
After reconstitution: the product  
should be stored in a refrigerator  
at 2°C to 8°C (36°F to 46°F)  
for up to 24 hours.

MERZ AESTHETICS\*



incobotulinumtoxinA

**XEOMIN®**

FOR INJECTION

**50 units/vial**

For Intramuscular Use

One single-dose vial per carton.

Discard Unused Portion.

**WARNING: Dosing units of  
botulinum toxins are not  
interchangeable between  
commercial products.**

Manufactured by:  
Merz Pharmaceuticals GmbH  
Eckenheimer Landstraße 100  
Frankfurt am Main  
Germany  
U.S. License Number 1830

Lot:

XXXXX

EXP:

XX.XXXX

MN170003020 Aw01231-00

Rx Only NDC 46783-165-01  
Do not store above 25°C (77°F).  
Reconstitute with  
preservative-free 0.9% Sodium  
Chloride Injection; USP.  
After reconstitution: the product  
should be stored in a refrigerator  
at 2°C to 8°C (36°F to 46°F)  
for up to 24 hours.

MERZ AESTHETICS\*



Physician Sample – Not For Resale

incobotulinumtoxinA

**XEOMIN®**

FOR INJECTION

**50 units/vial**

For Intramuscular Use

One single-dose vial per carton.

Discard Unused Portion.

**WARNING: Dosing units of  
botulinum toxins are not  
interchangeable between  
commercial products.**

Manufactured by:  
Merz Pharmaceuticals GmbH  
Eckenheimer Landstraße 100  
Frankfurt am Main  
Germany  
U.S. License Number 1830

Lot:

XXXXX


EXP:

XX.XXXX

MN170003023 Aw01233-00

Rx Only NDC 46783-160-01  
Do not store above 25°C (77°F).  
Reconstitute with  
preservative-free 0.9% Sodium  
Chloride Injection; USP.  
After reconstitution: the product  
should be stored in a refrigerator  
at 2°C to 8°C (36°F to 46°F)  
for up to 24 hours.

MERZ AESTHETICS\*



incobotulinumtoxinA

**XEOMIN®**

FOR INJECTION

**100 units/vial**

For Intramuscular Use

One single-dose vial per carton.

Discard Unused Portion.

**WARNING: Dosing units of  
botulinum toxins are not  
interchangeable between  
commercial products.**

Manufactured by:  
Merz Pharmaceuticals GmbH  
Eckenheimer Landstraße 100  
Frankfurt am Main  
Germany  
U.S. License Number 1830

Lot:

XXXXX

EXP:

XX.XXXX

MN170003017 Aw01235-00

Rx Only NDC 46783-160-10  
Do not store above 25°C (77°F).  
Reconstitute with  
preservative-free 0.9% Sodium  
Chloride Injection; USP.  
After reconstitution: the product  
should be stored in a refrigerator  
at 2°C to 8°C (36°F to 46°F)  
for up to 24 hours.

MERZ AESTHETICS\*



Physician Sample – Not For Resale

incobotulinumtoxinA

**XEOMIN®**

FOR INJECTION

**100 units/vial**

For Intramuscular Use

One single-dose vial per carton.

Discard Unused Portion.

**WARNING: Dosing units of  
botulinum toxins are not  
interchangeable between  
commercial products.**

Manufactured by:  
Merz Pharmaceuticals GmbH  
Eckenheimer Landstraße 100  
Frankfurt am Main  
Germany  
U.S. License Number 1830



Lot:

XXXXX

EXP:

XX.XXXX

MN170003018 Aw01237-00

	<b>XEOMIN®</b> incobotulinumtoxinA FOR INJECTION 50 units/vial  PC SN 0346783161010 SN XXXXXXXXXX Lot XXXXX EXP XX.XXXX	
Rx Only 1 vial NDC 46783-161-01 <b>incobotulinumtoxinA</b> <b>XEOMIN®</b> <b>FOR INJECTION</b> <b>50 units/vial</b>  <b>50</b> units/vial  <b>For Intramuscular Use</b> Keep out of reach and sight of children. Do not store above 25°C (77°F). <b>Reconstitute with preservative-free 0.9% Sodium Chloride Injection; USP.</b> After reconstitution: the product should be stored in a refrigerator at 2°C to 8°C (36°F to 46°F) for up to 24 hours.  MERZ AESTHETICS*	Manufactured by: Merz Pharmaceuticals GmbH Eckenheimer Landstraße 100 Frankfurt am Main Germany U.S. License Number 1830  Distributed by: Merz North America, Inc. 4133 Courtney Street, Suite 10 Franksville, WI 53126 XEOMIN® is a registered trademark of Merz Pharma GmbH & Co. KGaA. Patent: www.merzaesthetics.com/patents  <b>For Intramuscular Use</b> Dispense the enclosed Medication Guide to each patient. One single-dose vial per carton. Discard unused portion.  <b>WARNING: Dosing units of botulinum toxins are not interchangeable between commercial products.</b>  <b>MERZ AESTHETICS*</b>  An-Nr. 200001980 AW01230.00 MN 70002962	  <b>No preservative</b>  <b>Single-dose vial:</b> <b>Discard unused portion.</b> <b>Usual dosage:</b> See package insert.  Each vial contains: 50 units of Clostridium Botulinum Neurotoxin Type A, Human albumin (1 mg), Sucrose (4.7 mg).  US
	<b>XEOMIN®</b> incobotulinumtoxinA FOR INJECTION 50 units/vial  PC SN 0346783165018 SN XXXXXXXXXX Lot XXXXX EXP XX.XXXX	  <b>No preservative</b>  <b>Single-dose vial:</b> <b>Discard unused portion.</b> <b>Usual dosage:</b> See package insert.  Each vial contains: 50 units of Clostridium Botulinum Neurotoxin Type A, Human albumin (1 mg), Sucrose (4.7 mg).
Rx Only 1 vial NDC 46783-165-01 <b>incobotulinumtoxinA</b> <b>XEOMIN®</b> <b>FOR INJECTION</b> <b>50 units/vial</b>  <b>50</b> units/vial  <b>Physician Sample - Not for Resale</b> <b>For Intramuscular Use</b> Keep out of reach and sight of children. Do not store above 25°C (77°F). <b>Reconstitute with preservative-free 0.9% Sodium Chloride Injection; USP.</b> After reconstitution: the product should be stored in a refrigerator at 2°C to 8°C (36°F to 46°F) for up to 24 hours.  MERZ AESTHETICS*	Manufactured by: Merz Pharmaceuticals GmbH Eckenheimer Landstraße 100 Frankfurt am Main Germany U.S. License Number 1800  Distributed by: Merz North America, Inc. 4133 Courtney Street, Suite 10 Franksville, WI 53126 XEOMIN® is a registered trademark of Merz Pharma GmbH & Co. KGaA. Patent: www.merzaesthetics.com/patents  <b>For Intramuscular Use</b> Dispense the enclosed Medication Guide to each patient. One single-dose vial per carton. Discard unused portion.  <b>WARNING: Dosing units of botulinum toxins are not interchangeable between commercial products.</b>  <b>MERZ AESTHETICS*</b>  An-Nr. 210000842 AW01232.00 MN 70002965	  US





Susan  
Kirshner

Digitally signed by Susan Kirshner  
Date: 12/17/2025 11:08:20AM  
GUID: 508da6db000266b77da0ba4bfa620030