

NDC 0116-1022-18

DYNA-HEX 2®
Chlorhexidine Gluconate 2% Solution
Antiseptic

Contains: 2% Chlorhexidine Gluconate
With foam pump

Distributed By: Xtrrium Laboratories, Inc.
Mount Prospect, IL 60056

Net Contents: 18 fl oz (532 mL)

0 11610 22180 8

Drug Facts

Active ingredient Purpose
Chlorhexidine gluconate 2% solution ... Antiseptic

Uses

- surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease

Warnings
For external use only

Allergy alert:
This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- facial swelling
- hives
- rash
- shock

Drug Facts (continued)

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- do not use routinely if you have wounds which involve more than the superficial layers of skin

Drug Facts (continued)

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- Surgical hand scrub:
 - wet hands and forearms under running water for 30 seconds. Clean fingernails using a nailstick or similar cleaner.
 - scrub for 1.5 minutes with 8 mL of product (6 full pumps) with or without a wet brush paying close attention to the nails, cuticles, and skin between the fingers

Drug Facts (continued)

- rinse thoroughly under running water for 30 seconds
- wash for an additional 1.5 minutes with 8 mL of product (6 full pumps) and rinse under running water for 30 seconds
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense 5 mL of product (4 full pumps) into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

Inactive ingredients citric acid, cocamide DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, purified water

2DYN18BTLLBLA

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

MELANIE J BLANK
02/03/2026 06:11:37 PM