

30052948 - WOMEN'S ROGAINE 2% MINOXIDIL SOLUTION - 1 MONTH CARTON

Drug Facts Label	Size
Drug Facts Title	9.00 pt
Drug Facts Continued	N/A
Headings	8.00 pt
Subheadings	6.00 pt
Body Text	6.00 pt
Leading	6.00 pt
Characters per inch	30.8
Bullets	5.00 pt
Space before bullet	left aligned
Barlines	1.5 pt
Hairlines	0.5 pt
Space between hairlines	1 space (-0.5mm)

Drug Facts
Active ingredient Minoxidil 2% w/v
Purpose Hair regrowth treatment

Use To regrow hair on the scalp

Warnings
For external use only
 Flammable: Keep away from fire or flame

Do not use if

- your degree of hair loss is different than that shown on the side of this carton, because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you are using medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results
- the amount of hair regrowth is different for each person. This product will not work for everyone.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, dizziness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.
 Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information

- see hair loss picture on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton in a safe place. It contains important information.
- In clinical studies of mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solution was reported: 19% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 8 months (19% had moderate regrowth, 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using the placebo. The liquid without minoxidil in it, for 8 months (7% had moderate regrowth, 33% had minimal regrowth)
- store at controlled room temperature 20° to 25° C (68° to 77° F)

Inactive ingredients
 alcohol, propylene glycol, purified water

Questions?

- call toll-free 800-764-2463 or 215-273-8755 (collect)
- visit www.kenvue.com

Distributed by:
Kenvue Brands LLC
 Summit, NJ 07901
 Active Made in Italy
 © Kenvue Brands LLC 2025
 Pat. www.kenvuepats.com
 This packaging is protected trade dress. 3 005 2948

LOT/EXP

#1 DERMATOLOGIST RECOMMENDED BRAND

WOMEN'S Rogaine®

**2% Minoxidil Topical Solution
 HAIR REGROWTH
 TREATMENT**

Women's Rogaine® Solution is for women who have a general thinning of hair on the top of the scalp as shown.

Women's Rogaine® has been shown to regrow hair in women with the following degrees of thinning hair or hair loss.

If women have more hair loss than shown above, Women's Rogaine® may not work.

Do not use if you have patchy hair loss as shown above.

THIS PACKAGE CONTAINS

- One 60 mL (2 fl oz) Bottle of Women's Rogaine® (one month supply)
- One child-resistant dropper applicator
- Information booklet with complete directions on how to use and obtain best results

WOMEN'S Rogaine®

**2% Minoxidil
 Topical Solution**

**Hair Regrowth
 Treatment**

**REACTIVATES
 HAIR FOLLICLES
 TO STIMULATE
 REGROWTH**

**CLINICALLY PROVEN
 TO HELP REGROW HAIR**

Topical Solution

UNSCENTED

**One Month Supply
 One 60 mL (2 fl oz) Bottle**

Drug Facts Form Information	
30052949 - WOMEN'S ROGAINE 2% MINOXIDIL SOLUTION - 3 MONTH CARTON	
Drug Facts Label	Size
Drug Facts Title	10.00 pt
Drug Facts Continued	8.50 pt
Headings	8.50 pt
Subheadings	6.50 pt
Body Text	6.50 pt
Leading	7.50 pt
Characters per inch	28.5
Bullets	5.00 pt
Space before bullet	left aligned
Barlines	1.64 pt
Hairlines	0.5 pt
Space between hairlines	1 space (~0.6mm)

WOMEN'S
Rogaine

2% Minoxidil Topical Solution
HAIR REGROWTH TREATMENT
UNSCENTED

WOMEN'S
Rogaine

2% Minoxidil Topical Solution
HAIR REGROWTH TREATMENT

Women's Rogaine® Solution is for women who have a general thinning of hair on the top of the scalp as shown.

Women's Rogaine® has been shown to regrow hair in women with the following degrees of thinning hair or hair loss.

If women have more hair loss than shown above, Women's Rogaine® may not work.

Do not use if you have patchy hair loss as shown above.

THIS PACKAGE CONTAINS

- Three 60 mL (2 fl oz) Bottles of Women's Rogaine® (Three Month Supply)
- One child-resistant dropper applicator
- Information booklet with complete directions on how to use and obtain best results

Distributed by:
Kenvue Brands, LLC
Kenzie, NJ 07033
© Kenvue Brands, LLC 2025
Active Mfg. No. 153
Pat. www.kenvuepatents.com

This packaging is a protected trade dress. 30052949

#1 DERMATOLOGIST RECOMMENDED BRAND

WOMEN'S
Rogaine

2% Minoxidil Topical Solution
Hair Regrowth Treatment

REACTIVATES HAIR FOLLICLES TO STIMULATE REGROWTH

CLINICALLY PROVEN TO HELP REGROW HAIR

Topical Solution

UNSCENTED

Three Month Supply
Three 60 mL (2 fl oz) Bottles

Drug Facts

Active ingredient
Minoxidil 2% w/v

Purpose
Hair regrowth treatment

Use To regrow hair on the scalp

Warnings

- For external use only
- Flammable: Keep away from fire or flame
- Do not use if:
 - you have a scalp condition where the product may not work for you
 - you have no family history of hair loss
 - your hair sheds a sudden increase
 - your hair loss is associated with childbirth
 - you are taking medicine for high blood pressure
 - you are under 18 years of age. Do not use on babies and children.
 - your scalp is red, inflamed, itchy, cracked, or painful
 - you use other medicines on the scalp
- Ask a doctor before use if you have heart disease

When using the product

- do not apply on other parts of the body
- do not contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color under treatment
- it takes time to regrow hair. This may need to use this product 3 months to 6 months before you see results.
- the amount of hair regrowth is different for each person
- This product will not work for everyone.

Stop use and ask a doctor if

- your scalp, hair, forehead, forehead, or eyebrows become sore, swollen, cracked, or itchy
- your scalp or hair falls out
- your scalp or hair becomes red, itchy, or swollen
- your scalp or hair becomes red, itchy, or swollen
- your scalp or hair becomes red, itchy, or swollen
- your scalp or hair becomes red, itchy, or swollen

Drug Facts (continued)

May be harmful if used when pregnant or breast feeding.
Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- Apply more or more often will not improve results
- Contact your doctor if necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information

- Do not let hair, pictures or oil get in the center
- Before use, read all information on carton and enclosed booklet
- Keep away from children. Contains important information
- A clinical studies of healthy women aged 18-45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solution was reported: 19% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 6 months (19% had moderate regrowth, 4% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using the placebo, the liquid without minoxidil, for 6 months (7% had moderate regrowth, 3% had minimal regrowth).
- Store at controlled room temperature 20° to 25° (68° to 77°)

Inactive ingredients

Water, propylene glycol, purified water

Questions?

- call toll free 800-769-2483 or 215-273-4353 (toll-free)
- visit www.rogaine.com

LOT#MP

Net Content Statement

PDP Area: (width x height) 4.5 in²

Net Content Size: 0.042"

NET CONTENT

1/16 IN. 5 SQ. IN. OR LESS

1/8 IN. MORE THAN 5 SQ. IN. BUT NOT MORE THAN 25 SQ. IN.

3/16 IN. MORE THAN 25 SQ. IN. BUT NOT MORE THAN 100 SQ. IN.

1/4 IN. MORE THAN 100 SQ. IN. BUT NOT MORE THAN 400 SQ. IN.

1/2 IN. OVER 400 SQ. IN.

Drug Facts Format Information					
Drug Facts:	N/A pt	Subheadings/Body Text:	4.00 pt	Barlines:	0.5 pt
Drug Facts (continued):	N/A pt	Bullets:	4.00 pt	Hairlines:	0.5 pt
Headings:	4.00 pt	Leading:	4.50/4.35 pt	Horizontal Scale:	95%
				Tracking:	-9

Drug Facts Format Information
30034326 -WOMEN'S ROGAINE 2% MINOXIDIL SOLUTION - BOTTLE

Drug Facts Label	Size
Drug Facts Title	N/A
Drug Facts Continued	N/A
Headings	4.00 pt
Subheadings	4.00 pt
Body Text	4.00 pt
Leading	4.50/4.35 pt
Characters per inch	33.9
Bullets	4.00 pt
Space before bullet	left aligned
Barlines	0.5 pt
Hairlines	0.5 pt
Space between hairlines	N/A

WOMEN'S Rogaine®

2% Minoxidil Topical Solution

Hair Regrowth Treatment

REACTIVATES HAIR FOLLICLES TO STIMULATE REGROWTH

Topical Solution

UNSCENTED

One Month Supply One 60 mL (2 fl oz) Bottle

Read and keep carton and booklet for full product information

Active ingredient Minoxidil 2% w/v

Warnings

For external use only

Flammable: Keep away from fire or flame

Do not use if

• you have no family history of hair loss

• your hair loss is sudden and/or patchy

• your hair loss is associated with childbirth

• you do not know the reason for your hair loss

• you are under 18 years of age. Do not use on babies and children.

• your scalp is red, inflamed, infected, irritated, or painful

• you use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

• do not apply on other parts of the body

• avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

• some people have experienced changes in hair color and/or texture

Stop use and ask a doctor if

• chest pain, rapid heartbeat, faintness, or dizziness occurs

• sudden, unexplained weight gain occurs

• your hands or feet swell

• scalp irritation or redness occurs

• unwanted facial hair growth occurs

Distributed by: Kaneva Brands LLC Summit, NJ 07901

Active Made in Italy

© Kaneva Brands LLC 2025

Pat. www.kanevapats.com

This packaging is protected trade dress.

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• apply one mL 2 times a day directly onto the scalp in the hair loss area

• see inner carton and enclosed booklet for complete directions

• using more or more often will not improve results

• continued use is necessary or hair loss will begin again

Inactive ingredients

alcohol, propylene glycol, purified water

Questions? Call toll-free 800-764-2463 or 215-273-8755 (collect); visit www.rogaïne.com

Store at Controlled Room Temperature 20° to 25°C (68° to 77°F)

FOR BEST RESULTS

APPLY DIRECTLY TO SCALP TWICE DAILY

LOT

EXP

30034326

Reference ID: 5728135

IMPORTANT
INFORMATION ABOUT

WOMEN'S
Rogaine®

2% Minoxidil
Topical Solution

Hair Regrowth
Treatment

REACTIVATES
HAIR FOLLICLES
TO STIMULATE
REGROWTH

CLINICALLY PROVEN
TO HELP REGROW HAIR



Topical Solution

UNSCENTED



Distributed by:
Kenvue Brands LLC
Summit, NJ 07901
© Kenvue Brands LLC 2025
Pat. www.kenvuepats.com
This packaging is protected
trade dress.

30052950



**2% MINOXIDIL TOPICAL SOLUTION
HAIR REGROWTH TREATMENT**

UNSCENTED

Save this booklet for future reference.

- Hair regrowth treatment
- Previously available only by prescription

Over 30 million American women experience hair thinning or hair loss, so you're not alone. Women's ROGAINE® Brand contains the only ingredient that is medically proven effective to help regrow hair in women.

Please read this booklet carefully. It will help you understand how to use ROGAINE® Solution and what to expect from its use. If you have any questions after reading this booklet, or anytime while using Women's ROGAINE®, you should ask your health care professional or call toll-free **800-764-2463** or **215-273-8755** (collect). Visit www.rogaine.com

What is Women's ROGAINE® Solution?




ROGAINE® is a colorless liquid medication for use only on the top of the scalp to help regrow hair.

Who may use Women's ROGAINE® Solution?

Women's ROGAINE® may be appropriate for you if you are an adult who is at least 18 years old and experiencing gradually thinning hair or gradual hair loss on the top of the head. The common hereditary thinning or hair loss process begins slowly and may become noticeable only after years of gradual loss.

Women's ROGAINE® is for general thinning of hair on the top of the scalp as shown on the next page. ROGAINE® has been shown to regrow hair in women with the degrees of hair loss shown. If women have more hair loss than shown, ROGAINE® may not work.

Many of those experiencing hair loss have other family members with gradual thinning hair or hair loss. **If there is no family history of gradual thinning or gradual hair loss, or hair loss is patchy, talk to your doctor.**



**Who should NOT use
Women's ROGAINE® Solution?**

ROGAINE® will not prevent or improve hair loss related to pregnancy, the use of some prescription and non-prescription medications, certain severe nutritional problems (very low body iron; excessive vitamin A intake), the recently discontinued use of birth control pills, low thyroid states (hypothyroidism), chemotherapy, or diseases which cause scarring of the scalp. Also, ROGAINE® will not improve hair loss due to:

- damage from the use of hair care products which cause scarring or deep burns of the scalp.
- hair grooming methods such as cornrowing or ponytails which require pulling the hair tightly back from the scalp.

Do not use ROGAINE® if hair loss is patchy as shown below.




**You should ask your doctor if you are unsure
of the cause of your hair loss.**

Will Women’s ROGAINE® Solution work for me?

The amount of hair regrowth is different for each person. Not everyone will respond to ROGAINE®. The response to ROGAINE® cannot be predicted. No one will be able to grow back all their hair.

In clinical studies of mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to ROGAINE® was reported:

Female Response to ROGAINE® Solution
Percent reporting hair regrowth



19% of women reported moderate hair regrowth after using ROGAINE® for 8 months (19% had moderate regrowth; 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using the placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth; 33% had minimal regrowth).

What Minimal, Moderate and Dense Hair Regrowth Will Mean For You

	Number of Hairs	Hair Density
Minimal	Some new hairs are seen, but not enough to cover thinning areas.	Hairs in thinning areas do not grow as closely together as hairs on the rest of the head.
Moderate	New hairs cover some or all of thinning areas.	Hairs in the thinning areas grow more closely together, but are not as close together as hairs on the rest of the head.
Dense	New hairs cover, or almost completely cover, thinning areas.	Hairs in thinning areas grow as closely together as hairs on the rest of head.

Can Women’s ROGAINE® Solution be used to prevent hair loss?

We do not know if ROGAINE® will prevent hair loss.

How soon can I expect results from using Women’s ROGAINE® Solution?

Since normal hair usually grows only 1/2 to 1 inch per month, hair regrowth with ROGAINE® also takes time. Generally new hair growth is slow for a ROGAINE® user. Continued use of 2 times a day for at least 4 months is usually needed before you notice hair regrowth.

If you do not see hair regrowth in 4 months, stop using ROGAINE® and see your doctor.

When you first begin to use ROGAINE®, your hair loss may continue for up to 2 weeks. This hair loss is temporary. If you continue to lose hair after two weeks, see your doctor.

If Women's ROGAINE® Solution is working, what will the hair look like?

At first, hair growth may be soft, downy, colorless hairs. After further use, the new hairs should be the same color and thickness as the other hairs on your scalp.

How long do I need to use Women's ROGAINE® Solution?

If you respond to ROGAINE®, you need to use it 2 times a day to keep and continue the hair regrowth. Up to 8 months of usage may be needed to see your best results from ROGAINE®.

What happens if I completely stop using Women's ROGAINE® Solution? Will I keep the new hair?

Continuous use of ROGAINE® is needed to maintain hair regrowth. If you stop using ROGAINE®, the normal hair loss process will start again. You will probably lose your newly regrown hair in three to four months.

**What is the dosage of
Women's ROGAINE® Solution?**

You should apply a dose (1 mL) of ROGAINE® directly onto the scalp in the hair loss area

TWO TIMES A DAY; for example, once in the morning and once at night. Each bottle should last about one month, if used as directed.

Please refer to the “Directions for Use” section of this booklet.

**What if I miss a dose or forget
to use Women's ROGAINE® Solution?**

If you miss one or two daily doses of ROGAINE®, just continue with your next dose. You should not make up for missed doses.

**Can I use Women's ROGAINE® Solution
more than two times a day? Will it work
faster, better?**

No. ROGAINE® will not work faster or better if used more than two times a day. Studies have been carefully conducted to determine the correct amount of ROGAINE® needed to get the best results. More frequent use or larger doses have not been shown to speed up hair growth and may increase your chances of side effects.

What are the most common side effects with Women's ROGAINE® Solution?

The most common side effects are itching and other skin irritations of the treated area of the scalp. ROGAINE® contains alcohol, which would cause burning or irritation of the eyes or sensitive skin areas. If ROGAINE® accidentally gets into these areas, rinse with large amounts of cool tap water. Contact your doctor if irritation persists.

What kind of shampoo should I use with Women's ROGAINE® Solution?

If you wash your scalp before applying ROGAINE®, use a mild shampoo.

Can I use hair sprays, mousses, conditioners, gels, etc.?

Yes. There is no reason to change your usual hair care routine when using ROGAINE®. However, you should apply ROGAINE® first and wait for it to dry before applying your styling aids.

Can I have my hair colored or permed or use hair relaxers while using Women's ROGAINE® Solution?

Yes. We have no information that these treatments change the effect of ROGAINE®. However, to avoid possible scalp irritation, you should make sure all of the ROGAINE® has been washed off the hair and scalp before using these chemicals.

Can I apply Women's ROGAINE® Solution and wash my hair an hour later?

No. For ROGAINE® to work best, you should allow ROGAINE® to remain on the scalp for about 4 hours before washing.

Can I go swimming or out in the rain?

Yes. Avoid washing off the ROGAINE®. If possible, apply ROGAINE® to a dry scalp after swimming, or wait about 4 hours after application before going swimming. Do not let your scalp get wet from the rain after applying ROGAINE®.

Can Women's ROGAINE® Solution produce unwanted hair?

Although unwanted hair growth has been reported on the face and on other parts of the body, such reports have been infrequent. The unwanted hair growth may be caused by the transfer of ROGAINE® to areas other than the scalp, or by absorption into the circulatory system of low levels of the active ingredient, or by a medical condition not related to the use of ROGAINE®.

If you experience unwanted hair, discontinue using ROGAINE® and see your doctor for recommendations about appropriate treatment. After stopping use of ROGAINE®, the unwanted hair, if caused by the use of ROGAINE®, should go away over time.

You can take steps to decrease the chances for unwanted hair growth:

1. limit the application of ROGAINE® only to the scalp,
2. if you use your hands to apply ROGAINE®, wash your hands thoroughly afterwards, and
3. allow sufficient drying time (usually 2 to 4 hours before going to bed) after your nighttime application of ROGAINE®.

Can I use Women's ROGAINE® Solution for baldness or hair loss in babies and children?

No. ROGAINE® must not be used to treat baldness or hair loss in babies or children.

Are there any special warnings about the use of Women's ROGAINE® Solution?

For external use only

Flammable: Keep away from fire or flame

Do not use if

- your degree of hair loss is more than that shown on page 3 of this booklet, because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease.

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- contact between children and minoxidil application sites should be avoided. Cases of excessive hair growth have been reported in infants following skin contact with minoxidil application sites of caregivers using topical minoxidil. Excessive hair growth was reversible, within months, when infants were no longer exposed to minoxidil.

- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for everyone.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control center right away.

What factors may increase the risk of serious side effects with Women's ROGAINE® Solution?

ROGAINE® should be applied only to the scalp. The risk of side effects may be greater when ROGAINE® is applied to other parts of the body.

Directions for Use

1. Remove the inner cap. To remove, push down and turn in direction of the arrows on the cap.
2. Part your hair in the area of hair thinning/loss.
Follow the instructions below for using the dropper applicator and apply one mL 2 times a day directly onto the scalp in the hair loss area. Do not use more. Spread the liquid evenly over the hair loss area. If you use your fingers, wash hands with soap and water immediately. Each bottle should last about one month, if used as directed.
Use a mild shampoo if you wash your scalp before applying ROGAINE®.



Using the Dropper Applicator

1. Squeeze the rubber bulb and insert the dropper into the bottle. Release the bulb, allowing the dropper to fill to the 1 mL line. If the level of the solution is above the 1 mL line, squeeze the extra amount back into the bottle.
2. Next, place the tip of the dropper near the part of the scalp you want to treat and gently squeeze the bulb to gradually release the solution. To prevent the solution from running off the scalp, apply a small amount at a time.
3. After each use attach the dropper to the bottle to make it child-resistant by turning it clockwise until tightly closed.

If you have any other questions, ask your health care professional or call toll-free **800-764-2463** or **215-273-8755** (collect) visit www.rogaine.com

**Store at Controlled Room Temperature
20° to 25° C (68° to 77° F).**

Save this booklet for future reference.

Drug Facts Format Information

30052945 - MEN'S ROGAINE 5% MINOXIDIL SOLUTION - 1 MONTH CARTON

Drug Facts Label	Size
Drug Facts Title	9.00 pt
Drug Facts Continued	N/A
Headings	6.00 pt
Subheadings	6.00 pt
Body Text	6.00 pt
Leading	6.00 pt
Characters per inch	29.6
Bullets	5.00 pt
Space before bullet	left aligned
Barlines	1.0 pt
Hairlines	0.5 pt
Space between hairlines	1 space (~0.5mm)

Drug Facts

Active Ingredient Minoxidil 5% w/v **Purpose** Hair regrowth treatment for men

Use To regrow hair on the top of the scalp (vertex only; see pictures on side of carton)

Warnings For external use only. For use by men only. Flammable: Keep away from fire or flame.

Do not use if you are a woman; your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp; 5% minoxidil topical solution is not intended for frontal baldness or receding hairline; you have no family history of hair loss; your hair loss is sudden and/or patchy; you do not know the reason for your hair loss; you are under 18 years of age; Do not use on babies and children; your scalp is red, inflamed, itched, irritated or painful; you use other medicines on the scalp.

Ask a doctor before use if you have heart disease

When using this product do not apply on other parts of the body; avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

Some people have experienced changes in hair color and/or texture. It takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.

The amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if chest pain, rapid heartbeat, dizziness, or dizziness occurs; sudden, unexplained weight gain occurs; your hands or feet swell; scalp irritation or redness occurs; unwanted facial hair growth occurs; you do not see hair regrowth in 4 months.

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.

Directions apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area; using more or more often will not improve results; continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again.

Other information see hair loss pictures on side of this carton; before use, read all information on carton and enclosed booklet; keep the carton. It contains important information; hair regrowth has not been shown to last longer than 46 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men.


In clinical studies with mostly white men aged 18-49 years with moderate degree of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution; store at controlled room temperature 20° to 25° C (68° to 77° F).

Inactive ingredients alcohol, propylene glycol, purified water.

Questions? call toll-free 800-764-2463 or 215-273-8755 (collect); visit www.keruepa.com.



Men's ROGAINE® Extra Strength is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Men's ROGAINE® Extra Strength has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, Men's ROGAINE® Extra Strength may not work.



THIS PACKAGE CONTAINS



- One 60 mL (2 fl oz) Bottle of Men's ROGAINE® Extra Strength (one month supply)
- One child-resistant dropper applicator
- Information booklet with complete directions on how to use and obtain best results

Distributed by: Kerue Brands LLC Summit, NJ 07901
Active Made in Italy © Kerue Brands LLC 2025
Visit www.keruepa.com
This packaging is protected trade dress. 30052945

#1 DERMATOLOGIST RECOMMENDED BRAND

MEN'S Rogaine® EXTRA STRENGTH

5% Minoxidil Topical Solution Hair Regrowth Treatment

REACTIVATES HAIR FOLLICLES TO STIMULATE REGROWTH

Topical Solution



CLINICALLY PROVEN TO HELP REGROW HAIR

UNSCENTED

Not For Use By Women

One Month Supply • One 60 mL (2 fl oz) Bottle



LOT/EXP

Drug Facts Format Information

30052946 - MEN'S ROGAINE 5% MINOXIDIL SOLUTION - 3 MONTH CARTON

Drug Facts Label	Size
Drug Facts Title	10.00 pt
Drug Facts Continued	8.00 pt
Headings	6.50 pt
Subheadings	6.50 pt
Body Text	6.50 pt
Leading	7.50 pt
Characters per inch	28.5
Bullets	5.50 pt
Space before bullet	left aligned
Barlines	1.64 pt
Hairlines	0.5 pt
Space between hairlines	1 space (~0.6mm)

Drug Facts

Active Ingredient

Minoxidil (2% w/v)

Purpose

Hair regrowth treatment for men

Use

To regrow hair on the top of the scalp (vertex only, see pictures on side of carton)

Warnings

For external use only. For use by men only.

Flammable: Keep away from fire or flame.

Do not use if

- you are a woman
- your amount of hair loss is different than that shown on the side of this carton, or your hair loss is on the front of the scalp. 5% minoxidil topical solution is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person.
- This product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

Drug Facts (continued)

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- In clinical studies with mostly white men aged 18-49 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- store at controlled room temperature 20° to 25°C (68° to 77°F)

Inactive ingredients

alcohol, propylene glycol, purified water

Questions?

- call toll free 800-764-2463 or 215-273-8755 (collect)
- visit www.rogaïne.com

Distributed by:

Kenvue Brands LLC

Summit, NJ 07901

Active Made in Italy © Kenvue Brands LLC 2025

Pat. www.kenvuebrands.com

This packaging is protected trade dress. 30052946

Men's ROGAINE® Extra Strength is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline.

Men's ROGAINE® Extra Strength has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.

VERTEX

VERTEX

VERTEX

If men have more hair loss or hair loss in a place different than shown above, Men's ROGAINE® Extra Strength may not work.

FOR BEST RESULTS USE TWICE DAILY APPLY DIRECTLY TO HAIR

THIS PACKAGE CONTAINS

- Three 60 mL (2 fl oz) Bottles of Men's ROGAINE® Extra Strength (three month supply)
- One child-resistant dropper applicator
- Information booklet with complete directions on how to use and obtain best results

#1 DERMATOLOGIST RECOMMENDED BRAND

MEN'S
Rogaine®
EXTRA STRENGTH

5% Minoxidil Topical Solution
Hair Regrowth Treatment

REACTIVATES
HAIR FOLLICLES
TO STIMULATE REGROWTH

Topical Solution

CLINICALLY PROVEN TO HELP REGROW HAIR
UNSCENTED

Not For Use By Women

Three Month Supply • Three 60 mL (2 fl oz) Bottles



LOTEXP

30034327 -MEN'S ROGAINE 5% MINOXIDIL SOLUTION - BOTTLE

Drug Facts Label	Size
Drug Facts Title	N/A
Drug Facts Continued	N/A
Headings	4.00 pt
Subheadings	4.00 pt
Body Text	4.00 pt
Leading	4.50 pt
Characters per inch	33.3
Bullets	4.00 pt
Space before bullet	left aligned
Barlines	0.5 pt
Hairlines	0.5 pt
Space between hairlines	N/A

 <p>MEN'S</p> <h1>Rogaine®</h1> <p>EXTRA STRENGTH</p> <p>5% Minoxidil Topical Solution</p> <p>Hair Regrowth Treatment</p> <p>Topical Solution</p> <p>UNSCENTED</p> <p>One Month Supply 60 mL (2 fl oz)</p>	<p>Read and keep carton and booklet for full product information</p> <p>Active ingredient: Minoxidil 5% w/v</p> <p>Warnings For external use only. For use by men only. Flammable: Keep away from fire or flame</p> <hr/> <p>Do not use if</p> <ul style="list-style-type: none"> • you are a woman • you have no family history of hair loss • your hair loss is sudden and/or patchy • you do not know the reason for your hair loss • you are under 18 years of age. Do not use on babies and children. • your scalp is red, inflamed, infected, irritated, or painful • you use other medicines on the scalp <p>Ask a doctor before use if you have heart disease</p> <p>When using this product</p> <ul style="list-style-type: none"> • do not apply on other parts of the body • avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water. • some people have experienced changes in hair color and/or texture <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> • chest pain, rapid heartbeat, faintness, or dizziness occurs • sudden, unexplained weight gain occurs • your hands or feet swell • scalp irritation or redness occurs • unwanted facial hair growth occurs 	<p>May be harmful if used when pregnant or breast-feeding.</p> <p>Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> • apply one mL 2 times a day directly onto the scalp in the hair loss area • see inner carton and enclosed booklet for complete directions • using more or more often will not improve results • continued use is necessary or hair loss will begin again <p>Inactive ingredients alcohol, propylene glycol, purified water</p> <p>Questions? Call toll-free 800-764-2463 or 215-277-8755 (collect). visit www.rogaïne.com</p> <p>Store at Controlled Room Temperature 20° to 25°C (68° to 77°F)</p> <div style="text-align: center;">  LOT  EXP </div>
--	---	---

IMPORTANT INFORMATION ABOUT

MEN'S

Rogaine®

EXTRA STRENGTH

5% Minoxidil
Topical Solution
Hair Regrowth
Treatment

REACTIVATES
HAIR FOLLICLES
TO STIMULATE REGROWTH

 Topical Solution

CLINICALLY PROVEN TO HELP REGROW HAIR
UNSCENTED

Not For Use By Women



Distributed by:
Kenvue Brands LLC
Summit, NJ 07901
© Kenvue Brands LLC 2025
Pat. www.kenvuepats.com
This packaging is protected trade dress. 30052947



5% Minoxidil
Topical Solution
Hair Regrowth
Treatment

UNSCENTED

Save this booklet for future reference.

- It takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.

Please read this booklet carefully. It will help you understand how to use ROGAINE® Extra Strength Solution and what to expect from its use. If you have any questions after reading this booklet, or anytime while using ROGAINE® Extra Strength, you should ask your health care professional or call toll-free **800-764-2463** or **215-273-8755** (collect). visit www.rogaine.com


What is Men's ROGAINE® Extra Strength Solution?

ROGAINE® Extra Strength Solution is a colorless liquid medication containing 5% minoxidil for use only on the scalp to help regrow hair in men.

Who may use Men's ROGAINE® Extra Strength Solution?

ROGAINE® Extra Strength Solution is for use only by men. ROGAINE® Extra Strength Solution may be appropriate for you if you are a male at least 18 years old and experiencing gradually thinning hair or gradual hair loss on the top of the scalp (vertex only, as shown on the next page). It is not intended for frontal baldness or a receding hairline. The common inherited thinning or hair loss process begins slowly and may become noticeable only after years of gradual loss.

ROGAINE® Extra Strength Solution is for men with hair loss or thinning hair that begins on the vertex of the scalp. ROGAINE® Extra Strength Solution is more likely to regrow hair in men with hair loss in the range shown on the next page. If men have more hair loss than shown, ROGAINE® Extra Strength Solution may not work.



Many of those experiencing hair loss have other family members with gradual thinning hair or hair loss. **If you have no family history of gradual thinning hair or of gradual hair loss, or your hair loss is patchy, see your doctor.**

Who should NOT use Men's ROGAINE® Extra Strength Solution?

- Women should not use ROGAINE® Extra Strength Solution because studies have shown it works no better in women than Women's ROGAINE®. Some women may also grow facial hair. In addition, ROGAINE® Extra Strength Solution may be harmful if used during pregnancy or breast-feeding.
- ROGAINE® Extra Strength Solution should not be used on babies or for children under 18 years old.
- ROGAINE® Extra Strength Solution will not prevent or improve hair loss which may occur with the use of some prescription and non-prescription medications, certain severe nutritional problems (very low body iron; too much vitamin A intake), low thyroid states (hypothyroidism), chemotherapy, or diseases which cause scarring of the scalp.

Also, ROGAINE® Extra Strength Solution will not improve hair loss due to:

- damage from the use of hair care products which cause scarring or deep burns of the scalp.
- hair grooming methods such as cornrowing or ponytails which require pulling the hair tightly back from the scalp.

Do not use if you are not sure of the reason for your hair loss.

Will Men's ROGAINE® Extra Strength Solution work for me?

The amount of hair regrowth is different for each person. Not everyone will respond to ROGAINE® Extra Strength Solution. The response to ROGAINE® Extra Strength Solution cannot be predicted. It is unlikely anyone will be able to grow back all their hair.

However, to see your best results with ROGAINE® Extra Strength Solution, make sure you get the medicine directly to the scalp and apply it twice a day, every day.

You may get better results if you have been losing your hair for a short period of time or have little hair loss. However, for some men ROGAINE® Extra Strength Solution may not work.

How soon can I expect results from using Men's ROGAINE® Extra Strength Solution?

Since normal hair usually grows only 1/2 to 1 inch per month, hair regrowth with ROGAINE® Extra Strength Solution also takes time.

Results may be seen as early as 2 months with twice daily use. For some men, it may take at least 4 months for results to be seen. If you do not see any results after 4 months, stop using ROGAINE® Extra Strength Solution.

When you **first** begin to use ROGAINE® Extra Strength Solution, your hair loss may increase temporarily for up to 2 weeks. This is likely a sign that you are getting rid of old hairs in order to regrow more new hairs. This temporary increase in hair loss is expected and is a part of the process for how ROGAINE® Extra Strength Solution regrows hair. Remember, this increased hair loss is temporary. However, if it continues after two weeks, see your doctor.

If Men's ROGAINE® Extra Strength Solution is working, what will the hair look like?

At first, hair growth is usually soft, downy, colorless hairs (like peach fuzz). After further use, the new hairs should be the same color and thickness as the other hairs on your scalp.

How long do I need to use Men's ROGAINE® Extra Strength Solution?

If you experience hair regrowth, continued use of ROGAINE® Extra Strength Solution is necessary or the hair loss will begin again. In studies with ROGAINE® Extra Strength Solution, hair regrowth has not been shown to last longer than 48 weeks of continuous treatment in large clinical trials.

What happens if I completely stop using Men's ROGAINE® Extra Strength Solution? Will I keep the new hair?

Continuous use of ROGAINE® Extra Strength Solution is needed to maintain hair regrowth.

If you stop using ROGAINE® Extra Strength Solution, you will lose your newly regrown hair in 3 to 4 months.

How do I use Men's ROGAINE® Extra Strength Solution?

For best results, apply 1 mL with applicator **2 times a day directly onto the scalp** in the hair loss area. Using more or using more often will not improve results. Each bottle should last one month, if used as directed.

Allow time for ROGAINE® Extra Strength Solution to dry completely before wearing a hat, or lying on a pillow, etc. ROGAINE® Extra Strength Solution may cause staining of clothing or linens if damp on the scalp. When applying ROGAINE® Extra Strength Solution at night, be sure to allow 2 to 4 hours to dry completely. Never take this product by mouth or apply to other parts of the body.

When do I use Men's ROGAINE® Extra Strength Solution?

Apply ROGAINE® Extra Strength Solution once in the morning and once at night. The nighttime application should occur 2 to 4 hours before going to bed to allow for drying. Each bottle should last one month, if used as directed.

What if I miss a dose or forget to use Men's ROGAINE® Extra Strength Solution?

If you miss one or two daily doses of ROGAINE® Extra Strength Solution, just continue with your next dose. You should not make up for missed doses.

Can I use Men's ROGAINE® Extra Strength Solution more than twice a day? Will it work faster, better?

No. ROGAINE® Extra Strength Solution will not work faster or better if used more than two times a day. Studies have been carefully conducted to determine the correct amount of ROGAINE® Extra Strength Solution needed to get the best results. More frequent use or larger doses have not been shown to speed up hair growth and may increase your chance of side effects.

What kind of shampoo should I use with Men's ROGAINE® Extra Strength Solution?

If you wash your scalp before applying ROGAINE® Extra Strength Solution, use a mild shampoo.

Can I use hair sprays, mousses, conditioners, gels, etc.?

Yes. Hair sprays, spritz, or styling aids may be used on your hair while using ROGAINE® Extra Strength Solution. For best results, ROGAINE® Extra Strength Solution should be allowed to soak into the scalp before using any styling products. Try to develop a good routine of applying ROGAINE® Extra Strength Solution first, and then applying styling products and style as usual. Keep in mind that your best results will be seen with proper application.

Can I have my hair colored or permed or use hair relaxers while using Men's ROGAINE® Extra Strength Solution?

Yes. We have no evidence that coloring or perming your hair or that the use of relaxers change the effect of ROGAINE® Extra Strength Solution. However, because the use of a permanent wave and hair color can cause scalp irritation on certain people, we recommend the following precautions:


- 1.** To avoid possible scalp irritation, you should make sure all of the ROGAINE® Extra Strength Solution has been washed off the hair and scalp before using color or perm chemicals.
- 2.** For best results, do not apply ROGAINE® Extra Strength Solution on the same day that you use a chemical treatment on your hair.
- 3.** Do not use ROGAINE® Extra Strength Solution for 24 hours after using any chemicals to make sure your scalp has not been irritated by the perm or color treatment. If no irritation occurs, continue use of ROGAINE® Extra Strength Solution as usual.
- 4.** Simply restart your normal ROGAINE® Extra Strength Solution routine. There is no need to use more ROGAINE® Extra Strength Solution to make up for missed applications. Missing one day of ROGAINE® Extra Strength Solution will not affect your hair regrowth results.

Can I apply Men's ROGAINE® Extra Strength Solution and wash my hair an hour later?

No. For ROGAINE® Extra Strength Solution to work best, you should allow it to stay on the scalp for about 4 hours before washing.

Directions for Use

1. Remove the inner cap. To remove, push down and turn in direction of the arrows on the cap.
2. Part your hair in the area of hair thinning/loss. Follow the instructions shown on the next page for using the dropper applicator and apply one mL 2 times a day directly onto the scalp in the hair loss area. Do not use more. Spread the liquid evenly over the hair loss area. If you use your fingers, wash hands with soap and water immediately. Each bottle should last about one month, if used as directed. Use a mild shampoo if you wash your scalp before applying ROGAINE® Extra Strength Solution.



Using the Dropper Applicator

- 1.** Squeeze the rubber bulb and insert the dropper into the bottle. Release the bulb, allowing the dropper to fill to the 1 mL line. If the level of the solution is above the 1 mL line, squeeze the extra amount back into the bottle.
- 2.** Next, place the tip of the dropper near the part of the scalp you want to treat and gently squeeze the bulb to gradually release the solution. To prevent the solution from running off the scalp, apply a small amount at a time.
- 3.** After each use attach the dropper to the bottle to make it child-resistant by turning it clockwise until tightly closed.

Warnings

For external use only

For use by men only

Flammable: Keep away from fire or flame

Do not use if

- you are a woman
- your amount of hair loss is different than that shown on page 3 of this booklet or your hair loss is on the front of the scalp. 5% minoxidil topical solution is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss

- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age.
Do not use on babies and children.
- scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease.

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- contact between children and minoxidil application sites should be avoided. Cases of excessive hair growth have been reported in infants following skin contact with minoxidil application sites of caregivers using topical minoxidil. Excessive hair growth was reversible, within months, when infants were no longer exposed to minoxidil.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

What are the most common side effects with Men's ROGAINE® Extra Strength Solution?

The most common side effects are itching and skin irritation of the treated area of the scalp. If scalp irritation continues, stop use and see a doctor. ROGAINE® Extra Strength Solution contains alcohol, which will cause burning or irritation of the eyes. If ROGAINE® Extra Strength Solution accidentally gets into eyes, rinse with large amounts of cool tap water.

Can Men's ROGAINE® Extra Strength Solution produce unwanted hair growth?

Unwanted hair growth on the face and other parts of the body has been reported in women. But it is rare and reversible. If you develop unwanted hair, stop using ROGAINE® Extra Strength Solution. Over time, the unwanted hair, if caused by ROGAINE® Extra Strength Solution, will go away. You can take the following steps to decrease the chances of unwanted hair growth:

- 1.** limit the application of ROGAINE® Extra Strength Solution only to the scalp;
- 2.** if you use your hands to apply ROGAINE® Extra Strength Solution, wash your hands well immediately afterwards; and
- 3.** after your nighttime application of ROGAINE® Extra Strength Solution, allow enough drying time before going to bed (usually 2 to 4 hours).

Can I use Men's ROGAINE® Extra Strength Solution for baldness or hair loss in babies or children?

No. ROGAINE® Extra Strength Solution must not be used to treat baldness or hair loss in babies and children.

If you have any other questions, ask your health care professional or call toll-free **800-764-2463** or **215-273-8755** (collect) visit www.rogaine.com

**Store at Controlled Room Temperature
20° to 25° C (68° to 77° F).**

Drug Facts Format Information
30047741 - MEN'S ROGAINE 5% MINOXIDIL FOAM - CANISTER

Drug Facts Label	Size
Drug Facts Title	N/A
Drug Facts Continued	N/A
Headings	7.00 pt
Subheadings	6.00 pt
Body Text	6.00 pt
Leading	6.30 pt
Characters per inch	29.5
Bullets	6.00 pt
Space before bullet	left aligned
Barlines	0.5 pt
Hairlines	N/A
Space between hairlines	N/A

FOR BEST RESULTS

1: PREP HANDS WITH COLD WATER
Rinse your fingers in cold water and dry them. *Note:* Foam will melt on contact with warm surfaces.

2: OPEN CHILD RESISTANT CAP
Align arrow on the cap with arrow on white ring. Tilt cap back and pull off.

3: DISPENSE VERTICALLY ONTO A COLD SURFACE
Hold the can straight upside down. If you hold can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto a cold surface (e.g. dish, or cold hands).

4: APPLY TO SCALP, NOT HAIR
Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.

5: CLOSE CAP AND WASH HANDS
Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.

Read and keep package and booklet for full product information

Inactive ingredients
butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol

Questions?
Call toll-free **800-ROGAINE** or **215-273-8755** (collect) or reach us on the internet at **www.rogaïne.com**

Store at Controlled Room Temperature 20° to 25° C (68° to 77° F). Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120° F (49° C).

30047741

FOR BEST RESULTS
USE **TWICE DAILY**
APPLY DIRECTLY TO SCALP

MEN'S
Rogaine®

**5% MINOXIDIL
TOPICAL AEROSOL**

**HAIR REGROWTH
TREATMENT**

**REACTIVATES
HAIR FOLLICLES
TO STIMULATE REGROWTH**

EASY-TO-USE FOAM
UNSCENTED

Not For Use By Women

One Month Supply
One 60 g (2.11oz) Can

Active ingredient: Minoxidil 5% w/w (without propellant)

Warnings
For external use only.
For use by men only.
Extremely Flammable:
Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- you are a woman
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age.

Do not use on babies or children.

- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs

May be harmful if used when pregnant or breast-feeding.
Keep out of reach of children and pets.
If swallowed, get medical help or contact a Poison Control Center right away.

Distributed by: **Kenvue Brands LLC** Summit, NJ 07901
Active Made in Italy © Kenvue Brands LLC 2025
Pat. www.kenvuepatents.com
Product incorporates technology licensed from Stiefel Laboratories. This packaging is protected trade dress.

Drug Facts Label	Size
Drug Facts Title	9.00 pt
Drug Facts Continued	N/A
Headings	8.00 pt
Subheadings	6.00 pt
Body Text	6.00 pt
Leading	6.50 pt
Characters per inch	26.2
Bullets	5.00 pt
Space before bullet	left aligned
Barlines	1.5 pt
Hairlines	0.5 pt
Space between hairlines	1 space (~0.5mm)

Drug Facts

Active ingredient **Purpose**
Minoxidil 5% w/w (without propellant)..... Hair regrowth treatment for men

Use to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

Warnings

For external use only. For use by men only.

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- you are a woman
- your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- see enclosed booklet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- hair growth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on package and enclosed booklet
- keep the package. It contains important information.
- store at controlled room temperature 20° to 25° C (68° to 77° F)
- contents under pressure. Do not puncture or incinerate container.
- Do not expose to heat or store at temperatures above 120° F (49° C).




Inactive ingredients

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol

Questions?

- call toll-free **800-ROGAINE** or **215-273-8755** (collect)
- visit **www.rogaïne.com**

Men's ROGAINE® Foam is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. *Men's ROGAINE® Foam* has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, *Men's ROGAINE® Foam* may not work.



#1 DERMATOLOGIST
RECOMMENDED BRAND

MEN'S
Rogaine®

5% Minoxidil
Topical Aerosol
Hair Regrowth
Treatment

HAIR FOLLICLES
TO STIMULATE REGROWTH



EASY-TO-USE FOAM

CLINICALLY PROVEN TO HELP
REGROW HAIR

UNSCENTED

Not For Use By Women

One Month Supply • One 60 g (2.11 oz) Can

THIS PACKAGE CONTAINS

- One 60 g (2.11 oz) can of Men's ROGAINE® Foam (one month supply)

DIRECTIONS FOR USE

See information booklet with complete directions on how to use and obtain best results.



**1: PREP HANDS
WITH COLD WATER**

Rinse your fingers in **cold** water and dry them. **Note:** foam will melt on contact with warm surfaces.



**2: OPEN CHILD
RESISTANT CAP**

Be sure to align arrow on the cap with arrow on white ring. Tilt cap back and pull off.



**3: DISPENSE
VERTICALLY ONTO
A COLD SURFACE**

Hold the can straight upside down. If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto **cold** surface (e.g. dish, or cold hands).



**4: APPLY TO SCALP,
NOT HAIR**

Part your hair to expose hair loss area. Massage foam into **scalp**, not hair. **Repeat** until all hair loss areas have been covered.



**5: CLOSE CAP AND
WASH HANDS**

Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.



Distributed by: **Kenvue Brands LLC** Summit, NJ 07901
Active Made in Italy
© Kenvue Brands LLC 2025
Pat. www.kenvuepats.com
Product incorporates technology licensed from Stiefel Laboratories. This packaging is protected trade dress.



30049008

Drug Facts Format Information
30049016 - MEN'S ROGAINE 5% MINOXIDIL FOAM - 3 MONTH CARTON

Drug Facts Label	Size
Drug Facts Title	9.00 pt
Drug Facts Continued	N/A
Headings	8.00 pt
Subheadings	6.00 pt
Body Text	6.00 pt
Leading	6.50 pt
Characters per inch	26.2
Bullets	5.00 pt
Space before bullet	left aligned
Barlines	1.5 pt
Hairlines	0.5 pt
Space between hairlines	1 space (~0.5mm)

Drug Facts

Active ingredient

Minoxidil 5% w/w (without propellant).....

Purpose

Hair regrowth treatment for men

Use

to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

Warnings

For external use only. For use by men only.

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- you are a woman
- your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- see enclosed booklet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- hair growth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on package and enclosed booklet
- keep the package. It contains important information.
- store at controlled room temperature 20° to 25° C (68° to 77° F)
- contents under pressure. Do not puncture or incinerate container.
- Do not expose to heat or store at temperatures above 120° F (49° C).

Inactive ingredients

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol

Questions?

- call toll-free 800-ROGAINE or 215-273-8795 (collect)
- visit www.rogaïne.com

Men's ROGAINE® Foam is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Men's ROGAINE® Foam has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, Men's ROGAINE® Foam may not work.



#1 DERMATOLOGIST RECOMMENDED BRAND

MEN'S
Rogaine®

5% Minoxidil Topical Aerosol
Hair Regrowth Treatment

HAIR FOLLICLES
TO STIMULATE REGROWTH



EASY-TO-USE FOAM

CLINICALLY PROVEN TO HELP REGROW HAIR

UNSCENTED

Not For Use By Women

Three Month Supply • Three 60 g (2.11 oz) Cans



Distributed by:
Kenvue Brands LLC
Summit, NJ 07901
Active Made in Italy
© Kenvue Brands LLC 2025
Pat. www.kenvuepats.com
Product incorporates technology licensed from Stiefel Laboratories. This packaging is protected trade dress. 30049016

THIS PACKAGE CONTAINS

- Three 60 g (2.11 oz) cans of Men's ROGAINE® Foam (three month supply)

DIRECTIONS FOR USE

See information booklet with complete directions on how to use and obtain best results.



1: PREP HANDS WITH COLD WATER

Rinse your fingers in cold water and dry them. **Note:** foam will melt on contact with warm surfaces.



2: OPEN CHILD RESISTANT CAP

Be sure to align arrow on the cap with arrow on white ring. Tilt cap back and pull off.



3: DISPENSE VERTICALLY ONTO A COLD SURFACE

Hold the can straight upside down. If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto cold surface (e.g. dish, or cold hands).



4: APPLY TO SCALP, NOT HAIR

Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.



5: CLOSE CAP AND WASH HANDS

Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.

IMPORTANT INFORMATION ABOUT

MEN'S
Rogaine®

5% MINOXIDIL TOPICAL AEROSOL
HAIR REGROWTH TREATMENT

REACTIVATES
HAIR FOLLICLES
TO STIMULATE REGROWTH



 EASY-TO-USE
FOAM

CLINICALLY PROVEN TO HELP
REGROW HAIR

UNSCENTED

Not For Use By Women

rogaine.com



5% MINOXIDIL TOPICAL AEROSOL
HAIR REGROWTH TREATMENT

Save booklet for future reference

- It takes time to regrow hair.
Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.

Please read this booklet carefully. It will help you understand how to use ROGAINE® Foam and what to expect from its use. If you have any questions after reading this booklet, or anytime while using ROGAINE® Foam, you should ask your health care professional or call us at **1-800-ROGAINE** (1-800-764-2463). You can also contact us at our website at **rogaine.com**.

What is Men's ROGAINE® Foam?




ROGAINE® Foam is a white foam containing 5% minoxidil for use only on the scalp to help regrow hair in men.

**Who may use
Men's ROGAINE® Foam?**

ROGAINE® Foam is for use only by men. ROGAINE® Foam may be appropriate for you if you are a male at least 18 years old and experiencing gradually thinning hair or gradual hair loss on the top of the scalp (vertex only, as shown on the next page). It is not intended for frontal baldness or a receding hairline. The common inherited thinning or hair loss process begins slowly and may become noticeable only after years of gradual loss.

ROGAINE® Foam is for men with hair loss or thinning hair that begins on the vertex of the scalp.

ROGAINE® Foam is more likely to regrow hair in men with hair loss in the range shown on the next page. If men have more hair loss than shown, ROGAINE® Foam may not work.



Many of those experiencing hair loss have other family members with gradually thinning hair or hair loss. **If you have no family history of gradually thinning hair or of gradual hair loss, or your hair loss is patchy, see your doctor.**

**Who should NOT use Men's
ROGAINE® Foam?**

- Women should not use Men's ROGAINE® Foam.
- ROGAINE® Foam should not be used on babies or children under 18 years old.
- ROGAINE® Foam will not prevent or improve hair loss which may occur with the use of some prescription and non-prescription medications, certain severe nutritional problems (very low body iron; too much vitamin A intake), low thyroid states (hypothyroidism), chemotherapy, or diseases which cause scarring of the scalp.

Also, ROGAINE® Foam will not improve hair loss due to:

- damage from the use of hair care products which cause scarring or deep burns of the scalp.
- hair grooming methods such as cornrowing or ponytails which require pulling the hair tightly back from the scalp.

**Do not use if you are not sure of
the reason for your hair loss.**

Will Men's ROGAINE® Foam work for me?

The amount of hair regrowth is different for each person. Not everyone will respond to ROGAINE® Foam. The response to Men's ROGAINE® Foam cannot be predicted. It is unlikely anyone will be able to grow back all their hair.

However, to see your best results with Men's ROGAINE® Foam, make sure you get the medicine directly to the scalp and apply it twice a day, every day.

You may get better results if you have been losing your hair for a short period of time or have little hair loss. However, for some men ROGAINE® Foam may not work.

How soon can I expect results from using Men's ROGAINE® Foam?

Since normal hair usually grows only 1/2 to 1 inch per month, hair regrowth with ROGAINE® Foam also takes time.

Results may be seen as early as 2 months with twice daily use. For some men, it may take at least 4 months for results to be seen. If you do not see any results after 4 months, stop using ROGAINE® Foam and seek the advice of your physician.

When you **first** begin to use ROGAINE® Foam, your hair loss may increase temporarily for up to 2 weeks. This is likely a sign that you are getting rid of old hairs in order to regrow more new hairs. This temporary increase in hair loss is expected and is part of the process for how ROGAINE® Foam regrows hair. Remember, this increased hair loss is temporary. However, if it continues after two weeks, see your physician.

If Men's ROGAINE® Foam is working, what will the hair look like?

At first, hair growth is usually soft, downy, colorless hairs (like peach fuzz). After further use, the new hairs should be the same color and thickness as the other hairs on your scalp.

How long do I need to use Men's ROGAINE® Foam?

If you experience hair regrowth, continued use of ROGAINE® Foam is necessary or the hair loss will begin again.

What happens if I completely stop using Men's ROGAINE® Foam?

Continuous use of ROGAINE® Foam is needed to maintain hair regrowth.

If you stop using ROGAINE® Foam, you will lose your newly regrown hair in 3 to 4 months.

**How do I use
Men's ROGAINE® Foam?**

For best results, apply half a capful **2 times a day directly** to the scalp in the hair loss area. Using more than the recommended amount will not improve results. Each can should last one month, if used as directed.

Never take this product by mouth or apply to other parts of the body.

When do I use Men's ROGAINE® Foam?

Apply ROGAINE® Foam once in the morning and once at night. Allow the nighttime application to dry completely before going to bed. Each can should last one month, if used as directed.

What if I miss a dose or forget to use Men's ROGAINE® Foam?

If you miss one or two daily doses of ROGAINE® Foam, just continue with your next dose. You should not make up for missed doses.

**Can I use Men's ROGAINE®
Foam more than twice a day?
Will it work faster, better?**

No. ROGAINE® Foam will not work faster or better if used more than two times a day. More frequent use or larger doses have not been shown to speed up hair growth and may increase your chance of side effects.

**What kind of shampoo should I
use with Men's ROGAINE®
Foam?**

If you wash your scalp before applying ROGAINE® Foam, use a mild shampoo.

**Can I use hair sprays, mousses,
conditioners, gels, etc.?**

Yes. Hair sprays, spritz, or styling aids may be used on your hair while using ROGAINE® Foam. For best results, ROGAINE® Foam should be allowed to soak into the scalp before using any styling products. Try to develop a good routine of applying ROGAINE® Foam first, and then applying styling products and style as usual. Keep in mind that your best results will be seen with proper application.

**Can I have my hair colored
or permed or use hair relaxers
while using Men's ROGAINE®
Foam?**

Yes. We have no evidence that coloring or perming your hair or that the use of relaxers change the effect of ROGAINE® Foam. However, because the use of a permanent wave and hair color can cause scalp irritation on certain people, we recommend the following precautions:

1. To avoid possible scalp irritation, you should make sure all of the ROGAINE® Foam has been washed off the hair and scalp before using color or perm chemicals.
2. For best results, do not apply ROGAINE® Foam on the same day that you use a chemical treatment on your hair.
3. Do not use ROGAINE® Foam for 24 hours after using any chemicals to make sure your scalp has not been irritated by the perm or color treatment. If no irritation occurs, continue use of ROGAINE® Foam as usual.
4. Simply restart your normal ROGAINE® Foam routine. There is no need to use more ROGAINE® Foam to make up for missed applications.

Missing one day of ROGAINE® Foam will not affect your hair regrowth results.

Can I apply Men's ROGAINE® Foam and wash my hair an hour later?

No. For ROGAINE® Foam to work best, you should allow it to stay on the scalp for about 4 hours before washing.

Using the Product:

- Please familiarize yourself with the instructions below in order to help make your product application a success.
- This product should be used **TWICE DAILY, EVERY DAY.**
- To be effective, it is important to apply the product **DIRECTLY TO YOUR SCALP** and **NOT TO YOUR HAIR** so that it can easily get to your hair follicles to help regrow your hair.
- There is no need to shampoo your hair before using the product. If you wish to shampoo your hair before applying Men's ROGAINE® Foam, towel dry your hair so that the skin on the scalp is dry.



1: PREP HANDS WITH COLD WATER

Rinse your fingers in cold water and dry them.

Note: foam will melt on contact with warm surfaces.



2: OPEN CHILD RESISTANT CAP

Be sure to align arrow on the cap with arrow on white ring. Tilt cap back and pull off.



3: DISPENSE VERTICALLY ONTO A COLD SURFACE

Hold the can straight upside down. If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto cold surface (e.g. dish, or cold hands).



4: APPLY TO SCALP, NOT HAIR

Part your hair to expose hair loss area. Massage foam into **scalp**, not hair. **Repeat** until all hair loss areas have been covered.



5: CLOSE CAP AND WASH HANDS

Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.

Warnings:**For external use only****For use by men only**

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- you are a woman
- your amount of hair loss is different than that shown on page 4 of this booklet or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies or children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask your doctor before use if you have heart disease.

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- contact between children and minoxidil application sites should be avoided. Cases of excessive hair growth have been reported in infants following skin contact with minoxidil application sites of caregivers using topical minoxidil. Excessive hair growth was reversible, within months, when infants were no longer exposed to minoxidil.
- some people may experience changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**Not for use by women.
May be harmful if used when
pregnant or breast-feeding.**

**Keep out of reach of children
and pets.**

If swallowed, get medical help or contact
a poison control center right away.

**What are the most common
side effects with Men's
ROGAINE® Foam?**

The most common side effects are
itching and skin irritation of the treated
area of the scalp. If scalp irritation
continues, stop use and see a doctor.
ROGAINE® Foam contains alcohol,
which will cause burning or irritation of
the eyes. If ROGAINE® Foam
accidentally gets into eyes, rinse with
large amounts of cool tap water.

**Can Men's ROGAINE® Foam
produce unwanted hair growth?**

Unwanted hair growth on the face and
other parts of the body has been
reported in women. But it is rare and
reversible. If you develop unwanted hair,
stop using ROGAINE® Foam. Over time,
the unwanted hair growth caused by
ROGAINE® Foam will go away. You can
take the following steps to decrease the
chances of unwanted hair growth:

1. limit the application of
ROGAINE® Foam only to the scalp;
2. if you use your hands to apply
ROGAINE® Foam, wash your
hands well immediately
afterwards.

**Can I use Men's ROGAINE®
Foam for baldness or hair loss
in babies or children?**

No. ROGAINE® Foam must not be used to treat baldness or hair loss in babies and children.

If you have any other questions, ask your health care professional or call us at **1-800-ROGAINE (1-800-764-2463)**. You can also visit our website at **rogaine.com**

Store at Controlled Room Temperature 20°C to 25°C (68°F to 77°F). Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).


Save this booklet for future reference.

► **To Open:**

1. Be sure to align arrow on the cap with arrow on white ring.
2. Tilt cap back and pull off.

► **To Close:**

1. Place **CAP** on container and snap into place.
2. Be sure arrows **DO NOT** line up so **CAP** remains child resistant.



Distributed by:
Kenvue Brands LLC
Summit, NJ 07901
© Kenvue Brands LLC 2025
Pat. www.kenvuepats.com
Product incorporates technology licensed from
Stiefel Laboratories. This packaging is
protected trade dress.
Questions? call toll-free **800-ROGAINE**
or **215-273-8755** (collect)
www.rogaine.com

30047866



Drug Facts Format Information
30043399 -WOMEN'S ROGAINE 5% MINOXIDIL FOAM - CANISTER

Drug Facts Label	Size
Drug Facts Title	N/A
Drug Facts Continued	N/A
Headings	7.00 pt
Subheadings	6.00 pt
Body Text	6.00 pt
Leading	6.00 pt
Characters per inch	30.5
Bullets	6.00 pt
Space before bullet	left aligned
Barlines	N/A
Hairlines	0.466 pt
Space between hairlines	N/A

FOR BEST RESULTS

1: PREP HANDS WITH COLD WATER
Rinse your fingers in cold water and dry them. **Note:** Foam will melt on contact with warm surfaces.

2: OPEN CHILD RESISTANT CAP
Align arrow on the cap with arrow on blue ring. Tilt cap back and pull off.

3: DISPENSE VERTICALLY ONTO A COLD SURFACE
Hold the can straight upside down. If you hold can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto a cold surface (e.g. dish, or cold hands).

4: APPLY TO SCALP, NOT HAIR
Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.

5: CLOSE CAP AND WASH HANDS
Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.

Read and keep package and booklet for full product information

Inactive ingredients
butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-8, stearyl alcohol

Questions?
Call toll-free 800-764-2463 or 215-273-8755 (collect)

Store at Controlled Room Temperature 20° to 25° C (68° to 77° F). Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120° F (49° C).

WOMEN'S
Rogaine®

5% Minoxidil Topical Aerosol

Hair Regrowth Treatment

REACTIVATES HAIR FOLLICLES TO STIMULATE REGROWTH

CLINICALLY PROVEN TO REGROW HAIR

Once-a-Day Foam For Women

UNSCENTED

Two Month Supply
One 60 g (2.11 oz) Can

Active ingredient: Minoxidil 5% w/w (without propellant)

Warnings For external use only. Extremely Flammable:
Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp
- your hair loss is associated with childbirth

Ask a doctor before use if you have heart disease

When using this product:

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture

Stop use and ask a doctor if:

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.

Distributed by: **Kenvue Brands LLC**
Summit, NJ 07901 Active Made in Italy
© Kenvue Brands LLC 2025
Pat. www.kenvuepats.com
Product incorporates technology licensed from Stiefel Laboratories
This packaging is protected trade dress.

30043399

Drug Facts Format Information

30048993 - WOMEN'S ROGAINE 5% MINOXIDIL FOAM - 2 MONTH CARTON

Drug Facts Label	Size
Drug Facts Title	9.00 pt
Drug Facts Continued	N/A
Headings	8.00 pt
Subheadings	6.00 pt
Body Text	6.00 pt
Leading	6.50 pt
Characters per inch	26.2
Bullets	5.00 pt
Space before bullet	left aligned
Barlines	1.5 pt
Hairlines	0.5 pt
Space between hairlines	1 space (~0.5mm)





DERMATOLOGIST
RECOMMENDED BRAND

IMPORTANT
INFORMATION ABOUT

WOMEN'S
Rogaine®

5% Minoxidil
Topical Aerosol

Hair Regrowth
Treatment

REACTIVATES
HAIR FOLLICLES
TO STIMULATE
REGROWTH

CLINICALLY PROVEN
TO REGROW HAIR



Once-a-Day
Foam For Women

UNSCENTED

WOMEN'S Rogaine®

**5% Minoxidil
Topical Aerosol**

**Hair Regrowth
Treatment**

*Save this booklet for
future reference.*

Please read this booklet carefully.
It will help you understand how to use
WOMEN'S ROGAINE® Foam and
what to expect from its use. It takes time
to regrow hair. Results may occur at
3 months with **once daily** usage.
For some women, you may need to
use this product for at least 6 months
before you see results. If you have any
questions after reading this booklet,
or anytime while using WOMEN'S
ROGAINE® Foam, you should ask your
health care professional or call us toll-free
800-764-2463 or **215-273-8755** (collect).

WHAT IS WOMEN'S ROGAINE® FOAM?

WOMEN'S ROGAINE® Foam is a white foam containing 5% minoxidil for use only on the scalp to help regrow hair in women.

WHO MAY USE WOMEN'S ROGAINE® FOAM?

WOMEN'S ROGAINE® Foam may be appropriate for you if you are an adult who is at least 18 years old and experiencing gradually thinning hair or gradual hair loss on the top of your scalp. The common hereditary thinning or hair loss process begins slowly and may become noticeable only after years of gradual loss.

WOMEN'S ROGAINE® Foam is for general thinning of hair on the top of the scalp as shown on the next page. WOMEN'S ROGAINE® Foam has been shown to regrow hair in women with the degrees of hair loss shown. If women have more hair loss than shown, WOMEN'S ROGAINE® Foam may not work.

Many of those experiencing hair loss have other family members with gradual thinning of hair or hair loss. **If there is no family history of gradual thinning or gradual hair loss, or hair loss is patchy, see your doctor.**



WHO SHOULD NOT USE WOMEN'S ROGAINE® FOAM?

WOMEN'S ROGAINE® Foam will not prevent or improve hair loss related to pregnancy, the use of some prescription and non-prescription medications, certain severe nutritional problems (very low body iron; excessive vitamin A intake), the recently discontinued use of birth control pills, low thyroid states (hypothyroidism), chemotherapy, or diseases which cause scarring of the scalp. Also, WOMEN'S ROGAINE® Foam will not improve hair loss due to:

- Damage from the use of hair care products which cause scarring or deep burns of the scalp.
- Hair grooming methods such as cornrowing or ponytails which require pulling the hair tightly back from the scalp.

Do not use if you are not sure of the reason for your hair loss.

WILL WOMEN'S ROGAINE® FOAM WORK FOR ME?

The amount of hair regrowth is different for each person. Not everyone will respond to WOMEN'S ROGAINE® Foam. The response to WOMEN'S ROGAINE® Foam cannot be predicted. No one will be able to grow back all their hair.

To see your best results with WOMEN'S ROGAINE® Foam, make sure you apply the product directly to the scalp **once daily**. For some women, WOMEN'S ROGAINE® Foam may not work.

HOW SOON CAN I EXPECT RESULTS FROM USING WOMEN'S ROGAINE® FOAM?

Since normal hair usually grows only 1/2 to 1 inch per month, hair regrowth with WOMEN'S ROGAINE® Foam also takes time. Generally, new hair growth is slow for a WOMEN'S ROGAINE® Foam user. Results may be seen as early as 3 months with **once daily** use. For some women, it may take at least 6 months for results to be seen. If you do not see any results after 6 months, stop using WOMEN'S ROGAINE® Foam and seek the advice of your doctor.

When you first begin to use WOMEN'S ROGAINE® Foam, your hair loss may continue for up to 2 weeks. This increase in hair loss is expected and is temporary. However, if it continues after two weeks, see your physician.

IF WOMEN'S ROGAINE® FOAM IS WORKING, WHAT WILL THE HAIR LOOK LIKE?

At first, hair growth may be soft, downy, and colorless hairs. After further use, the new hairs should be the same color and thickness as the other hairs on your scalp.

HOW LONG DO I NEED TO USE WOMEN'S ROGAINE® FOAM?

If you respond to WOMEN'S ROGAINE® Foam, you need to use it **once daily** to keep and continue the hair regrowth. Up to 3 months of usage may be needed to see your best results from WOMEN'S ROGAINE® Foam.

WHAT HAPPENS IF I COMPLETELY STOP USING WOMEN'S ROGAINE® FOAM? WILL I KEEP THE NEW HAIR?

Continuous use of WOMEN'S ROGAINE® Foam is needed to maintain hair regrowth. If you stop using WOMEN'S ROGAINE® Foam, the normal hair loss process will start again. You will probably lose your newly regrown hair in three to four months.

HOW DO I USE WOMEN'S ROGAINE® FOAM?

For best results, apply half a capful **once a day** directly to the scalp in the hair loss area. Using more than the recommended amount will not improve results. Each can should last two months, if used as

directed. Never take this product by mouth or apply to other parts of the body. Please refer to the "Directions for Use" section of this booklet.

WHEN DO I USE WOMEN'S ROGAINE® FOAM?

Apply WOMEN'S ROGAINE® Foam **once daily**. If you apply at night, allow application to dry completely before going to bed.

WHAT IF I FORGET TO USE WOMEN'S ROGAINE® FOAM OR MISS A DOSE?

If you miss one daily dose of WOMEN'S ROGAINE® Foam, just continue with your next dose. You should not make up for missed doses.

CAN I USE WOMEN'S ROGAINE® FOAM MORE THAN ONCE A DAY?

WILL IT WORK FASTER, BETTER?

No. WOMEN'S ROGAINE® Foam will not work faster or better if used more than **once a day**. More frequent use or larger doses have not been shown to speed up hair growth and may increase your chances of side effects.

WHAT KIND OF SHAMPOO

SHOULD I USE WITH

WOMEN'S ROGAINE® FOAM?

If you wash your scalp before applying WOMEN'S ROGAINE® Foam, use a mild shampoo.

CAN I USE HAIR SPRAYS, MOUSSES, CONDITIONERS, GELS, ETC.?

Yes. There is no reason to change your usual hair care routine when using WOMEN'S ROGAINE® Foam. However, you should apply WOMEN'S ROGAINE® Foam first and wait for it to dry before applying your styling aids.

CAN I HAVE MY HAIR COLORED OR PERMED OR USE HAIR RELAXERS WHILE USING WOMEN'S ROGAINE® FOAM?

Yes. We have no evidence that coloring, perming, or using relaxers on your hair change the effect of WOMEN'S ROGAINE® Foam. However, because the use of a permanent wave and hair color can cause scalp irritation on certain people, we recommend the following precautions:

1. To avoid possible scalp irritation, you should make sure all of the WOMEN'S ROGAINE® Foam has been washed off the hair and scalp before using color or perm chemicals.
2. For best results, do not apply WOMEN'S ROGAINE® Foam on the same day that you use a chemical treatment on your hair.
3. Do not use WOMEN'S ROGAINE® Foam for 24 hours after using any chemicals to make sure your scalp

has not been irritated by the perm or color treatment. If no irritation occurs, continue use of WOMEN'S ROGAINE® Foam as usual.

4. Simply restart your normal WOMEN'S ROGAINE® Foam routine. There is no need to use more WOMEN'S ROGAINE® Foam to make up for missed applications.

Missing one day of WOMEN'S ROGAINE® Foam will not affect your hair regrowth results.

**CAN I APPLY WOMEN'S ROGAINE®
FOAM AND WASH MY HAIR AN
HOUR LATER?**

No. For WOMEN'S ROGAINE® Foam to work best, you should allow WOMEN'S ROGAINE® Foam to remain on the scalp for about 4 hours before washing.

DIRECTIONS FOR USE

- Please familiarize yourself with the instructions below in order to help make your product application a success.
- This product should be used **ONCE DAILY, EVERY DAY**.
- To be effective, it is important to apply the product **DIRECTLY TO YOUR SCALP** and **NOT TO YOUR HAIR** so that it can easily get to your hair follicles to help regrow your hair.
- There is no need to shampoo your hair before using the product. If you wish to shampoo your hair before applying **WOMEN'S ROGAINE® Foam**, towel dry your hair so that the skin on the scalp is dry.



1: PREP HANDS WITH COLD WATER

Rinse your fingers in **cold** water and dry them. **Note:** foam will melt on contact with warm surfaces.



2: OPEN CHILD RESISTANT CAP

Be sure to align arrow on the cap with arrow on blue ring. Tilt cap back and pull off.



3: DISPENSE VERTICALLY ONTO A COLD SURFACE

Hold the can straight upside down. If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto a **cold**, surface (e.g. dish, or cold hands).



4: APPLY TO SCALP, NOT HAIR

Part your hair to expose hair loss area. Massage foam into **scalp**, not hair. **Repeat** until all hair loss areas have been covered.



5: CLOSE CAP AND WASH HANDS

Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.



**ARE THERE ANY SPECIAL
WARNINGS ABOUT THE USE OF
WOMEN'S ROGAINE® FOAM?**

Warnings:

For external use only.

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

DO NOT USE IF

- your degree of hair loss is more than that shown on page 5 of this booklet, because this product may not work for you
- you have no family history of hair loss

- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age.
Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease.

WHEN USING THIS PRODUCT

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- contact between children and minoxidil application sites should be avoided.
Cases of excessive hair growth have been reported in infants following skin contact with minoxidil application sites of caregivers using topical minoxidil. Excessive hair growth was reversible, within months, when infants were no longer exposed to minoxidil.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur in 3 months with **once daily** use. For some women you may need to use this product **once daily** for at least 6 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for everyone.

STOP USE AND ASK A DOCTOR IF

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 6 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

WHAT ARE THE MOST COMMON SIDE EFFECTS WITH WOMEN'S ROGAINE® FOAM?

The most common side effects are itching and other skin irritations of the treated area of the scalp. WOMEN'S ROGAINE® Foam contains alcohol, which would cause burning or irritation of the eyes or sensitive skin areas. If WOMEN'S ROGAINE® Foam accidentally gets into these areas, rinse with large amounts of cool tap water. Stop using WOMEN'S ROGAINE® Foam and contact your doctor if irritation persists.

CAN WOMEN'S ROGAINE® FOAM PRODUCE UNWANTED HAIR?

Unwanted hair growth has been reported on the face and on other parts of the body with ROGAINE® use. The unwanted hair growth may be caused by the transfer of WOMEN'S ROGAINE® Foam to areas other than the scalp, or by absorption into the circulatory system of low levels of the active ingredient, or by a medical condition not related to the use of WOMEN'S ROGAINE® Foam.

If you experience unwanted hair, discontinue using WOMEN'S ROGAINE® Foam and see your doctor for recommendations about appropriate treatment. After stopping use of WOMEN'S ROGAINE® Foam, the unwanted hair, if caused by the use of WOMEN'S ROGAINE® Foam, should go away over time. You can take steps to decrease the chances for unwanted hair growth:

1. Limit the application of WOMEN'S ROGAINE® Foam only to the scalp,
2. If you use the hands to apply WOMEN'S ROGAINE® Foam, wash your hands thoroughly afterwards, and

3. Allow sufficient drying time before going to bed (usually 2 to 4 hours before going to bed after applying WOMEN'S ROGAINE® Foam).

**CAN I USE WOMEN'S ROGAINE®
FOAM FOR BALDNESS OR HAIR LOSS
IN BABIES AND CHILDREN?**

No. WOMEN'S ROGAINE® Foam must not be used to treat baldness or hair loss in babies or children.

**WHAT FACTORS MAY INCREASE THE
RISK OF SERIOUS SIDE EFFECTS WITH
WOMEN'S ROGAINE® FOAM?**

WOMEN'S ROGAINE® Foam should be applied only to the scalp. The risk of side effects may be greater when WOMEN'S ROGAINE® Foam is applied to other parts of the body.

If you have any other questions, ask your health care professional or call us toll-free **800-764-2463** or **215-273-8755** (collect).

**Store at Controlled Room
Temperature 20°C to 25°C (68°F to
77°F).** Contents under pressure.

Do not puncture or incinerate container.

Do not expose to heat or store at
temperatures above 120°F (49°C).

Save this booklet for future reference.

Distributed by:
Kenvue Brands LLC
Summit, NJ 07901
© Kenvue Brands LLC 2025
Pat. www.kenvuepats.com

Product incorporates technology licensed
from Stiefel Laboratories.
This packaging is protected trade dress.

Questions? Call toll-free **800-764-2463**
or **215-273-8755** (collect).



30043400

135MM

(b) (4)

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
01/14/2026 02:23:45 PM