

*ABREVA contains the only OTC medicine approved by the FDA to shorten healing time and duration of symptoms.

If you are not completely satisfied, save receipt and remaining product, and call us at 1-855-297-3031

Press Pump completely about 6-8 times to get first dose.

Drug Facts Retain this insert for full product uses, directions, and warnings.

Active ingredient	Purpose
Docosanol 10%	Cold sore/fever blister treatment

Uses

- treats cold sores/fever blisters on the face or lips
- shortens healing time and duration of symptoms:
- tingling, pain, burning, and/or itching

Warnings

Allergy alert:
This product may cause a severe allergic reaction. Symptoms may include:
• hives • facial swelling • wheezing/difficulty breathing • shock • rash
If an allergic reaction occurs, stop use and seek medical help right away.

For external use only

Do not use • if you are allergic to any ingredient in this product

When using this product • apply only to affected areas

- do not use in or near the eyes
- avoid applying directly inside your mouth
- do not share this product with anyone. This may spread infection.

Stop use and ask a doctor if

- your cold sore gets worse or the cold sore is not healed within 10 days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • adults and children 12 years or over:

- wash hands before and after applying cream
- apply to affected area on face or lips at the first sign of cold sore/fever blister (tingle)
- early treatment ensures the best results
- rub in gently but completely • use 5 times a day until healed
- children under 12 years: ask a doctor

Other information • store at 20°-25°C (68°-77°F) • do not freeze

Inactive ingredients benzyl alcohol, light mineral oil, propylene glycol, purified water, sucrose distearate, sucrose stearate

Questions? call toll-free 1-855-297-3031

Distributed by: Haleon, Warren, NJ 07059 Trademarks owned or licensed by Haleon. ©2025 Haleon or licensor. Active ingredient made in India

NPA018706

NDC 0135-0200-03 HALEON

New Look

abreva
DOCOSANOL 10% CREAM


COLD SORE/FEVER BLISTER TREATMENT

Shortens Healing Time and Duration of Symptoms

▶ Tingling ▶ Pain ▶ Burning ▶ Itching

The only FDA Approved Medicine to **SHORTEN HEALING TIME***

NET WT 2 g (0.07 oz)



*ABREVA contains the only OTC medicine approved by the FDA to shorten healing time and duration of symptoms.


Retain this insert for full product uses, directions, and warnings.


Drug Facts	
Active ingredient Docosanol 10%	Purpose Cold sore/fever blister treatment
Uses • treats cold sores/fever blisters on the face or lips • shortens healing time and duration of symptoms: • tingling, pain, burning, and/or itching	Drug Facts (continued) Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions • adults and children 12 years or over: • wash hands before and after applying cream • apply to affected area on face or lips at the first sign of cold sore/fever blister (tingle) • early treatment ensures the best results • rub in gently but completely • use 5 times a day until healed • children under 12 years: ask a doctor
Warnings Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: • hives • facial swelling • wheezing/difficulty breathing • shock • rash If an allergic reaction occurs, stop use and seek medical help right away. For external use only Do not use • if you are allergic to any ingredient in this product When using this product • apply only to affected areas • do not use in or near the eyes • avoid applying directly inside your mouth • do not share this product with anyone. This may spread infection. Stop use and ask a doctor if • your cold sore gets worse or the cold sore is not healed within 10 days	Other information • store at 20°-25°C (68°-77°F) • do not freeze Inactive ingredients benzyl alcohol, light mineral oil, propylene glycol, purified water, sucrose stearate, sucrose stearate Questions or comments? call toll-free 1-855-297-3031

If you are not completely satisfied, save receipt and remaining product, and call us at 1-855-297-3031

Distributed by: Haleon, Warren, NJ 07059
Trademarks are owned by or licensed to the Haleon group of companies.
©2025 Haleon group of companies or its licensor.
Active ingredient made in India

NPA018707


 3 07660 80135 1



NDC 0185-0200-01 HALEON


New Look


abreva
DOCOSANOL 10% CREAM

COLD SORE/FEVER BLISTER TREATMENT

Shortens Healing Time and Duration of Symptoms
▶ Tingling ▶ Pain ▶ Burning ▶ Itching

ON THE GO





The only FDA Approved Medicine to **SHORTEN HEALING TIME***

NET WT 2 g (0.07 oz)

*ABREVA contains the only OTC medicine approved by the FDA to shorten healing time and duration of symptoms.

If you are not completely satisfied, save receipt and remaining product, and call us at 1-855-297-3031

Drug Facts Retain this insert for full product uses, directions, and warnings.

Active ingredient Docosanol 10%	Purpose Cold sore/fever blister treatment
---	---

Uses

- treats cold sores/fever blisters on the face or lips
- shortens healing time and duration of symptoms:
- tingling, pain, burning, and/or itching

Warnings

Allergy alert:
This product may cause a severe allergic reaction. Symptoms may include:

- hives • facial swelling • wheezing/difficulty breathing • shock • rash

If an allergic reaction occurs, stop use and seek medical help right away.

For external use only

Do not use • if you are allergic to any ingredient in this product

When using this product • apply only to affected areas

- do not use in or near the eyes
- avoid applying directly inside your mouth
- do not share this product with anyone. This may spread infection.

Stop use and ask a doctor if

- your cold sore gets worse or the cold sore is not healed within 10 days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • adults and children 12 years or over:

- wash hands before and after applying cream
- apply to affected area on face or lips at the first sign of cold sore/fever blister (tingle)
- early treatment ensures the best results
- rub in gently but completely • use 5 times a day until healed

• children under 12 years: ask a doctor

Other information • store at 20°-25°C (68°-77°F) • do not freeze

Inactive ingredients benzyl alcohol, light mineral oil, propylene glycol, purified water, sucrose distearate, sucrose stearate

Questions? call toll-free 1-855-297-3031

Distributed by: Haleon, Warren, NJ 07059. Trademarks owned or licensed by Haleon. ©2025 Haleon or licensor. Active ingredient made in India

NPA018708

NDC 0195-0200-01 HALEON

New Look

abreva
DOCOSANOL 10% CREAM
COLD SORE/FEVER BLISTER TREATMENT

Shortens Healing Time and Duration of Symptoms

▶ Tingling ▶ Pain ▶ Burning ▶ Itching

The only FDA Approved Medicine to **SHORTEN HEALING TIME***

NET WT 2 g (0.07 oz)



Drug Facts		Drug Facts (continued)
Active ingredient Docosanol 10%	Purpose Cold sore/fever blister treatment	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Uses • treats cold sores/fever blisters on the face or lips • shortens healing time and duration of symptoms: • tingling, pain, burning, and/or itching		Directions • adults and children 12 years or over: • wash hands before and after applying cream • apply to affected area on face or lips at the first sign of cold sore/fever blister (tingle) • early treatment ensures the best results • rub in gently but completely • use 5 times a day until healed • children under 12 years: ask a doctor
Warnings Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: • hives • facial swelling • wheezing/difficulty breathing • shock • rash If an allergic reaction occurs, stop use and seek medical help right away.		Other information • store at 20°-25°C (68°-77°F) • do not freeze
For external use only Do not use • if you are allergic to any ingredient in this product		Inactive ingredients benzyl alcohol, light mineral oil, propylene glycol, purified water, sucrose distearate, sucrose stearate
When using this product • apply only to affected areas • do not use in or near the eyes • avoid applying directly inside your mouth • do not share this product with anyone. This may spread infection.		Questions or comments? call toll-free 1-855-297-3031
Stop use and ask a doctor if • your cold sore gets worse or the cold sore is not healed within 10 days		

*ABREVA contains the only OTC medicine approved by the FDA to shorten healing time and duration of symptoms.

Distributed by: Haleon, Warren, NJ 07059
Trademarks are owned by or licensed to the Haleon group of companies.
©2025 Haleon or licensor. Active ingredient made in India

NPA018722
If you are not completely satisfied, save receipt and remaining product, and call us at 1-855-297-3031

Retain this insert for full product uses, directions, and warnings.



Drug Facts		Drug Facts (continued)	
Active ingredient Docosanol 10%	Purpose Cold sore/fever blister treatment	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Uses • treats cold sores/fever blisters on the face or lips • shortens healing time and duration of symptoms: • tingling, pain, burning, and/or itching	Directions • adults and children 12 years or over: • wash hands before and after applying cream • apply to affected area on face or lips at the first sign of cold sore/fever blister (tingle) • early treatment ensures the best results • rub in gently but completely • use 5 times a day until healed • children under 12 years: ask a doctor	Other information • store at 20°-25°C (68°-77°F) • do not freeze	
Warnings Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: • hives • facial swelling • wheezing/difficulty breathing • shock • rash If an allergic reaction occurs, stop use and seek medical help right away.	For external use only Do not use • if you are allergic to any ingredient in this product	Inactive ingredients benzyl alcohol, light mineral oil, propylene glycol, purified water, sucrose distearate, sucrose stearate	
When using this product • apply only to affected areas • do not use in or near the eyes • avoid applying directly inside your mouth • do not share this product with anyone. This may spread infection.	Stop use and ask a doctor if • your cold sore gets worse or the cold sore is not healed within 10 days	Questions or comments? call toll-free 1-855-297-3031	

*ABREVA contains the only OTC medicine approved by the FDA to shorten healing time and duration of symptoms.

Retain this insert for full product uses, directions, and warnings.

Distributed by: Haleon, Warren, NJ 07059
Trademarks are owned by or licensed to the Haleon group of companies.
©2025 Haleon or licensor. Active ingredient made in India

NPA018723
If you are not completely satisfied, save receipt and remaining product, and call us at 1-855-297-3031




Drug Facts		Drug Facts (continued)
Active ingredient Docosanol 10%	Purpose Cold sore/fever blister treatment	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Uses • treats cold sores/fever blisters on the face or lips • shortens healing time and duration of symptoms: • tingling, pain, burning, and/or itching		Directions • adults and children 12 years or over: • wash hands before and after applying cream • apply to affected area on face or lips at the first sign of cold sore/fever blister (tingle) • early treatment ensures the best results • rub in gently but completely • use 5 times a day until healed • children under 12 years: ask a doctor
Warnings Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: • hives • facial swelling • wheezing/difficulty breathing • shock • rash If an allergic reaction occurs, stop use and seek medical help right away.		Other information • store at 20°-25°C (68°-77°F) • do not freeze
For external use only Do not use • if you are allergic to any ingredient in this product		Inactive ingredients benzyl alcohol, light mineral oil, propylene glycol, purified water, sucrose distearate, sucrose stearate
When using this product • apply only to affected areas • do not use in or near the eyes • avoid applying directly inside your mouth • do not share this product with anyone. This may spread infection.		Questions or comments? call toll-free 1-855-297-3031
Stop use and ask a doctor if • your cold sore gets worse or the cold sore is not healed within 10 days		

*ABREVA contains the only OTC medicine approved by the FDA to shorten healing time and duration of symptoms.

Distributed by: Haleon, Warren, NJ 07059
Trademarks are owned by or licensed to the Haleon group of companies.
©2025 Haleon or licensor. Active ingredient made in India

Retain this insert for full product uses, directions, and warnings.

NPA018724
If you are not completely satisfied, save receipt and remaining product, and call us at 1-855-297-3031



NDC 0185-0200-08 HALEON

New Look

abreva

DOCOSANOL 10% CREAM

COLD SORE/FEVER BLISTER TREATMENT

Shortens Healing Time and Duration of Symptoms
▶ Tingling ▶ Pain ▶ Burning ▶ Itching

Convenient PORTABLE Pump

The only FDA Approved Medicine to **SHORTEN HEALING TIME***

3 TUBES OF 2 g (0.07 oz) EACH – TOTAL NET WT 6 g (0.21 oz)

*Abreva contains the only OTC medicine approved by the FDA to shorten healing time and duration of symptoms. Retain this insert for full product uses, directions, and warnings. Press Pump completely about 6-8 times to get first dose.

Drug Facts	Purpose
Active ingredient Docosanol 10%	Cold sore/fever blister treatment
Uses	
<ul style="list-style-type: none"> • treats cold sores/fever blisters on the face or lips • shortens healing time and duration of symptoms: • tingling, pain, burning, and/or itching 	
Warnings	
Allergy alert:	
This product may cause a severe allergic reaction. Symptoms may include:	
• hives	• facial swelling
• shock	• rash
If an allergic reaction occurs, stop use and seek medical help right away.	
For external use only	
Do not use - if you are allergic to any ingredient in this product	
When using this product	
<ul style="list-style-type: none"> • apply only to affected areas • do not use in or near the eyes • avoid applying directly inside your mouth • do not share this product with anyone. This may spread infection. 	
Stop use and ask a doctor if	
• your cold sore gets worse or the cold sore is not healed within 10 days	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
• adults and children 12 years or over:	
<ul style="list-style-type: none"> • wash hands before and after applying cream • apply to affected area on face or lips at the first sign of cold sore/fever blister (tingle) • early treatment ensures the best results • rub in gently but completely • use 5 times a day until healed 	
• children under 12 years: ask a doctor	
Other information	
<ul style="list-style-type: none"> • store at 20°-25°C (68°-77°F) • do not freeze 	
Inactive ingredients	
benzyl alcohol, light mineral oil, propylene glycol, purified water, sucrose distearate, sucrose stearate	
Questions or comments?	
call toll-free 1-855-297-3031	

If you are not completely satisfied, save receipt and remaining product, and call us at 1-855-297-3031.
Distributed by: Haleon, Warren, NJ 07059
Trademarks are owned by or licensed to the Haleon group of companies.
©2025 Haleon group of companies or its licensor.
Active ingredient made in India.

NPA018726



This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

MELANIE J BLANK
04/14/2026 03:05:29 PM