



Non-Drowsy*
Ages 2+ years
Claritin
Chewables



GRAPE FLAVORED

US ONLY



Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vista are registered trademarks of Bayer.
© 2025 Bayer. Dist by: Bayer HealthCare LLC
Whippany, NJ 07981 Pat.: patents.livewell.bayer.com
00000000 Bayer

LOT/EXP AREA
COUNTRY OF ORIGIN AREA
NO VARNISH
NO INK

Drug Facts
Loratadine 5 mg... Antihistamine
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ sneezing
■ itchy, watery eyes
■ itching of the nose or throat
Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
When using this product do not take more than directed. Taking more than directed may cause drowsiness.
Stop and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Questions or comments?
1-800-CLARITIN (1-800-252-7484)

Drug Facts (continued)
Directions
Loratadine 5 mg... Antihistamine
■ chew or crush tablets completely before swallowing.
adults and children
chew 2 chewable tablets daily, not more than 2 chewable tablets in 24 hours
6 years and over
children 2 to under
6 years of age
chew 1 tablet daily, not more than 1 chewable tablet in 24 hours
children under
2 years of age
ask a doctor
consumers with liver
or kidney disease
Other Information
phenylephrine; contains phenylephrine 1.4 mg per chewable tablet
■ safety sealed: do not use if the individual blister unit is imprinted with Children's Claritin® is open or torn
■ store between 20° to 25°C (68° to 77°)
Inactive ingredients
aspartame, citric acid, amygdalin, colloidal silicon dioxide, cellulose, sodium starch glycolate, stearic acid

Non-Drowsy*
Ages 2+ years
Claritin
Chewables
DYE FREE
GRAPE FLAVORED
40 CHEWABLE TABLETS



Non-Drowsy*
Ages 2+ years
Claritin
Chewables



GRAPE FLAVORED

40 CHEWABLE TABLETS

Non-Drowsy*
Ages 2+ years
Claritin
Chewables

24 Hour Non-Drowsy*
Relief of:
• Sneezing • Runny Nose
• Itchy, Watery Eyes
• Itchy Throat or Nose



GRAPE FLAVORED

40 CHEWABLE TABLETS

Indoor & Outdoor Allergies

When taken as directed.
See Drug Facts Panel.

Glue Area

Ages 2+ years
Non-Drowsy
Children's Claritin
Chewables

ACTUAL SIZE
loratadine chewable tablets
5 mg/antihistamine

2 PACKS
50 ct. + 40 ct.

DYE FREE

Indoor & Outdoor Allergies

GRAPE FLAVORED
90 CHEWABLE TABLETS



*When taken as directed.
See Drug Facts Panel.



Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vista are registered trademarks of Bayer.
© 2025 Bayer.
Dist by: Bayer HealthCare LLC
Whippany, NJ 07981
Made in India.
Pat. patents.livewell.bayer.com
0:000000
Bayer

Drug Facts
Loratadine 5 mg.....Antihistamine
Active ingredient (in each chewable tablet)

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ sneezing
■ runny nose
■ itchy, watery eyes
■ itching of the nose or throat

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
When using this product do not take more than directed. Taking more than directed may cause drowsiness.
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions
■ chew or crush tablets completely before swallowing.
■ adults and children
chew 2 tablets daily, not more than 2 chewable tablets in 24 hours
■ 6 years and over
chew 1 tablet daily, not more than 1 chewable tablet in 24 hours
■ children 2 to under 6 years of age
ask a doctor
■ children under 2 years of age
ask a doctor

Other information
■ phenylethanolamine: contains phenylethanolamine 1.4 mg per chewable tablet
■ safety sealed: do not use if the individual blister unit is open or torn
■ store between 20° to 25°C (68° to 77°F)

Inactive ingredients
aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions or comments?
1-800-CLARITIN (1-800-252-7484)

90 CHEWABLE TABLETS
GRAPE FLAVORED
DYE FREE

loratadine chewable tablets
5 mg/antihistamine
Children's Claritin
Chewables
Non-Drowsy
Ages 2+ years

Ages 2+ years
Non-Drowsy
Children's Claritin
Chewables

ACTUAL SIZE
loratadine chewable tablets
5 mg/antihistamine

2 PACKS
2 x 50 ct.

DYE FREE


Indoor & Outdoor Allergies

GRAPE FLAVORED
100 CHEWABLE TABLETS



*When taken as directed.
See Drug Facts Panel.

Bayer, the Bayer Cross, Claritin, Children's Claritin & Balloon Design and the Claritin Vista are registered trademarks of Bayer.
© 2025 Bayer.
Dist by: Bayer HealthCare LLC
Whippany, NJ 07981
Made in India.
Pat. patents.livewell.bayer.com
0:000000
Bayer



Drug Facts
Active ingredient
(in each chewable tablet)
Loratadine 5 mg.....Antihistamine

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
sneezing
runny nose
itchy, watery eyes

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.
When using this product do not take more than directed. Taking more than directed may cause drowsiness.
Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Other information
phenylethanolamine hydrochloride 1.4 mg per chewable tablet
safety sealed; do not use if the individual blister unit is open or torn
store between 20° to 25°C (68° to 77°F)

Inactive ingredients
aspartame, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Directions
adults and children
chew 2 tablets daily, not more than 2 chewable tablets in 24 hours
6 years and over
chew 1 tablet daily, not more than 1 chewable tablet in 24 hours
children 2 to under 6 years of age
ask a doctor
children under 2 years of age
ask a doctor

Questions or comments?
1-800-CLARITIN (1-800-252-7484)

100 CHEWABLE TABLETS
GRAPE FLAVORED
DYE FREE

loratadine chewable tablets
5 mg/antihistamine
Children's Claritin
Chewables
Non-Drowsy
Ages 2+ years

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

NUSHIN F TODD
05/14/2025 02:08:33 PM