



— FREE OF —
ALCOHOL
SUGAR & DYE

2+
AGES 2 YEARS
& OLDER



Bubble Gum Flavor

24
HOUR
RELIEF

• RUNNY NOSE • SNEEZING
• ITCHY, WATERY EYES
• ITCHY NOSE OR THROAT

5 fl. oz. (148 mL)

Active ingredient (in each 5 mL)

Levocetirizine dihydrochloride 2.5 mg.....Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other respiratory allergies: ■ runny nose

■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

Warnings Do not use ■ if you have **kidney disease**

■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine

Ask a doctor before use if you have ■ ever had trouble urinating or emptying your bladder

When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness

■ be careful when driving a motor vehicle or operating machinery ■ in rare cases, you may experience itching after stopping levocetirizine. Consult your healthcare provider if this happens.

Stop use and ask a doctor if ■ you have trouble urinating or emptying your bladder ■ an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding: ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use

Keep out of reach of children. In case of overdose, ►

Purpose

get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions ■ use only with enclosed dosing cup **adults 65 years of age and older** ■ ask a doctor **adults and children 12-64 years of age** ■ take 5 mL or 10 mL once daily in the evening depending upon severity of symptoms

■ do not take more than 10 mL in 24 hours **children 6-11 years of age** ■ take 5 mL once daily in the evening

■ do not take more than 5 mL in 24 hours **children 2-5 years of age** ■ take 2.5 mL once daily in the evening

■ do not take more than 2.5 mL in 24 hours **children under 2 years of age** ■ do not use **consumers with kidney disease** ■ do not use

Note: mL = milliliters **Other information** ■ each 5 mL contains: **sodium 3 mg** ■ store between 20° and 25°C (68° and 77°F)

■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing

Inactive ingredients flavor, glacial acetic acid, glycerin, maltitol solution, methylparaben, propylparaben, purified water, saccharin sodium, sodium acetate trihydrate

Questions or comments? call 1-866-844-2798



943875

Lot:
Exp.:

The trade dress of this Xyzal® package is subject to trademark protection.
Distributed by Chatterm, Inc., Chattanooga, TN 37409 ©2025 Origin: Switzerland



278376

943872



728376



— FREE OF —
ALCOHOL
SUGAR & DYE

2+
AGES 2 YEARS
& OLDER

CHILDREN'S

XYZAL[®]

ALLERGY 24HR

levocetirizine dihydrochloride oral solution

2.5 mg / 5 mL antihistamine

24

HOUR
RELIEF

• RUNNY NOSE • SNEEZING

• ITCHY, WATERY EYES

• ITCHY NOSE OR THROAT

Grape Flavor

10 fl. oz. (296 mL)

Drug Facts

Active ingredient (in each 5 mL)
Levocetirizine dihydrochloride 2.5 mg.....Antihistamine

Purpose

Uses
temporarily relieves these symptoms due to hay fever or other respiratory allergies:
■ runny nose ■ sneezing
■ itchy, watery eyes ■ itching of the nose or throat

Warnings
Do not use
■ if you have kidney disease
■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine
Ask a doctor before use if you have
■ ever had trouble urinating or emptying your bladder
When using this product
■ drowsiness may occur
■ avoid alcoholic drinks
■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ be careful when driving a motor vehicle or operating machinery
■ in rare cases, you may experience itching after stopping levocetirizine. Consult your healthcare provider if this happens.
Stop use and ask a doctor if
■ you have trouble urinating or emptying your bladder
■ an allergic reaction to this product occurs. Seek medical help right away.
If pregnant or breast-feeding:
■ if breast-feeding: not recommended
■ if pregnant: ask a health professional before use
Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions ■ use only with enclosed dosing cup

adults 65 years of age and older ■ ask a doctor

adults and children 12-64 years of age ■ take 5 mL or 10 mL once daily in the evening depending upon severity of symptoms
■ do not take more than 10 mL in 24 hours

children 6-11 years of age ■ take 5 mL once daily in the evening
■ do not take more than 5 mL in 24 hours

children 2-5 years of age ■ take 2.5 mL once daily in the evening
■ do not take more than 2.5 mL in 24 hours

children under 2 years of age ■ do not use

consumers with kidney disease ■ do not use

Note: mL = milliliters

Other information
■ each 5 mL contains: **sodium 3 mg**
■ store between 20° and 25°C (68° and 77°F)
■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing

Inactive ingredients
flavor, glacial acetic acid, glycerin, maltitol solution, methylparaben, propylparaben, purified water, saccharin sodium, sodium acetate trihydrate

Questions or comments?
call 1-866-844-2798

The trade dress of this Xyzal® package is subject to trademark protection.
Distributed by Chattem, Inc., Chattanooga, TN 37409
©2025
Origin: Switzerland

943879

Lot:

Exp.:

Reference ID: 5757660

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

DOROTHY N CHANG
03/05/2026 03:03:01 PM