



DN7895

RINVOQ LQ upadacitinib  
 Oral Solution  
 GTIN: 00300742320016  
 Exp:  
 Lot:  
 Product of:

NDC 0074-2320-01

**RINVOQ LQ**  
 upadacitinib  
 Oral Solution

**1 mg/mL**

**RINVOQ LQ and RINVOQ are NOT substitutable.**

Insert bottle adapter on first use.

Do not remove after insertion.



180 mL per Bottle  
 Rx Only  
 abbvie

Discard all contents including unused portion of the bottle 60 days after first opening.  
 Date opened:

month	day	year

AbbVie Inc.  
 North Chicago, IL 60064  
 If required, foreign origin on top flap of carton.  
 © 2025 AbbVie. All rights reserved.  
 DN7895  
 www.RINVOQ.com  
 1.800.2.RINVOQ  
 (1.800.274.6867)



NDC 0074-2320-01

**RINVOQ LQ**  
 upadacitinib  
 Oral Solution

**1 mg/mL**

**RINVOQ LQ and RINVOQ are NOT substitutable.**

For Oral Use Only

Contents of Carton:

- 1 Bottle
- 1 Adapter
- 1 Reusable Oral Syringe (10 mL)
- Full Prescribing Information
- Instructions for Use

Each mL contains 1 mg of upadacitinib.  
 Recommended dosage: see prescribing information.

Do not use if the carton seal is broken or missing.

Before use, read the accompanying instructions for use.

Only use the oral syringe provided.


Store the bottle between 36°F to 86°F (2°C to 30°C).

Store the bottle upright, in the carton, in a cool dark place.

Store the syringe in a clean, dry place between uses.

Keep out of sight and reach of children.

CARTON RINVOQ 1 MG/ML ORAL SOLUTION US  
Page 2 Of 2  
DN7895





NDC 0074-2320-70  
**RINVOQ<sup>®</sup> LQ**  
upadacitinib  
Oral Solution

**1 mg/mL** PROFESSIONAL SAMPLE NOT FOR SALE

**RINVOQ LQ and RINVOQ are NOT substitutable.**

Insert bottle adapter on first use.  
Do not remove after insertion.

180 mL per Bottle  
Rx Only  
abbvie

Discard all contents including unused portion of the bottle 60 days after first opening.  
Date opened:

month	day	year
-------	-----	------

AbbVie Inc.  
North Chicago, IL 60064  
If required, foreign origin on top flap of carton.  
© 2025 AbbVie. All rights reserved.  
DN7896  
www.RINVOQ.com  
1.800.2.RINVOQ  
(1.800.274.6867)



NDC 0074-2320-70  
**RINVOQ<sup>®</sup> LQ**  
upadacitinib  
Oral Solution

**1 mg/mL** PROFESSIONAL SAMPLE NOT FOR SALE

**RINVOQ LQ and RINVOQ are NOT substitutable.**

**For Oral Use Only**  
**Contents of Carton:**

- 1 Bottle
- 1 Adapter
- 1 Reusable Oral Syringe (10 mL)
- Full Prescribing Information
- Instructions for Use

Each mL contains 1 mg of upadacitinib.  
Recommended dosage: see prescribing information.  
Do not use if the carton seal is broken or missing.  
Before use, read the accompanying instructions for use.  
Only use the oral syringe provided.  
Store the bottle between 36°F to 86°F (2°C to 30°C).  
Store the bottle upright, in the carton, in a cool dark place.  
Store the syringe in a clean, dry place between uses.  
Keep out of sight and reach of children.





Exp:  
Lot:  
Product of:

GTIN: 00300742320016



DN7897



NDC 0074-2320-01

Rx Only



Oral Solution

1 mg/mL

**RINVOQ LQ and RINVOQ  
are NOT substitutable.**

For Oral Use Only

Insert bottle adapter on first use.

Do not remove after insertion.

180 mL per Bottle

Each mL contains 1 mg of  
upadacitinib.

Recommended dosage: see  
prescribing information.

Before use, read the accompanying  
instructions for use.

Only use the oral syringe provided.

Store the bottle between 36°F to 86°F  
(2°C to 30°C).

Store the bottle upright, in a cool  
dark place.

Keep out of sight and reach of  
children.

Use contents of bottle within 60 days  
of opening. Discard unused portion of  
the bottle 60 days after first opening.

AbbVie Inc., North Chicago, IL 60064  
If required, foreign origin on opposite  
side of label.

Exp:  
Lot:  
Product of:

GTIN: 00300742320702



DN7898

Product Code: 210



NDC 0074-2320-70

Rx Only

 **RINVOQ<sup>®</sup> LQ**  
upadacitinib

Oral Solution

1 mg/mL

PROFESSIONAL  
SAMPLE  
NOT FOR SALE

**RINVOQ LQ and RINVOQ  
are NOT substitutable.**

For Oral Use Only

Insert bottle adapter on first use.

Do not remove after insertion.

180 mL per Bottle

Each mL contains 1 mg of upadacitinib.

Recommended dosage: see prescribing information.

Before use, read the accompanying instructions for use.

Only use the oral syringe provided.

Store the bottle between 36°F to 86°F (2°C to 30°C).

Store the bottle upright, in a cool dark place.

Keep out of sight and reach of children.

Use contents of bottle within 60 days of opening. Discard unused portion of the bottle 60 days after first opening.

AbbVie Inc., North Chicago, IL 60064  
If required, foreign origin on opposite side of label.



Vilayat  
Sayeed

Digitally signed by Vilayat Sayeed  
Date: 8/19/2025 10:41:39AM  
GUID: 508da70600028a7aad41a1cc455d8261