PACKAGE NOT CHILD-RESISTANT
BRYTLY®
APRACLONIDINE
OPHTHALMIC SOLUTION 0.125%
STERILE 0.5 mL (0.02 fl oz)
BUSINESS REPLY REPLY
EYE DROPS
Alcon
SAMPLE
Store at 2°C to 25°C (36°F to 77°F). Manufactured by:
Alcon Laboratories, Inc., Fort Worth, TX 76134 USA.
Tamper Evident: For your protection, this bottle has an integrated seal around the neck. Do not use if seal is damaged or missing at the time of use.
LOT:
EXP:
300079975
-1125

Drug Facts

Active ingredient ..... Purpose

Apraclonidine 0.125% .....Redness reliever
(equivalent to apraclonidine hydrochloride 0.144%)

Use

Relieves redness of the eye due to minor eye irritations

Warnings

For external use only

Do not use
- if solution changes color or becomes cloudy
- if you are sensitive to any ingredient in this product

Stop use and ask a doctor if
- you experience eye pain, changes in vision, continued redness or irritation of the eye
- condition persists for more than 3 days or worsens

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years of age and over:
  - instill 1 drop in the affected eye(s) every 12 hours
  - do not use more than 2 times daily
  - remove contact lenses before use
  - wait at least 10 minutes before re-inserting contact lenses after use
  - if using other ophthalmic products when using this product, wait at least 5 minutes between each product
  - to avoid contamination, do not touch tip of container to any surface ▶

Drug Facts (continued)

- replace cap after each use
- children under 12 years of age: Do not use

Other information

- store at 2°C to 25°C (36°F to 77°F)

Inactive ingredients

benzalkonium chloride, citric acid (monohydrate), hypromellose 2910, purified water, sodium chloride, sodium citrate (dihydrate). Hydrochloric acid and sodium hydroxide may be used to adjust pH.

Questions or comments?

call 1-800-757-9195 or
email alcon.medinfo@alcon.com

3 00658 59606 2

BRYTLY®

APRACLONIDINE
OPHTHALMIC SOLUTION 0.125%

CLINICALLY PROVEN
TO RELIEVE EYE REDNESS

PACKAGE NOT CHILD-RESISTANT

BRYTLY®

APRACLONIDINE
OPHTHALMIC SOLUTION 0.125%

REDNESS RELIEVER EYE DROPS

LASTS UP TO 12 HOURS

works in 1 minute

STERILE

SAMPLE

0.5 mL (0.02 fl oz)

Alcon

LOT: EXP.:

TAMPER EVIDENT: For your protection, this bottle has an imprinted seal around the neck. Do not use if seal is damaged or missing at the time of use.

BRYTLY®

APRACLONIDINE
OPHTHALMIC SOLUTION 0.125%

LASTS UP TO
12 HOURS

works in 1 minute

Country of Origin: Switzerland

NDC: 0065-8596-06

MANUFACTURED BY:
Alcon Laboratories, Inc.
6201 South Freeway
Fort Worth, Texas 76134

300073941-1125

Store at 2°C to 25°C (36°F to 77°F)
Manufactured by:
Alcon Laboratories, Inc.
Fort Worth, TX 76134 USA
BRYTLY®
TETRAHYDROZOLINE
OPHTHALMIC SOLUTION 0.05%
REDNESS RELIEVER
EYE DROPS
STERILE
2 mL (0.07 fl oz)
Alcon
WARNING: TAMPER SEAL: For your protection, this bottle has an imprinted seal around the neck. Do not use if seal is damaged or missing at the time of purchase.
LOT:
EXP:
30000 23673
- 11.25

Drug Facts

Active ingredient ..... Purpose

Apraclonidine 0.125% .....Redness reliever
(equivalent to apraclonidine hydrochloride 0.144%)

Use

Relieves redness of the eye due to minor eye irritations

Warnings

For external use only

Do not use ■ if solution changes color or becomes cloudy
■ if you are sensitive to any ingredient in this product

Stop use and ask a doctor if
■ you experience eye pain, changes in vision, continued redness or irritation of the eye
■ condition persists for more than 3 days or worsens

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ adults and children 12 years of age and over:
■ instill 1 drop in the affected eye(s) every 12 hours
■ do not use more than 2 times daily
■ remove contact lenses before use
■ wait at least 10 minutes before re-inserting contact lenses after use
■ if using other ophthalmic products when using this product, wait at least 5 minutes between each product
■ to avoid contamination, do not touch tip of container to any surface ▶

Drug Facts (continued)
■ replace cap after each use
■ children under 12 years of age: Do not use

Other information
■ store at 2°C to 25°C (36°F to 77°F)

Inactive ingredients
benzalkonium chloride, citric acid (monohydrate), hypromellose 2910, purified water, sodium chloride, sodium citrate (dihydrate). Hydrochloric acid and sodium hydroxide may be used to adjust pH.

Questions or comments?
call 1-800-757-9195 or
email alcon.medinfo@alcon.com

3 00658596055 5

BRYTLY®
APRACLONIDINE
OPHTHALMIC SOLUTION 0.125%

CLINICALLY PROVEN
TO RELIEVE EYE REDNESS

BRYTLY®
APRACLONIDINE
OPHTHALMIC SOLUTION 0.125%
REDNESS RELIEVER EYE DROPS

LASTS UP TO 12 HOURS
works in 1 minute

STERILE

2 mL (0.07 fl oz)

Alcon

LOT: EXP.:

TAMPER EVIDENT: For your protection, this bottle has an imprinted seal around the neck. Do not use if seal is damaged or missing at the time of purchase.

BRYTLY®
APRACLONIDINE
OPHTHALMIC SOLUTION 0.125%

Push down while turning to open cap

LASTS UP TO 12 HOURS
works in 1 minute

Country of Origin: Switzerland

NDC: 0065-8596-05

Fill Line

MANUFACTURED BY:
Alcon Laboratories, Inc.
6201 South Freeway
Fort Worth, Texas 76134

ACTUAL SIZE

300073939-1125

Store at 2°C to 25°C (36°F to 77°F).
Manufactured by:
Alcon Laboratories, Inc.
Fort Worth, TX 76134
BRYTLY®
APRACLONIDINE
OPHTHALMIC SOLUTION 0.123%
REDNESS RELIEVER
EYE DROPS
STERILE
5 mL (0.17 fl oz)
Alcon
TAMPER EVIDENT: For your protection, this bottle has an imprinted seal around the neck. Do not use if seal is damaged or missing at the time of purchase.
LOT:
EXP:
30007397H-1425

Drug Facts

Active ingredient ..... Purpose

Apraclonidine 0.125% .....Redness reliever
(equivalent to apraclonidine hydrochloride 0.144%)

Use

Relieves redness of the eye due to minor eye irritations

Warnings

For external use only

Do not use
- if solution changes color or becomes cloudy
- if you are sensitive to any ingredient in this product

Stop use and ask a doctor if
- you experience eye pain, changes in vision, continued redness or irritation of the eye
- condition persists for more than 3 days or worsens

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
- adults and children 12 years of age and over:
  - instill 1 drop in the affected eye(s) every 12 hours
  - do not use more than 2 times daily
  - remove contact lenses before use
  - wait at least 10 minutes before re-inserting contact lenses after use
  - if using other ophthalmic products when using this product, wait at least 5 minutes between each product
  - to avoid contamination, do not touch tip of container to any surface
  - replace cap after each use
- children under 12 years of age: Do not use

Other information
- store at 2°C to 25°C (36°F to 77°F)

Drug Facts (continued)

Inactive ingredients

benzalkonium chloride, citric acid (monohydrate), hypromellose 2910, purified water, sodium chloride, sodium citrate (dihydrate). Hydrochloric acid and sodium hydroxide may be used to adjust pH.

Questions or comments?

call 1-800-757-9195 or
email alcon.medinfo@alcon.com

3 00658596048

BRYTLY®

APRACLONIDINE OPHTHALMIC SOLUTION 0.125%

CLINICALLY PROVEN TO RELIEVE EYE REDNESS

BRYTLY®

APRACLONIDINE OPHTHALMIC SOLUTION 0.125%

REDNESS RELIEVER EYE DROPS

LASTS UP TO 12 HOURS

works in 1 minute

STERILE

5 mL (0.17 fl oz)

Alcon

LOT: EXP.:

TAMPER EVIDENT: For your protection, this bottle has an imprinted seal around the neck. Do not use if seal is damaged or missing at the time of purchase.

BRYTLY®

APRACLONIDINE OPHTHALMIC SOLUTION 0.125%

ACTUAL SIZE

300073940-1125