




12

5

20

Pharmacode

4 Single-dose Autoinjectors
FOR SUBCUTANEOUS USE ONLY
Each 0.9 mL
Single-dose Autoinjector contains:
tocilizumab-anoh 162 mg
histidine 0.7 mg
L-histidine hydrochloride monohydrate 1.0 mg
methionine 8.1 mg
polysorbate 80 0.2 mg
threonine 17.2 mg
and Water for Injection, USP

NDC 72606-045-06
Contains no preservatives.
Manufactured by: CELLTRION, Inc.
23, Academy-ro,
Yeonsu-gu, Incheon, 22014,
Republic of Korea
U.S. License No. 1996
Distributed by: CELLTRION USA, Inc.
One Evertrust Plaza Suite 1207
Jersey City, NJ 07302
Product of Republic of Korea

Imprinting

Pen 4
Pen 3
Pen 2
Pen 1

Do not Shake.
For up to 3 weeks. Do not Freeze.
the autoinjector can be stored at room
temperature at or below 77°F (25°C).
light. Once removed from the refrigerator,
8°C) in the original carton to protect from
Store refrigerated at 36°F to 46°F (2°C to
Do not use beyond the expiration date.
Dosage: See Prescribing Information.
Use space below to record
date each autoinjector is
removed from refrigerator.

Rx only

Each carton contains 4 single-dose Autoinjectors,
1 Medication Guide,
1 Prescribing Information and 1 Instructions for Use

Avtozma[®]
(tocilizumab-anoh)
Injection
162 mg/0.9 mL

FOR SUBCUTANEOUS USE ONLY
ATTENTION: Dispense the enclosed
Medication Guide to each patient

NDC 72606-045-06


CELLTRION USA
CELLTRION

Rx only

4 single-dose
Autoinjectors

Avtozma[®]
(tocilizumab-anoh)
Injection
162 mg/0.9 mL

FOR SUBCUTANEOUS USE ONLY



5

25

1 Single-dose Prefilled Syringe with Safety Guard
FOR SUBCUTANEOUS USE ONLY
Each 0.9 mL

Single-dose Prefilled Syringe with Safety Guard contains:

tocilizumab-anoh	162 mg
histidine	0.7 mg
L-histidine hydrochloride monohydrate	1.0 mg
methionine	8.1 mg
polysorbate 80	0.2 mg
threonine	17.2 mg

and Water for Injection, USP

NDC 72606-045-01
Contains no preservatives.


Manufactured by: CELLTRION, Inc.
23, Academy-ro,
Yeonsu-gu, Incheon, 22014,
Republic of Korea
U.S. License No. 1996

Distributed by: CELLTRION USA, Inc.
One Evertrust Plaza Suite 1207
Jersey City, NJ 07302
Product of Republic of Korea

Pharmacode

Imprinting Area

2D barcode



LOT/EXP/REF/BR

Do not Shake.

for up to 3 weeks. Do not Freeze.

temperature at or below 77°F (25°C).

the prefilled syringe can be stored at room light. Once removed from the refrigerator, 8°C) in the original carton to protect from Store refrigerated at 36°F to 46°F (2°C to 8°C) until the expiration date. Each syringe is removed.

Do not use beyond the expiration date.

Dosage: See Prescribing Information.

Use space below to record date

Syringe 1: _____

1 Single-dose Prefilled Syringe with Safety Guard

Avtozma[®]
(tocilizumab-anoh)
Injection
162 mg/0.9 mL


FOR SUBCUTANEOUS USE ONLY

ATTENTION: Dispense the enclosed Medication Guide to each patient

NDC 72606-045-01

Rx only

Each carton contains 1 single-dose Prefilled syringe with safety guard,
1 Medication Guide,
1 Prescribing Information and 1 Instructions for Use



x 1

1 single-dose
Prefilled syringe with safety guard

CELLTRION

1 Single-dose Prefilled Syringe with Safety Guard

Avtozma[®]
(tocilizumab-anoh)
Injection
162 mg/0.9 mL

FOR SUBCUTANEOUS USE ONLY


1 Single-dose Prefilled Syringe with Safety Guard

Avtozma[®]
(tocilizumab-anoh)
Injection
162 mg/0.9 mL

FOR SUBCUTANEOUS USE ONLY

Rx only

1 single-dose
Prefilled syringe with safety guard



x 1

CELLTRION

1 Single-dose Prefilled Syringe with Safety Guard

Avtozma[®]
(tocilizumab-anoh)
Injection
162 mg/0.9 mL

FOR SUBCUTANEOUS USE ONLY

35

9

Pharmacode

NDC 72606-045-03
Contains no preservatives.
Manufactured by: CELLTRION, Inc.
23, Academy-ro,
Yeosu-gu, Incheon, 22014,
Republic of Korea
U.S. License No. 1996
Distributed by: CELLTRION USA, Inc.
One Evertrust Plaza Suite 1207
Jersey City, NJ 07302
Product of Republic of Korea

Dosage: See Prescribing Information.
 Do not use beyond the expiration date.
 Store refrigerated at 2°C to 8°C (36°F to 46°F) in the original carton to protect from light. Once removed from the refrigerator, the prefilled syringe can be stored at room temperature (at or below 25°C (77°F)) for up to 3 weeks. Do not freeze.
 Syringe 4: _____
 Syringe 3: _____
 Syringe 2: _____
 Syringe 1: _____
 Use space below to record date each syringe is removed from refrigerator.

Rx only

Each carton contains 4 single-dose Prefilled syringes with safety guard,
1 Medication Guide,
1 Prescribing Information and 1 Instructions for Use



4 single-dose
Prefilled syringes with safety guard

Avtozma®
(tocilizumab-anoh)
Injection

162 mg/0.9 mL

FOR SUBCUTANEOUS USE ONLY
ATTENTION: Dispense the enclosed
Medication Guide to each patient

NDC 72606-045-03


Avtozma[®]
(tocilizumab-anoh)
Injection

FOR SUBCUTANEOUS USE ONLY
ATTENTION: Dispense the enclosed Medication Guide to each patient



4 single-dose
Prefilled syringes with safety guard

Avtozma®
(tocilizumab-anoh)
Injection
162 mg/0.9 mL
FOR SUBCUTANEOUS





Rapti
Madurawe

Digitally signed by Rapti Madurawe

Date: 9/02/2026 04:11:28PM

GUID: 508da72000029fdce2bf6a1514cda660