

**CENTER FOR DRUG EVALUATION AND
RESEARCH**

APPLICATION NUMBER:

21-375

APPROVED LABELING

Questions or comments? call weekdays from 9 AM to 5 PM EST at 1-800-ALAVERT (1-800-252-6378)

Inactive ingredients: artificial & natural flavors, aspartame, citric acid, colloidal silicon dioxide, corn syrup solids, croscollon, magnesium stearate, mannitol, microcrystalline cellulose, modified food starch, sodium bicarbonate

Other information: Contains Phenylephrine 8.4 mg per tablet ■ store at 20-25°C (68-77°F) ■ keep in a dry place

Age	Dose
adults and children 6 years and over	1 tablet daily; do not use more than 1 tablet daily
children under 6	ask a doctor
consumers who have liver or kidney disease	ask a doctor

Directions: ■ tablet melts in mouth. Can be taken with or without water.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

When using this product do not use more than directed. Taking more than recommended may cause drowsiness.

Your doctor should determine if you need a different dose.

Ask a doctor before use if you have liver or kidney disease.

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Warnings: ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

Uses: temporarily relieves these symptoms due to hay fever or other upper respiratory allergies.

Active ingredient (in each tablet): Loratadine 10 mg

Purpose: Antihistamine

Drug Facts

Active ingredient (in each tablet): Loratadine 10 mg

Purpose: Antihistamine

Uses: temporarily relieves these symptoms due to hay fever or other upper respiratory allergies.

Warnings: ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease.

Your doctor should determine if you need a different dose.

When using this product do not use more than directed. Taking more than recommended may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions: ■ tablet melts in mouth. Can be taken with or without water.

Other information: Contains Phenylephrine 8.4 mg per tablet ■ store at 20-25°C (68-77°F) ■ keep in a dry place

Inactive ingredients: artificial & natural flavors, aspartame, citric acid, colloidal silicon dioxide, corn syrup solids, croscollon, magnesium stearate, mannitol, microcrystalline cellulose, modified food starch, sodium bicarbonate

Questions or comments? call weekdays from 9 AM to 5 PM EST at 1-800-ALAVERT (1-800-252-6378)

ALAVERT™
Non-Drowsy* Allergy Relief

NEW!
One Tablet - 24 hrs.

allergy

ALAVERT™
(Loratadine Orally Disintegrating Tablet, 10mg, Antihistamine)
Non-Drowsy* Allergy Relief
24-Hour Relief of

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itching of Nose & Throat

12 Orally Disintegrating Tablets

MELTS IN YOUR MOUTH

LOT & EXP TARGET AREA

LOT EXP

Visit our website at www.alavert.com

Alavert Allergy provides 24 hours of allergy symptom relief without causing drowsiness when taken as directed. (See Drug Facts Panel). It contains prescription strength loratadine. Just one tablet a day relieves runny nose, sneezing and itchy, watery eyes. It is safe and effective for adults and children 6 years and over. The mint flavored tablet melts in your mouth. So convenient, it can be taken without water.


***When taken as directed. See Drug Facts Panel.**

EACH TABLET IS BLISTER SEALED. DO NOT USE IF SEAL IS BROKEN.

***When taken as directed. See Drug Facts Panel.**

42-01707-900

UK24021-1



Other Information

Contains Phenylephrine 5 mg per tablet. In room at 20-25°C (68-77°F).

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Directions

Take 1 tablet orally, 2 times a day, with or without food.

Drug Facts

Active ingredient (in each tablet): Loratadine 10 mg.

Purpose: Allergy relief.

NEW!
One Tablet - 24 hrs.

allergy

ALAVERT™

(Loratadine Orally Disintegrating Tablet, 10mg, Antihistamine)

Non-Drowsy* Allergy Relief

24-Hour Relief of

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itching of Nose & Throat

MEETS IN YOUR MOUTH

48 Orally Disintegrating Tablets

*When taken as directed. See Drug Facts Panel.

NEW!
One Tablet - 24 hrs.

allergy

ALAVERT™

(Loratadine Orally Disintegrating Tablet, 10mg, Antihistamine)

Non-Drowsy* Allergy Relief

24-Hour Relief of

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itching of Nose & Throat

MEETS IN YOUR MOUTH

48 Orally Disintegrating Tablets

*When taken as directed. See Drug Facts Panel.

Visit our website at www.alavert.com

The most favored tablet melts in your mouth. So convenient, it can be taken without water.

Just one tablet a day: effective for adults and children 6 years and over.

Alavert Allergy provides 24 hours of allergy symptom relief without causing drowsiness when taken as directed. See Drug Facts Panel. It contains prescription strength loratadine.

ALAVERT™

Non-Drowsy* Allergy Relief

3 0573-2620-48 0

ALAVERT™

Non-Drowsy* Allergy Relief

Each tablet is blister sealed. Do not use if seal is broken.

ALAVERT™

Non-Drowsy* Allergy Relief

24-Hour Relief of

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itching of Nose & Throat

MEETS IN YOUR MOUTH

48 Orally Disintegrating Tablets

*When taken as directed. See Drug Facts Panel.

LOT

EXP

**This is a representation of an electronic record that was signed electronically and
this page is the manifestation of the electronic signature.**

/s/

Charles Ganley
12/19/02 03:39:58 PM

Badrul Chowdhury
12/19/02 05:36:20 PM